Datasheet: MCA6240GA BATCH NUMBER 100005150

Description:	MOUSE ANTI HUMAN INTERLEUKIN-4
Specificity:	IL-4
Other names:	BSF-1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	B04-9E1
Isotype:	lgG1
Quantity:	0.1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	ELISA	-			1.0 ug/ml	
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant					
Buffer Solution	Phosphate buffered salir	ie				
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)					
Carrier Free	Yes					
Approx. Protein Concentrations	IgG concentration 1.0 m	g/ml				

External Database	UniProt:
Links	<u>P05112</u> <u>Related reagents</u>
	Entrez Gene:
	<u>3565</u> IL4 <u>Related reagents</u>
Fusion Partners	Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0
Specificity	Mouse anti Human interleukin-4 antibody, clone B04-9E1, recognizes interleukin-4
	(IL-4) also known as B-cell stimulatory factor 1, binetrakin and lymphocyte stimulatory
	factor 1. IL-4 is a cytokine largely expressed and secreted by CD4 ⁺ T helper cells,
	basophils, eosinophils, mast cells and natural killer cells (Junttila 2018). IL-4 is expressed
	at low levels under physiological conditions, with the levels influenced by hormones,
	cellular/oxidative stress, infection and inflammation (McCormick & Heller 2015).
	IL-4 plays important roles in both physiological and pathological conditions such as Th2
	cell-mediated immunity, IgE and IgG1 class switching in B cells and tissue repair and
	homeostasis through alternative macrophage activation (Gadani et al. 2013). The effect of
	IL-4 is mediated through the receptor IL-4R α . Upon binding of IL-4 to IL-4R α , the complex
	binds to a secondary receptor chain, IL-2R γ c or IL-13R α 1. This receptor complex is then
	able to induce intracellular signaling via JAK1 and JAK3 (Junttila 2018).
	The purified Mouse anti Human interleukin-4 antibody, clone B04-9E1 (MCA6240GA) can
	be used as a capture antibody in a sandwich ELISA with the biotinylated Mouse anti
	Human interleukin-4 antibody, clone B03-6A7 (MCA6241B) as the detection antibody.
Storage	Store at +4°C or at -20°C if preferred.
	Storage in frost-free freezers is not recommended.
	This product should be stored undiluted. Avoid repeated freezing and thawing as this may
	denature the antibody. Should this product contain a precipitate we recommend
	microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety	Material Safety Datasheet documentation #10040 available at:
Information	https://www.bio-rad-antibodies.com/SDS/MCA6240GA
	10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)RPEGoat Anti Mouse IgG IgA IgM (STAR87...)HRP

Goat Anti Mouse IgG (STAR76)	RPE			
Rabbit Anti Mouse IgG (STAR13)	HRP			
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>			
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,			
	DyLight®650, DyLight®680, DyLight®800,			
	<u>FITC</u> , <u>HRP</u>			
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>			
Goat Anti Mouse IgG (STAR77)	HRP			
Goat Anti Mouse IgG (Fc) (STAR120)	<u>FITC, HRP</u>			
ELISA Matched Pair - Detection Antibody				
MOUSE ANTI HUMAN INTERLEUKIN-4:Biotin (MCA6241B)				

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M380413:210511'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint