

Datasheet: MCA6242GA

Description:	MOUSE ANTI HUMAN INTERLEUKIN-17A
Specificity:	IL-17A
Other names:	CTLA-8
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	H06-4H4
lsotype:	lgG2b
Quantity:	0.1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	ELISA	•			1.0 ug/ml	
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by supernatant	/ affinity ch	romatogr	aphy on Protein G fro	om tissue culture	
Buffer Solution	Phosphate buffered sali	ne				
Preservative Stabilisers	0.09% Sodium Azide (N	aN ₃)				
Carrier Free	Yes					
Approx. Protein Concentrations	IgG concentration 1.0 m	g/ml				

Immunogen

External Database Links	UniProt: Q16552 Related reagents Entrez Gene: <u>3605</u> IL17A <u>Related reagents</u>				
Synonyms	CTLA8, IL17				
Fusion Partners	Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0				
Specificity	Mouse anti Human interleukin-17A, clone H06-4H4, recognizes interleukin-17A (IL-17A) also known as cytotoxic T-lymphocyte-associated antigen 8 (CTLA-8).				
	The IL-17 family consists of six proteins (IL-17A to IL-17F) which function as pro-inflammatory cytokines important in the defense against pathogens (Gurczynski & Moore 2017). This antibody recognizes IL-17A, the most studied member of the IL-17 family. IL-17A is expressed by various cell types including CD4 ⁺ and CD8 ⁺ T helper cells, neutrophil, natural killer, mast and B cells (Chen & Kolls 2017). It elicits its responses via the IL-17 receptor, IL-17RA. Activation of this receptor leads to the activation of NF-κB and mitogen-activated protein kinase to then drive the transcriptional activation of target genes which play key roles in inflammation. IL-17A can also signal to stabilize mRNA transcripts, again to enhance the production of genes including those encoding cytokines, chemokines, antimicrobial peptides and other inflammatory effectors. (Monin & Gaffen 2018). Uncontrolled IL-17A signaling is associated with immunopathology, autoimmune diseases, and cancer, and blocking activity of IL-17A can be beneficial in some clinical settings (Amatya <i>et al.</i> 2017).				
	The purified Mouse anti Human interleukin-17A antibody, clone H06-4H4 (MCA6242GA) can be used as a capture antibody in a sandwich ELISA with the biotinylated Mouse anti Human interleukin-17A antibody, clone F01.1-5D10 (<u>MCA6243B</u>) as the detection antibody.				
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u>				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77)	HRP		
Rabbit Anti Mouse IgG (STAR12)	RPE		
Rabbit Anti Mouse IgG (STAR8)	DyLight®800		
Goat Anti Mouse IgG (STAR76)	RPE		
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP		
Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u>			
Rabbit Anti Mouse IgG (STAR13)	HRP		
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>		
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>		
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,		
	DyLight®650, DyLight®680, DyLight®800,		
	FITC, HRP		

Recommended Negative Controls

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

Recommended Useful Reagents

MOUSE ANTI HUMAN INTERLEUKIN-17A:Biotin (MCA6243B)

ELISA Matched Pair - Detection Antibody

MOUSE ANTI HUMAN INTERLEUKIN-17A:Biotin (MCA6243B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@l	pio-rad.com	Email: antibody_sales_uk@bic	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M390651:210924'

Printed on 21 Mar 2022

© 2022 Bio-Rad Laboratories Inc | Legal | Imprint