

Datasheet: MCA6244GA

BATCH NUMBER 100005292

Description:	MOUSE ANTI HUMAN INTERLEUKIN-18BP
Specificity:	IL-18BP
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	B01-3E12
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			1.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	NS0 derived recombinant human full length interleukin-18BP (Thr31-Gly194)

External Database Links	UniProt: O95998 Related reagents Entrez Gene: 10068 IL18BP Related reagents
Fusion Partners	Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0
Specificity	<p>Mouse anti Human interleukin-18BP antibody, clone B01-3E12, recognizes interleukin-18-binding protein (IL-18BP), also known as takedin-α. IL-18BP is a secreted immunoregulatory binding protein which binds to and inhibits the cytokine activity of mature IL-18 with high affinity. IL-18 plays a role in host defense, inflammation, tissue repair, and regeneration (Mühl & Bachmann 2019).</p> <p>IL-18BP is constitutively expressed in the spleen, PBMCs, monocytes and umbilical vein endothelial cells (Mühl & Bachmann 2019, Corbaz et al. 2002). It is detectable in the serum of healthy humans at a 20 fold molar excess compared to IL-18, with subjects showing levels of 2,000 – 4,000 pg/ml of IL-18BP (Kaplanski et al. 2018). IL-18BP is upregulated in response to inflammation as part of the inflammation resolution process. Additionally, it can be upregulated during various cancers and IL-18BP levels are also affected by viral infections such as dengue and hepatitis C (Mühl & Bachmann 2019).</p> <p>The purified Mouse anti Human interleukin-18BP antibody, clone B01-3E12 (MCA6244GA) can be used as a capture antibody in a sandwich ELISA with the biotinylated Mouse anti Human interleukin-18BP antibody, clone A07-5D2 (MCA6245B) as the detection antibody.</p>
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6244GA 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
Goat Anti Mouse IgG (STAR76...) [RPE](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),
[FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

Recommended Useful Reagents

[MOUSE ANTI HUMAN INTERLEUKIN-18BP:Biotin \(MCA6245B\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M378811:210304'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)