

Datasheet: MCA6250GA

Description:	MOUSE ANTI HUMAN LOX-1
Specificity:	LOX-1
Other names:	Ox-LDL receptor 1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	DE15-4H4
Isotype:	IgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			1.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml

Immunogen HEK293 derived recombinant human full length LOX-1 (Ser61-Gln273)

External Database

Links

UniProt:

[P78380](#) [Related reagents](#)

Entrez Gene:

[4973](#) OLR1 [Related reagents](#)

Synonyms

CLEC8A, LOX1

Fusion Partners

Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0

Specificity

Mouse anti Human LOX-1 antibody, clone DE15-4H4, recognizes lectin-like oxidized LDL receptor 1 (LOX-1) also known as oxidized low density lipoprotein receptor 1 and C-type lectin domain family 8 member A. LOX-1 is a 5 kDa transmembrane glycoprotein and is a member of the class E of the scavenger receptors. It is expressed in a variety of cells including macrophages, vascular smooth muscle cells, cardiomyocytes, platelets and fibroblasts ([Kattoor et al. 2019](#)). Proteolytic cleavage of LOX-1 results in the soluble form sLOX-1. The ligand Ox-LDL exerts its biological effects through the LOX-1 receptor, with its binding resulting in induction of the MAPK or NF-κB signaling pathways. Downstream of this, these pathways can trigger the induction of the productions of adhesion molecules and pro-inflammatory cytokines (<https://pubmed.ncbi.nlm.nih.gov/30819724/>).

LOX-1 is expressed at low levels under normal physiological conditions, but is upregulated in various pathological conditions including atherosclerosis, diabetes mellitus, hypertension and dyslipidemia ([Kattoor et al. 2019](#)).

The purified Mouse anti Human LOX-1 antibody, clone DE15-4H4 (MCA6250GA) can be used as a capture antibody in a sandwich ELISA with the biotinylated Mouse anti Human LOX-1 antibody, clone DE17-4B9 ([MCA6251B](#)) as the detection antibody.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/MCA6250GA>
10040

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Rabbit Anti Mouse IgG (STAR8...)	DyLight®800
Goat Anti Mouse IgG (STAR76...)	RPE
Human Anti Mouse IgG2a (HCA037...)	HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®680 , DyLight®800 , FITC , HRP
Goat Anti Mouse IgG (STAR70...)	FITC

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL \(MCA929\)](#)

Recommended Useful Reagents

[MOUSE ANTI HUMAN LOX-1:Biotin \(MCA6251B\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M384212:210513'

Printed on 18 Jan 2024