

Datasheet: MCA6259B

BATCH NUMBER 100005531

Description:	MOUSE ANTI HUMAN MMP-3:Biotin
Specificity:	MMP-3
Other names:	Stromelysin-1
Format:	Biotin
Product Type:	Monoclonal Antibody
Clone:	G05-6A10
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			1.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG conjugated to Biotin - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative	0.09% Sodium Azide (NaN ₃)
Stabilisers	1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml
Immunogen	<i>E. coli</i> derived recombinant human partial length of MMP-3 (Phe100-Cys477)

External Database**Links****UniProt:**[P08254](#)[Related reagents](#)**Entrez Gene:**[4314](#)

MMP3

[Related reagents](#)**Synonyms**

STMY1

Fusion Partners

Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0

Specificity

Mouse anti Human MMP-3 antibody, clone G05-6A10, recognizes matrix metalloproteinase-3 (MMP-3) also known as stromelysin-1 (SL-1) and transin-1. MMP-3 is a member of the metzincins superfamily of proteases and is produced by various cells and tissues including the endothelium, vascular smooth muscle cells intima and platelets ([Cui et al. 2017](#)).

MMP-3 is largely expressed by connective and vascular tissues and cells due to its roles in extracellular matrix remodeling. It is synthesized as a pre-proenzyme before being processed to remove the signal peptide forming the 57 kDa pro-MMP-3. This is then further cleaved by proteolytic enzymes to create the 45 kDa active form.

Like other MMP's, MMP-3 plays a major role in tissue remodeling through the promotion of extracellular matrix (ECM) protein turnover. Specifically MMP-3 degrades the collagen proteins, type II, IV, IX as well as the proteoglycans elastin fibronectin and laminin ([Cui et al. 2017](#)). Through the degradation of these ECM components, growth factors and adhesion molecules, MMP-3 can modify the extracellular environment and modulate cell to cell signaling. As such, MMP-3 is implicated in synaptic plasticity through enzymatic modification of ECM constituents ([Lech et al. 2019](#)).

The biotinylated Mouse anti Human MMP-3 antibody, clone G05-6A10 (MCA6259B) can be used as a detection antibody in a sandwich ELISA with the purified Mouse anti Human MMP-3 antibody, clone I08-9G7 ([MCA6258GA](#)) as the capture antibody.

Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10041 available at:
<https://www.bio-rad-antibodies.com/SDS/MCA6259B>
10041

Regulatory

For research purposes only

Related Products

Recommended Useful Reagents

[MOUSE ANTI HUMAN MMP-3 \(MCA6258GA\)](#)

[RECOMBINANT HUMAN MMP-3 \(PHP304\)](#)

ELISA Matched Pair - Capture Antibody

[MOUSE ANTI HUMAN MMP-3 \(MCA6258GA\)](#)

ELISA Antigen - Positive Control

[RECOMBINANT HUMAN MMP-3 \(PHP304\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M386393:210521'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)