## Datasheet: MCA6285B BATCH NUMBER 100005190

Description:	MOUSE ANTI HUMAN TSLP:Biotin
Specificity:	TSLP
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	D01-2E2
lsotype:	lgG1
Quantity:	0.1 mg

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further					
	information. For general protocol recommendations, please visit <u>www.bio-</u>					
	rad-antibodies.com/proto	Yes	No	Not Determined	Suggested Dilution	
	ELISA	•	110	Het Betermined	1.0 ug/ml	
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as					
	a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Human					
Product Form	Purified IgG conjugated to Biotin - liquid					
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant					
Buffer Solution	Phosphate buffered salir	ie				
Preservative	0.09% Sodium Azide (Na	aN <sub>3</sub> )				
Stabilisers	1% Bovine Serum Album	nin				
Approx. Protein Concentrations	IgG concentration 0.1 m	g/ml				
Immunogen	E. Coli derived recombinant full length human TSLP (Tyr29-Gln159)					

External Database Links	UniProt:   Q969D9 Related reagents   Entrez Gene:   85480 TSLP   Related reagents					
Fusion Partners	Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0					
Specificity	<b>Mouse anti Human TSLP antibody, clone D01-2E2,</b> recognizes thymic stromal lymphopoietin (TSLP), a member of the interleukin-2 (IL-2) cytokine family and an IL-7-like cytokine. TSLP plays a role in pathophysiological immunity-related functions. Specifically, TSLP is implicated in allergic reaction, infection, cancer and autoimmunity (Ziegler <i>et al.</i> 2013). During allergic inflammation, the primary producers of TSLP are epithelial cells, keratinocytes, mast cells, smooth muscle cells, dendritic cells and trophoblasts (Takai 2012).					
	TSLP is a ligand of the TSLP receptor (TSLPR), which is expressed by a variety of hematopoietic cell populations and some hematopoietic cells such as epithelial cells ( <u>Ziegler <i>et al.</i> 2013</u> ).Upon binding of TSLP to TSLPR various signaling pathways can be activated including JAK, STAT, Src kinases and PI3K. Under physiological conditions, induction of these pathways can promote homeostatic polyclonal expansion of T cells in the absence of foreign antigens and drive differentiation of inducible Tregs ( <u>Nakajima <i>et al.</i> 2020</u> ).					
	The biotinylated Mouse anti Human TSLP antibody, clone D01-2E2 (MCA6285B) can be used as a detection antibody in a sandwich ELISA with the purified Mouse anti Human TSLP antibody, clone H03-5E12 ( <u>MCA6284GA</u> ) as the capture antibody.					
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.					
Guarantee	12 months from date of despatch					
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA6285B 10041					
Regulatory	For research purposes only					

## **Related Products**

## **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...)RPEGoat Anti Mouse IgG IgA IgM (STAR87...)HRP

Goat Ant	i Mouse IgG (STAR76)	RPE			
Rabbit Ar	nti Mouse IgG (STAR13)	HRP			
Goat Ant	i Mouse IgG (STAR70)	<u>FITC</u>			
Goat Ant	i Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,			
		DyLight®650, DyLight®680, DyLig	<u>jht®800,</u>		
		<u>FITC, HRP</u>			
Rabbit Ar	nti Mouse IgG (STAR9)	<u>FITC</u>			
Goat Anti Mouse IgG (STAR77) HRP					
Goat Anti Mouse IgG (Fc) (STAR120) <u>FITC</u> , <u>HRP</u>					
Recommended Useful Reagents					
MOUSE ANTI HUMAN TSLP (MCA6284GA)					
North & South	Tel: +1 800 265 7376 Worldwid	de Tel: +44 (0)1865 852 700 Europ	e Tel: +49 (0) 89 8090 95 21		
America	Fax: +1 919 878 3751	Fax: +44 (0)1865 852 739	Fax: +49 (0) 89 8090 95 50		
	Email: antibody_sales_us@bio-rad.com	Email: antibody_sales_uk@bio-rad.com	Email: antibody_sales_de@bio-rad.com		
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets					

'M378828:210304'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint