

Datasheet: MCA6288GA

BATCH NUMBER 100005325

Description:	MOUSE ANTI HUMAN vWF
Specificity:	vWF
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	C01-1F2
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			1.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	CHO derived recombinant full length human vWF (Met1-Lys2813)

External Database Links	UniProt: P04275 Related reagents
	Entrez Gene: 7450 VWF Related reagents
Synonyms	F8VWF
Fusion Partners	Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0
Specificity	<p>Mouse anti Human vWF antibody, clone C01-1F2, recognizes von Willebrand factor (vWF) a multifunctional glycoprotein that plays essential roles in primary and secondary homeostasis, mediates platelet adhesion and is a carrier of coagulation factor VIII (Yasar et al. 2018).</p> <p>vWF is present in blood plasma, the subendothelial matrix, platelet granules (α granules) and endothelial cells (Kawecki et al. 2017). In endothelial cells, the vWF is stored in mature Weibel-Palade bodies before it is secreted into the plasma (Yasar et al. 2018). vWF plasma levels are influenced by genetic, pathological, hormonal and environmental interactions (Swystun & Lillicrap 2018). Upon vascular injury, vWF mediates the anchoring of platelets to the subendothelium leading to the formation of a platelet plug and the arrest of bleeding. Due to its acute release by the activated epithelium, vWF has been considered a marker of inflammation in various pathologies. However there is evidence that vWF is able to play a direct role in inflammation by recruiting leukocytes to sites of inflammation (Kawecki et al. 2017).</p> <p>The purified Mouse anti Human vWF antibody, clone C01-1F2 (MCA6288GA) can be used as a capture antibody in a sandwich ELISA with the biotinylated Mouse anti Human vWF antibody, clone E01-1C8 (MCA6289B) as the detection antibody.</p>
Storage	<p>Store at +4°C or at -20°C if preferred.</p> <p>Storage in frost-free freezers is not recommended.</p> <p>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	<p>Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6288GA</p> <p>10040</p>
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)	HRP
Goat Anti Mouse IgG (STAR76...)	RPE
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®550 , DyLight®650 , DyLight®680 , DyLight®800 , FITC , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR77...)	HRP
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP

Recommended Useful Reagents

[MOUSE ANTI HUMAN vWF:Biotin \(MCA6289B\)](#)

North & South America	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M378829:210304'

Printed on 18 Jan 2024