Datasheet: MCA6302 BATCH NUMBER 155775

RABBIT ANTI HIF1 ALPHA
RADDIT ANTI HIFT ALFHA
HIF1 ALPHA
Purified
Monoclonal Antibody
RM242
lgG
0.1 ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Immunohistology - Paraffin	-			1/500 - 1/1000			
	Western Blotting	-			1/1000 - 1/2000			
	Where this product has r	not been t	ested for ι	use in a particular tecl	hnique this does not			
	necessarily exclude its u a guide only. It is recomr system using appropriate	nended th	at the use	er titrates the product	•			
Target Species	Human							
Product Form	Purified IgG - liquid							
Preparation	Purified IgG prepared by culture supernatant	affinity cł	nromatogr	aphy of Protein A fron	n animal origin-free			
Buffer Solution	Phosphate buffered salin	Ie						
Preservative	0.09% Sodium Azide							
Stabilisers	1% Bovine Serum Album	nin						
	50% Glycerol							
Immunogen	A peptide corresponding	to HIF1 a	llpha					
External Database	UniProt:							

Links	Q16665 Related reagents						
	Entrez Gene: <u>3091</u> HIF1A <u>Related reagents</u>						
Synonyms	BHLHE78, MOP1, PASD8						
Specificity	Rabbit anti Human HIF1 alpha antibody recognizes hypoxia-inducible factor 1-alpha, also known as BHLHE78, MOP1. HIF transcription factors are the main regulators of cellular responses to hypoxia (low oxygen levels), promoting cell survival. HIF is a heterodimer consisting of either HIF1 alpha, HIF2 alpha, or HIF3 alpha bound to HIF 1 beta (Huang et al. 2017). Under normal oxygen levels HIF1 alpha is degraded via the ubiquitin-dependent pathway, but under hypoxia, HIF 1 alpha is stablized, leading to HIF1 binding to the hypoxia responsive element (HRE) in the nucleus and activating genes involved with angiogenesis, migration and survival (Tatrai et al. 2017). HIF1 alpha expression is elevated in several human cancers including glioblastoma multiforme, hemangioblastoma, and colonic adenocarcinoma, and is strongly associated with mortality and increased metastasis. HIF1 alpha upregulation activates many oncogenic processes including angiogenesis, migration and invasion, pH regulation, and glucose metabolism (Balamurugan 2016).						
Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use						
Guarantee	12 months from date of despatch						
Health And Safety Information	Material Safety Datasheet documentation #10048 available at: https://www.bio-rad-antibodies.com/SDS/MCA6302 10048						
Regulatory	For research purposes only						

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...)FITCGoat Anti Rabbit IgG (H/L) (STAR124...)HRPGoat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRPSheep Anti Rabbit IgG (STAR35...)RPESheep Anti Rabbit IgG (STAR36...)DyLight®488, DyLight®680, DyLight®800

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	d.com	Email: antibody_sales_uk@bio-	rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M376282:210127'

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint