

Datasheet: MCA6310

Description:	RABBIT ANTI PAXILLIN
Specificity:	PAXILLIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	RM256
Isotype:	IgG
Quantity:	0.1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000 - 1/2000
Immunocytochemistry	▪			1/1000 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Human

Species Cross Reactivity

Based on sequence similarity, is expected to react with: Mouse, Rat

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid

Preparation

Purified IgG prepared by affinity chromatography of Protein A from animal origin-free culture supernatant

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.09% Sodium Azide
1% Bovine Serum Albumin

50% Glycerol

Immunogen A peptide corresponding to the N-terminus of Human paxillin

External Database Links

UniProt:

[P49023](#) [Related reagents](#)

Entrez Gene:

[5829](#) PXN [Related reagents](#)

Specificity

Rabbit anti Human paxillin antibody recognizes paxillin (PXN). Paxillin is a scaffolding protein, and is a major component of focal adhesions (FAs) required for cell attachment, spreading, and migration. Paxillin is involved with recruiting specific kinases, phosphatases, cofactors, oncoproteins, and structural proteins with downstream roles in intracellular signaling pathways, leading to reorganization of the actin cytoskeleton ([Lopez-Colome et al. 2017](#)). The protein shows dynamic changes in expression via protein-protein interaction and phosphorylation. Abnormal paxillin expression correlates with tumor occurrence, invasion, and metastasis of some cancer types ([Yang et al. 2017](#)). Overexpression of paxillin has been identified in gastric cancer, prostate cancer, hepatocellular carcinoma, and colorectal carcinoma ([Zhao et al. 2015](#)).

Storage

Store at -20°C only.
Storage in frost-free freezers is not recommended.
This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10048 available at:
<https://www.bio-rad-antibodies.com/SDS/MCA6310>
10048

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

- Sheep Anti Rabbit IgG (STAR34...) [FITC](#)
- Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)
- Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)
- Sheep Anti Rabbit IgG (STAR35...) [RPE](#)
- Sheep Anti Rabbit IgG (STAR36...) [DyLight®488](#), [DyLight®680](#), [DyLight®800](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

