

Datasheet: MCA6325 BATCH NUMBER 155795

Description:	RABBIT ANTI EIF2S1 (pSer51)
Specificity:	EIF2S1 (pSer51)
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	RM298
Isotype:	lgG
Quantity:	0.1 ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal							
	communications from the originators. Please refer to references indicated for further							
	information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Immunohistology - Paraffin				1/100 - 1/200			
	Western Blotting	-			1/100 - 1/200			
	Where this product has r	not been te	ested for u	se in a particular tech	nnique this does not			
	necessarily exclude its use in such procedures. Suggested working dilutions are given as							
	a guide only. It is recomm system using appropriate			•	for use in their own			
Target Species	Human							
Product Form	Purified IgG - liquid							
Preparation	Purified IgG prepared by culture supernatant	affinity ch	iromatogra	aphy of Protein A fron	n animal origin-free			
Buffer Solution	Phosphate buffered salin	ie						
Preservative	0.09% Sodium Azide							
Stabilisers	1% Bovine Serum Album	nin						
	50% Glycerol							
Immunogen	A phospho-peptide corre	sponding	to Human	EIF2S1				
External Database	UniProt:							

Links	P05198 Related reagents						
	Entrez Gene: <u>1965</u> EIF2S1 <u>Related reagents</u>						
Synonyms	EIF2A						
Specificity	Rabbit anti Human EIF2S1 antibody recognizes eukaryotic translation initiation factor 2 subunit 1 (EIF2S1), also known as EIF2A, when phosphorylated at serine 51. EIF2S1 functions in protein synthesis; it binds GTP and Met-tRNAi and transfers Met-tRNAi to the 40S ribosomal subunit (<u>Kimball 1999</u>). EIF2S1 phosphorylation at serine 51 is a determinant of survival and adaptation of glucose-deficient cells (<u>Muaddi et al. 2010</u>). It has been also demonstrated that EIF2S1 phosphorylated at serine 51 acts as a molecular switch that determines the cell fate decisions by activated Akt in response to activated stress (<u>Rajesh et al. 2015</u>). EIF2S1 is essential for tumorigenesis and progression, and has been correlated with poor prognosis in patients with breast cancer (<u>Chen et al. 2019</u>).						
Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use						
Guarantee	12 months from date of despatch						
Health And Safety Information	Material Safety Datasheet documentation #10048 available at: https://www.bio-rad-antibodies.com/SDS/MCA6325 10048						
Regulatory	For research purposes only						

Related Products

Recommended Secondary Antibodies

Sheep A	nti Rabbit IgG (STAR34	.) <u>FITC</u>						
Goat Anti Rabbit IgG (H/L) (STAR124) <u>HRP</u>								
Goat Ant	i Rabbit IgG (Fc) (STAR1	21) <u>Biotir</u>	<u>ı, FITC, HRP</u>					
Sheep A	nti Rabbit IgG (STAR35	.) <u>RPE</u>						
Sheep Anti Rabbit IgG (STAR36) DyLight®488, DyLight®680, DyLight®800								
North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21			
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50			
	Email: antibody_sales_us@bio-ra	d.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com			

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M376302:210127'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint