

Datasheet: MCA6340

Description:	RABBIT ANTI CD20	
Specificity:	CD20	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	RM272	
Isotype:	IgG	
Quantity:	0.1 ml	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Paraffin	-			1/500 - 1/1000
Western Blotting	-			1/1000 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein A from animal origin-fre culture supernatant	е
Buffer Solution	Phosphate buffered saline	
Preservative	0.09% Sodium Azide	
Stabilisers	1% Bovine Serum Albumin	
	50% Glycerol	
Immunogen	A peptide corresponding to the C-terminus of human CD20	
External Database Links	UniProt:	

P11836 Related reagents

Entrez Gene:

931 MS4A1 Related reagents

Synonyms CD20

Specificity Rabbit anti CD20 antibody recognizes B-lymphocyte antigen CD20, also known as Bp35

and MS4A1.

CD20 is a non-glycosylated protein expressed on the surface of B lymphocytes and consisting of four hydrophobic transmembrane domains (<u>Pavlasova and Mraz 2020</u>). CD20 is involved with the regulation of transmembrane Ca2+ conductance, and is also involved with cell cycle progression during human B cell proliferation and activation (<u>Payandeh et al. 2018</u>). Deficiencies of CD20 have been shown to produce attenuated antibody production and germinal centre formation. Owing to its structure and expression pattern, CD20 is an important therapeutic target. Therapeutic antibodies against CD20 have revolutionized treatment of B cell haematological malignancies. Anti-CD20 antibodies also play roles in the treatment of inflammatory and autoimmune diseases (Casan et al. 2018).

Storage Store at -20°C only.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Should this product contain a precipitate we

recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10048 available at:

https://www.bio-rad-antibodies.com/SDS/MCA6340

10048

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (H/L) (STAR124...) <u>HRP</u>

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

Sheep Anti Rabbit IgG (STAR36...) <u>DyLight®488</u>, <u>DyLight®680</u>, <u>DyLight®800</u>

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M386970:210604'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint