

## Datasheet: MCA6348

| Description:  | RABBIT ANTI CD276   |  |  |  |
|---------------|---------------------|--|--|--|
| Specificity:  | CD276               |  |  |  |
| Format:       | Purified            |  |  |  |
| Product Type: | Monoclonal Antibody |  |  |  |
| Clone:        | RM335               |  |  |  |
| Isotype:      | IgG                 |  |  |  |
| Quantity:     | 0.1 ml              |  |  |  |
|               |                     |  |  |  |

## **Product Details**

| Applications               | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . |             |            |                           |                      |  |  |  |
|----------------------------|--|-------------|------------|---------------------------|----------------------|--|--|--|
|                            |  | Yes         | No         | Not Determined            | Suggested Dilution   |  |  |  |
|                            | Immunohistology - Paraffin   | •           |            |                           | 1/500 - 1/1000       |  |  |  |
|                            | Western Blotting   | -           |            |                           | 1/5000 - 1/10000     |  |  |  |
|                            | Where this product has r   | not been te | ested for  | use in a particular tech  | nnique this does not |  |  |  |
|                            | necessarily exclude its u<br>a guide only. It is recomn<br>system using appropriate  | nended th   | at the use | er titrates the product f | •                    |  |  |  |
| Target Species             | Human  |             |            |                           |                      |  |  |  |
| Product Form               | Purified IgG - liquid  |             |            |                           |                      |  |  |  |
| Preparation                | Purified IgG prepared by culture supernatant   | affinity ch | iromatogr  | aphy on Protein A fror    | n animal origin-free |  |  |  |
| Buffer Solution            | Phosphate buffered salin   | Ie          |            |                           |                      |  |  |  |
| Preservative               | 0.09% Sodium Azide   |             |            |                           |                      |  |  |  |
| Stabilisers                | 1% Bovine Serum Album  | nin         |            |                           |                      |  |  |  |
|                            | 50% Glycerol   |             |            |                           |                      |  |  |  |
| Immunogen                  | A peptide corresponding  | to the C-t  | erminus o  | of human CD276            |                      |  |  |  |
| External Database<br>Links | UniProt:   |             |            |                           |                      |  |  |  |

|                                  | Q5ZPR3 Related reagents  |  |  |  |  |
|----------------------------------|--|--|--|--|--|
|                                  | Entrez Gene:   |  |  |  |  |
|                                  | 80381 CD276 Related reagents   |  |  |  |  |
| Synonyms                         | B7H3   |  |  |  |  |
| Specificity                      | Rabbit anti CD276 antibody recognizes CD276 antigen, also known as B7-H3.  |  |  |  |  |
|                                  | CD276 is a type I transmembrane protein which acts as a co-stimulatory/co-inhibitory molecule in the immune system to induce cellular immunity (Zhang and Hao 2019). CD276 functions as an immune checkpoint protein induced on the surface of antigen-presenting cells and is important for inhibition of T cell function. This protein is overexpressed in a range of solid cancers and tumor-infiltrating blood vessels and frequently correlates with negative prognosis and poor clinical outcome (Picarda et al. 2017). Anti-CD276 drug conjugates have been suggested as promising anti-cancer therapies, due to the overexpression of CD276 on tumors making it possible to distinguish between physiological and pathological processes (Seaman et al. 2018). |  |  |  |  |
| Storage                          | Store at -20°C only.<br>Storage in frost-free freezers is not recommended.<br>This product should be stored undiluted. Should this product contain a precipitate we<br>recommend microcentrifugation before use.   |  |  |  |  |
| Guarantee                        | 12 months from date of despatch  |  |  |  |  |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10048 available at:<br>https://www.bio-rad-antibodies.com/SDS/MCA6348<br>10048  |  |  |  |  |
| Regulatory                       | For research purposes only   |  |  |  |  |

## **Related Products**

## **Recommended Secondary Antibodies**

Sheep Anti Rabbit IgG (STAR34...)FITCGoat Anti Rabbit IgG (H/L) (STAR124...)HRPSheep Anti Rabbit IgG (STAR35...)RPEGoat Anti Rabbit IgG (Fc) (STAR121...)Biotin, FITC, HRPSheep Anti Rabbit IgG (STAR36...)DyLight®488, DyLight®680, DyLight®800

| North & South | Tel: +1 800 265 7376              | Worldwide | Tel: +44 (0)1865 852 700         | Europe | Tel: +49 (0) 89 8090 95 21           |
|---------------|-----------------------------------|-----------|----------------------------------|--------|--------------------------------------|
| America       | Fax: +1 919 878 3751              |           | Fax: +44 (0)1865 852 739         |        | Fax: +49 (0) 89 8090 95 50           |
|               | Email: antibody_sales_us@bio-rad. | com       | Email: antibody_sales_uk@bio-rad | d.com  | Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M386977:210604'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint