

Datasheet: MCA6350

Description:	RABBIT ANTI SPASTIN
Specificity:	SPASTIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	RM346
Isotype:	IgG
Quantity:	0.1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Paraffin	▪			1/500 - 1/1000
Western Blotting	▪			1/500 - 1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from animal origin-free culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin 50% Glycerol
Immunogen	A peptide corresponding to the N-terminus of human spastin
External Database Links	UniProt:

Entrez Gene:[6683](#)

SPAST

[Related reagents](#)

Synonyms	ADPSP, FSP2, KIAA1083, SPG4
Specificity	Rabbit anti spastin antibody recognizes spastin, also known as spastic paraplegia 4 protein and SPAST.

Spastin is an ATPase which uses energy from ATP hydrolysis to promote microtubule severing. The two spastin isoforms are ubiquitously-expressed but have different subcellular locations (primarily the cytoplasm and endoplasmic reticulum). They appear to work together to promote fission of tubules from the early sorting endosome ([Allison et al. 2019](#)). In addition to severing microtubules, spastin promotes regrowth of microtubules in an ATP-independent way, revealing its function as a dual-microtubule regulator ([Kuo et al. 2019](#)). Spastin is involved with remodeling of membrane structures, relevant for neurite branching, axonal growth, midbody abscission, and endosome tubulation ([Papadopoulos et al. 2015](#)). Mutations in spastin are a common cause of Hereditary Spastic Paraplegia (HSP), a group of diseases characterized by spasticity and gait disorders ([Arribat et al. 2020](#)).

Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
----------------	---

Guarantee	12 months from date of despatch
------------------	---------------------------------

Health And Safety Information	Material Safety Datasheet documentation #10048 available at: https://www.bio-rad-antibodies.com/SDS/MCA6350 10048
--------------------------------------	--

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...)	FITC
Goat Anti Rabbit IgG (H/L) (STAR124...)	HRP
Sheep Anti Rabbit IgG (STAR35...)	RPE
Goat Anti Rabbit IgG (Fc) (STAR121...)	Biotin , FITC , HRP
Sheep Anti Rabbit IgG (STAR36...)	DyLight®488 , DyLight®680 , DyLight®800

North & South America Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M386979:210604'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)