

Datasheet: MCA6352

**BATCH NUMBER 157616**

<b>Description:</b>	RABBIT ANTI NAPSIN-A
<b>Specificity:</b>	NAPSIN-A
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	RM366
<b>Isotype:</b>	IgG
<b>Quantity:</b>	0.1 ml

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Paraffin	▪			1/500 - 1/2000
Western Blotting	▪			1/500 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from animal origin-free culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative</b>	0.09% Sodium Azide
<b>Stabilisers</b>	1% Bovine Serum Albumin 50% Glycerol
<b>Immunogen</b>	A peptide corresponding to the N-terminus of human napsin-A
<b>External Database</b>	<b>UniProt:</b>

Links [O96009](#) [Related reagents](#)

**Entrez Gene:**

[9476](#) NAPSA [Related reagents](#)

---

**Synonyms** NAP1, NAPA

---

**Specificity** **Rabbit anti napsin-A antibody** recognizes napsin-A, also known as NAPSA and ASP4.

Napsin-A is an aspartic protease which is mainly expressed in alveolar type II cells of the lung, but is also expressed in normal kidney tissue ([Yamashita et al. 2014](#)). It is involved with maturation of surfactant proteins ([Rekhtman et al. 2018](#)). Because of the high expression of napsin-A in most primary lung adenocarcinomas and lack of expression in squamous cell carcinoma and other adenocarcinomas, the protein is a useful marker of tumour type ([Uchida et al. 2017](#)). Accordingly, immunohistochemistry (IHC) for napsin-A has been widely used as a sensitive diagnostic tool for lung adenocarcinoma ([Zhu et al. 2015](#)).

---

**Storage** Store at -20°C only.  
Storage in frost-free freezers is not recommended.  
This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10048 available at: <https://www.bio-rad-antibodies.com/SDS/MCA6352>  
10048

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)  
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)  
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)  
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)  
Sheep Anti Rabbit IgG (STAR36...) [DyLight®488](#), [DyLight®680](#), [DyLight®800](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)  
'M386981:210604'

Printed on 25 Mar 2023

---

