

Datasheet: MCA6357

Description: RABBIT ANTI Ki67		
Specificity:	Ki67	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	RM360	
Isotype:	IgG	
Quantity:	0.1 ml	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Paraffin				1/500 - 1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Species Cross Reactivity	Based on sequence similarity, is expected to react with: Mouse N.B. Antibody reactivity and working conditions may vary between reactivity is derived from testing within our laboratories, peerpersonal communications from the originators. Please refer to further information.	ween species. Cross reviewed publications or
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein A culture supernatant	A from animal origin-free
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin 50% Glycerol	

Immunogen	A peptide corresponding to the internal region of human Ki67
External Database Links	UniProt: P46013 Related reagents Entrez Gene: 4288 MKI67 Related reagents
Specificity	Rabbit anti Ki67 antibody recognizes proliferation marker protein Ki-67, also known as MKI67. Ki67 is a nuclear marker which exists in proliferating cells, with levels decaying steadily in quiescent cells. It is a cell cycle protein present during G1, S, and G2 phases, and its transcription is under the control of E2F activation. Ki67 has been shown to participate in ribosomal biogenesis, heterochromatin organization, and mitotic chromosome separation (Miller et al. 2018). Ki67 is a widely-used indicator of proliferation in oncology across numerous cancer types. In breast cancer, Ki67 may be an indicator of responsiveness or resistance to chemotherapy or endocrine therapy (Niazi et al. 2018).
References	 Westhoff, M.A. <i>et al.</i> (2013) Sequential dosing in chemosensitization: targeting the PI3K/Akt/mTOR pathway in neuroblastoma. <u>PLoS One. 8 (12): e83128.</u> Fukase, M. <i>et al.</i> (2021) Intravenous injection of human multilineage-differentiating stress-enduring cells alleviates mouse severe acute pancreatitis without immunosuppressants <u>Surgery Today. 52 (4): 603-15.</u>
Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10048 available at: https://www.bio-rad-antibodies.com/SDS/MCA6357 10048

Related Products

Regulatory

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) FITC

Goat Anti Rabbit IgG (H/L) (STAR124...) HRP

Sheep Anti Rabbit IgG (STAR35...) RPE

Goat Anti Rabbit IgG (Fc) (STAR121...) Biotin, FITC, HRP

For research purposes only

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

'M386986:210604'

Email: antibody_sales_de@bio-rad.com

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint