

Datasheet: MCA6364

BATCH NUMBER 157627

Description:	RABBIT ANTI CD23
Specificity:	CD23
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	RM406
Isotype:	IgG
Quantity:	0.1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Paraffin	▪			1/100 - 1/200
Western Blotting	▪			1/500 - 1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from animal origin-free culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative	0.09% Sodium Azide
Stabilisers	1% Bovine Serum Albumin 50% Glycerol
Immunogen	A peptide corresponding to residues near the C-terminus of human CD23
External Database	UniProt:

Links[P06734](#) [Related reagents](#)**Entrez Gene:**[2208](#) FCER2 [Related reagents](#)**Synonyms**

CD23A, CLEC4J, FCE2, IGEBF

Specificity**Rabbit anti CD23 antibody** recognizes low affinity immunoglobulin epsilon Fc receptor, also known as FCER2 and BLAST-2.

CD23 is a cell surface calcium-binding protein and receptor for the Fc domain of IgE, regulating synthesis of IgE on the surface of B lymphocytes and other cells ([Jégouzo et al. 2019](#)). CD23 has been shown to act as a negative regulator for IgE and IgG antibody responses in B cells by influencing cellular activation and differentiation ([Liu et al. 2016](#)). In addition CD23 regulates IgE-related immune responses by stimulating production of pro-inflammatory mediators ([Rosenwasser and Meng 2005](#)). CD23 also facilitates induction of antibody and T-cell responses ([Engeroff et al. 2020](#)). CD23 plays important roles in allergic disease through IgE-facilitated allergen presentation, controlling allergen-specific T-cell activation ([Selb et al. 2017](#)).

Storage

Store at -20°C only.
Storage in frost-free freezers is not recommended.
This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

Health And Safety InformationMaterial Safety Datasheet documentation #10048 available at: 10048: <https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf>**Regulatory**

For research purposes only

Related Products

Recommended Secondary Antibodies

Sheep Anti Rabbit IgG (STAR34...) [FITC](#)
Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)
Sheep Anti Rabbit IgG (STAR35...) [RPE](#)
Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)
Sheep Anti Rabbit IgG (STAR36...) [DyLight®488](#), [DyLight®680](#), [DyLight®800](#)

North & South America Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.comTo find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M386994:210604'

Printed on 07 Feb 2023

