

Datasheet: MCA6389

Description:	MOUSE ANTI HUMAN BCL11A
Specificity:	BCL11A
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	BCL11A/123
Isotype:	lgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1 ug/ml - 2 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein G supernatant	from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.035% Sodium Azide (NaN ₃) 30% Glycerol	
Carrier Free	Yes	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	A recombinant protein corresponding to amino acids 637-835 (lymphoma/leukemia 11A extra long form)	of BCL11A-XL (B-cell

External Database Links

UniProt:

Q9H165 Related reagents

Entrez Gene:

53335 BCL11A Related reagents

Synonyms

CTIP1, EVI9, KIAA1809, ZNF856

Specificity

Mouse anti Human BCL11A antibody, clone BCL11A/123 recognizes B-cell lymphoma/leukemia 11A, also known as B-cell CLL/lymphoma 11A, COUP-TF-interacting protein 1, ecotropic viral integration site 9 protein homolog or zinc finger protein 856.

BCL11A is a regulatory C2H2 type zinc-finger protein that can bind to DNA. BCL11A has been shown to interact with the SWI/SNF complex, which regulates gene expression via chromatin remodeling (<u>Kadoch et al. 2013</u>). BCL11A is highly expressed in several types of blood cells as well as the brain, where it is involved in the regulation of axon outgrowth and branching (<u>Kuo et al. 2010</u>).

Mouse anti Human BCL11A antibody, clone BCL11A/123 detects a band of 100 kDa.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10049 available at:

https://www.bio-rad-antibodies.com/SDS/MCA6389

10049

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...) HRP

Rabbit Anti Mouse IgG (STAR12...) RPE

Rabbit Anti Mouse IgG (STAR8...) DyLight®800

Goat Anti Mouse IgG (STAR76...)

RPE
Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M394855:220218'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint