

Datasheet: MCA6394GA

BATCH NUMBER 163298

Description:	MOUSE ANTI HORSE CD23
Specificity:	CD23
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	51-3
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/1000 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Horse
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Recombinant equine CD23/IL-4 fusion protein

External Database Links	UniProt: A0A3Q2H947 Related reagents
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the X3.Ag8-653 myeloma cell line
Specificity	Mouse anti Horse CD23 antibody, clone 51-3 recognizes horse CD23 also known as Fc epsilon Receptor II (FcERII). CD23, a C-type lectin, is the low affinity receptor for IgE, but also binds CD21, MHC class II and the integrin alpha-chains CD11b and CD11c. The extracellular domain can be released by proteolytic cleavage and bind ligands such as CD21. In humans and mice, CD23 is found on B-cell subsets and monocytes with low levels of expression on T-cells, follicular dendritic cells, eosinophils, NK-cells, Langerhans cells and platelets (Conrad, 1990). Key functions for CD23 include negative regulation for IgE and IgG antibody responses in B cells by influencing cellular activation and differentiation (Liu et al. 2016) and modulating allergic disease through IgE-facilitated allergen presentation, controlling allergen-specific T-cell activation (Selb et al. 2017). Mouse anti Horse CD23 antibody, clone 51-3, identified small lymphocytes expressing high levels of MHC class II which were also positive for surface IgE. CD23 was barely detectable on blood T-cells or monocytes. A population with a median CD23 expression of 2.5% (range 0.9–4.5%) was found in equine PBMC (Wagner et al. 2012).
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6394GA 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)

Goat Anti Mouse IgG IgA IgM (STAR87...) [HRP](#)

Goat Anti Mouse IgG (STAR76...)	RPE
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®550 , DyLight®650 , DyLight®680 , DyLight®800 , FITC , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR77...)	HRP
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP

North & South America	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M415990:230124'

Printed on 28 May 2025