

Datasheet: MCA6400A488

Description:	MOUSE ANTI DOG CD94:Alexa Fluor® 488
Specificity:	CD94
Format:	ALEXA FLUOR® 488
Product Type:	Monoclonal Antibody
Clone:	8H10
lsotype:	lgG1
Quantity:	100 TESTS/1ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	-			Neat - 1/10		
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.						
Target Species	Dog						
Product Form	Purified IgG conjugated to Alexa Fluor [®] 488 - liquid						
Max Ex/Em	Fluorophore	Excitation M	ax (nm)	Emission Max (nm)			
	Alexa Fluor®488	495		519			
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin						
Approx. Protein Concentrations	IgG concentration 0.0						
Immunogen	CD94-mulgG2a fusion protein						

External Database Links	UniProt: Q38HS3 Related reagents Entrez Gene: <u>611360</u> KLRD1 <u>Related reagents</u>					
Synonyms	CD94					
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the P3X63Ag8.653 myeloma cell line					
Specificity	Mouse anti Dog CD94 antibody, clone 8H10 recognizes canine CD94, also known as KLRD1 (Killer cell lectin like receptor D1). CD94 is expressed on natural killer (NK) cells and on natural killer-like T (NKT) cells. In					
	humans, a range of receptors that can identify and modulate NK cell function have been well described. Among them CD94 which associates with members from the NKG2 family to form activating or inhibitory heterodimers. It is not established whether the same interaction happens in dogs. Canine NK cells remain poorly characterized with mouse anti dog CD94 being one of few markers available to detect them (<u>Graves <i>et al.</i> 2019</u>).					
	Mouse anti dog CD94 antibody, clone 8H10 will detect approx. 7.7% (NK cell range in dogs: 2.5% – 15%) (<u>Graves <i>et al.</i> 2019</u> , <u>Kisseberth and Lee, 2021</u>) of freshly isolated canine PBMC and has been used for magnetic bead cell isolation (<u>Graves <i>et al.</i> 2019</u>).					
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul					
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.					
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.					
Guarantee	12 months from date of despatch					
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com					

Health Ai Informati	nd Safety Materia on <u>https://</u> 10041	e at:			
Regulato	ry For res	search purpose			
Relate	d Products				
Recomm	nended Negative	Controls			
MOUSE Ig	G1 NEGATIVE CONT	ROL:Alexa Fluor	® 488 (MCA928A488)		
North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@	Worldwide bio-rad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bic	Europe -rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
To find a b	atch/lot specific datash	neet for this produ	uct, please use our online 'M426157:231121'	search tool at	: bio-rad-antibodies.com/datasheets
			Printed on 02 May 2024		

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint