

Datasheet: MCA6420GA

Description:	MOUSE ANTI HUMAN LAMTOR4
Specificity:	LAMTOR4
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	EF01-1D8
Isotype:	lgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	E. coli-derived recombinant protein, aa 1-99 of human LAMTOR4
External Database Links	UniProt: Q0VGL1 Related reagents
	Entrez Gene:
	389541 C7orf59 Related reagents
Specificity	Mouse anti human LAMTOR4, clone EF01-1D8 recognizes the Ragulator complex protein LAMTOR4, also known as C7orf59.
	LAMTOR4 is a part of the Ragulator complex, which is an important regulator of cell metabolism and growth via the activation of the mTOR complex-1 pathway. (Bar-Peled et al. 2012). Deregulation within the mTORC1 pathway can be seen to result in conditions such as cancer, obesity and type 2 diabetes. The Ragulator complex in line with heterodimeric GTPases and the v-ATPase form a system that is used as an amino acid sensing system by mTORC1 (Bar-Peled & Sabatiniet al. 2014).
Western Blotting	Mouse anti Human LAMTOR4 antibody detects a band of 12 kDa in LNCaP cell lysates
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA6420GA

Related Products

Health And Safety

Information

Regulatory

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP

Goat Anti Mouse IgG (STAR76...)

RPE

Goat Anti Mouse IgG (STAR70...)

FITC

Rabbit Anti Mouse IgG (STAR13...)

Goat Anti Mouse IgG (Fc) (STAR120...)

FITC, HRP

10040

For research purposes only

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Recommended Negative Controls

MOUSE IgG2a NEGATIVE CONTROL (MCA929)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M417277:230306'

Printed on 18 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint