

## Datasheet: MCA6425GA

<b>Description:</b>	MOUSE ANTI HUMAN INTERLEUKIN-17A
<b>Specificity:</b>	IL-17A
<b>Other names:</b>	CTLA-8
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	A01-3G2
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
ELISA	■			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Carrier Free</b>	Yes
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml

<b>Immunogen</b>	<i>E. coli</i> derived recombinant human interleukin-17A (Gly24-Ala155)
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">Q16552</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">3605</a>    IL17A    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	CTLA8, IL17
<b>Fusion Partners</b>	Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0
<b>Specificity</b>	<p><b>Mouse anti Human interleukin-17A, clone A01-3G2</b>, recognizes interleukin-17A (IL-17A) also known as cytotoxic T-lymphocyte-associated antigen 8 (CTLA-8).</p> <p>The IL-17 family consists of six proteins (IL-17A to IL-17F) which function as pro-inflammatory cytokines important in the defense against pathogens (<a href="#">Gurczynski &amp; Moore 2017</a>). This antibody recognizes IL-17A, the most studied member of the IL-17 family. IL-17A is expressed by various cell types including CD4<sup>+</sup> and CD8<sup>+</sup> T helper cells, neutrophil, natural killer, mast and B cells (<a href="#">Chen &amp; Kolls 2017</a>). It elicits its responses via the IL-17 receptor, IL-17RA. Activation of this receptor leads to the activation of NF-κB and mitogen-activated protein kinase to then drive the transcriptional activation of target genes which play key roles in inflammation. IL-17A can also signal to stabilize mRNA transcripts, again to enhance the production of genes including those encoding cytokines, chemokines, antimicrobial peptides and other inflammatory effectors. (<a href="#">Monin &amp; Gaffen 2018</a>). Uncontrolled IL-17A signaling is associated with immunopathology, autoimmune diseases, and cancer, and blocking activity of IL-17A can be beneficial in some clinical settings (<a href="#">Amatya et al. 2017</a>).</p> <p>The purified Mouse anti Human interleukin-17A antibody, clone A01-3G2 (MCA6425GA) can be used as a capture antibody in a sandwich ELISA with the biotinylated Mouse anti Human interleukin-17A antibody, clone F01.1-5D10 (<a href="#">MCA6243B</a>) as the detection antibody.</p>
<b>Storage</b>	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA6425GA">https://www.bio-rad-antibodies.com/SDS/MCA6425GA</a> 10040

## Related Products

### Recommended Secondary Antibodies

- Goat Anti Mouse IgG (STAR77...) [HRP](#)
- Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
- Goat Anti Mouse IgG (STAR70...) [FITC](#)
- Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
- Goat Anti Mouse IgG (STAR76...) [RPE](#)
- Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),  
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),  
[FITC](#), [HRP](#)
- Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
- Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
- Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

### ELISA Matched Pair - Detection Antibody

[MOUSE ANTI HUMAN INTERLEUKIN-17A:Biotin \(MCA6243B\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M419151:230602'

Printed on 12 Aug 2023