### Datasheet: MCA6426GA BATCH NUMBER 100007866

Description:	MOUSE ANTI HUMAN MDM4
Specificity:	MDM4
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	AB01/4H9
lsotype:	lgG1
Quantity:	0.1 mg

### **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Western Blotting	-			1/1,000	
	Where this product has r necessarily exclude its u a guide only. It is recomr system using appropriate	se in such mended th	procedu at the use	res. Suggested workin er titrates the product f	g dilutions are given as	
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by supernatant	affinity ch	romatogr	aphy on Protein G fror	m tissue culture	
Buffer Solution	Phosphate buffered salir	ie				
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )					
Carrier Free	Yes					
Approx. Protein Concentrations	IgG concentration 1.0 m	g/ml				
Immunogen	E. coli-derived recombin	ant protein	, aa 1-49	0 of human MDM4.		

External Database Links	UniProt:   015151 Related reagents   Entrez Gene:   4194 MDM4   Related reagents			
Synonyms	MDMX			
Specificity	Mouse anti human MDM4 antibody, clone AB01/4H9 recognizes protein MDM4 also known as p53-binding protein MDM4.			
	MDM4 is comprised of four key domains, which include an N-terminus, an acidic region, a zinc region and a C-terminal RING. It is on this N-terminus whereby MDM4 binds to the major tumor suppressor p53 ( <u>Haupt <i>et al.</i> 2019</u> ). MDM4 is structurally similar to MDM2. Both proteins are involved in suppression of p53 activity and have been seen to increase in a number of cancers ( <u>Yu <i>et al.</i> 2020</u> ).			
Western Blotting	Mouse anti Human MDM4 detects a band of approximately 70 kDa in HEK293 cell lysates.			
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.			
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6426GA 10040			
Regulatory	For research purposes only			

# **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (STAR77)	HRP
Rabbit Anti Mouse IgG (STAR12)	RPE
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>
Goat Anti Mouse IgG IgA IgM (STAR87	) <u>Alk. Phos., HRP</u>
Goat Anti Mouse IgG (STAR76)	RPE
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,
	DyLight®650, DyLight®680, DyLight®800,
	<u>FITC, HRP</u>

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

#### **Recommended Negative Controls**

#### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	ad.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M419160:230602'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint