

# Datasheet: MCA6430GA

Description:	MOUSE ANTI HUMAN CYLD
Specificity:	CYLD
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	CD02/3E12-1
lsotype:	lgG1
Quantity:	0.1 mg

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
	<u>laa antiboaloo.com,prote</u>	Yes	No	Not Determined	Suggested Dilution	
	Western Blotting	•			1/1,000	
	Where this product has i	not been te	ested for ι	use in a particular teo	chnique this does not	
	necessarily exclude its use in such procedures. Suggested working dilutions are given as					
	a guide only. It is recommended system using appropriate			•	t for use in their own	
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by supernatant	∕ affinity ch	iromatogra	aphy on Protein G fro	om tissue culture	
Buffer Solution	Phosphate buffered salir	ıe				
Preservative Stabilisers	0.09% Sodium Azide (Na	aN <sub>3</sub> )				
Approx. Protein Concentrations	IgG concentration 1.0 m	g/ml				
Immunogen	E. coli-derived recombin	ant proteir	n, aa 1-49	1 of human CYLD.		
External Database Links	UniProt:					

	Q9NQC7 Related reagents
	Entrez Gene: <u>1540</u> CYLD <u>Related reagents</u>
Synonyms	CYLD1, KIAA0849
Specificity	Mouse anti human CYLD antibody, clone CD02/3E12-1 recognizes ubiquitin carboxyl- terminal hydrolase CYLD protein, also known as CYLD1 or KIAA0849.
	CYLD is a tumor suppressor, and is associated with skin appendage tumors such as familial cylindromatosis and multiple familial trichoepithelioma ( <u>Sun, 2009</u> ).
Western Blotting	Mouse anti human CYLD detects a band of approximately 111 kDa in Jurkat cell lysates.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6430GA 10040
Regulatory	For research purposes only

## **Related Products**

# **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (STAR77)	HRP				
Rabbit Anti Mouse IgG (STAR12)	RPE				
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>				
Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u>					
Goat Anti Mouse IgG (STAR76)	RPE				
Goat Anti Mouse IgG (H/L) (STAR117)	<u>Alk. Phos.</u> , <u>DyLight®488</u> , <u>DyLight®550</u> ,				
	DyLight®650, DyLight®680, DyLight®800,				
	FITC, HRP				
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP				
Rabbit Anti Mouse IgG (STAR13)	HRP				
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>				
<b>Recommended Negative Controls</b>					
MOUSE IgG1 NEGATIVE CONTROL (MCA928)					

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-r	Worldwide ad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-	Europe rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-ra	To <sup>d.</sup> എന്ന a	
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M419165:230602'							

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint