

Datasheet: MCA6433GA BATCH NUMBER 100007873

Description:	MOUSE ANTI HUMAN GAB1		
Specificity:	GAB1		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	F01/9A4-2		
Isotype:	lgG1		
Quantity:	0.1 mg		

### **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1,000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein G from supernatant	m tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	E. coli-derived recombinant protein, aa 243-694 of human GAB1.	

# External Database

Links

**UniProt:** 

Q13480 Related reagents

**Entrez Gene:** 

2549 GAB1 Related reagents

**Specificity** 

**Mouse anti human GAB1 antibody, clone F01/9A4-2** recognizes GRB2-associated-binding protein 1, also known as GAB1, GRB2-associated binder 1 or Growth factor receptor bound protein 2-associated protein 1 when phosphorylated at tyrosine 627.

GAB1 is a docking protein capable of interactions with several different proteins particularly the activation of receptor tyrosine kinase signaling. Phosphorylation of GAB1 at tyrosine 627 leads to SHP2 recruitment and subsequent activation of MAPK signaling.

**Western Blotting** 

Mouse anti human GAB1 detects a band of approximately 102 kDa in HepG2 cell lysates.

**Storage** 

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA6433GA

10040

Regulatory

For research purposes only

#### Related Products

## **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (STAR77...) HRP

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FI

FITC, HRP

Rabbit Anti Mouse IgG (STAR13...)

HRP

Rabbit Anti Mouse IgG (STAR9...)

**FITC** 

### **Recommended Negative Controls**

### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M419163:230602'

### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint