

Datasheet: MCA6433GA

Description:	MOUSE ANTI HUMAN GAB1
Specificity:	GAB1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	F01/9A4-2
lsotype:	lgG1
Quantity:	0.1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.					
	· · ·	Yes	No	Not Determined	Suggested Dilution	
	Western Blotting	•			1/1,000	
	Where this product has	not been te	ested for u	use in a particular tec	hnique this does not	
	necessarily exclude its use in such procedures. Suggested working dilutions are given as					
	a guide only. It is recomi system using appropriate			•	for use in their own	
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by supernatant	∕ affinity ch	romatogra	aphy on Protein G fro	om tissue culture	
Buffer Solution	Phosphate buffered salir	ne				
Preservative Stabilisers	0.09% Sodium Azide (N	aN ₃)				
Approx. Protein Concentrations	IgG concentration 1.0 m	g/ml				
Immunogen	E. coli-derived recombin	ant proteir	ı, aa 243-	694 of human GAB1.		
External Database Links	UniProt:					

	Q13480 Related reagents
	Entrez Gene: <u>2549</u> GAB1 <u>Related reagents</u>
Specificity	Mouse anti human GAB1 antibody, clone F01/9A4-2 recognizes GRB2-associated- binding protein 1, also known as GAB1, GRB2-associated binder 1 or Growth factor receptor bound protein 2-associated protein 1 when phosphorylated at tyrosine 627.
	GAB1 is a docking protein capable of interactions with several different proteins particularly the activation of receptor tyrosine kinase signaling. Phosphorylation of GAB1 at tyrosine 627 leads to SHP2 recruitment and subsequent activation of MAPK signaling.
Western Blotting	Mouse anti human GAB1 detects a band of approximately 102 kDa in HepG2 cell lysates.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6433GA 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77)	HRP				
Rabbit Anti Mouse IgG (STAR12)	RPE				
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>				
Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u>					
Goat Anti Mouse IgG (STAR76)	RPE				
Goat Anti Mouse IgG (H/L) (STAR117)	<u>Alk. Phos., DyLight®488, DyLight®550,</u>				
	DyLight®650, DyLight®680, DyLight®800,				
	FITC, HRP				
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP				
Rabbit Anti Mouse IgG (STAR13)	HRP				
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>				
Recommended Negative Controls					

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-r	Worldwide ad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-	Europe rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-ra	To d.@@0.a	
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M419163:230602'							

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint