

## Datasheet: MCA685S BATCH NUMBER 160561

| Description:  | MOUSE ANTI HUMAN MBP (aa67-74) |
|---------------|--------------------------------|
| Specificity:  | MBP (aa67-74)                  |
| Other names:  | MYELIN BASIC PROTEIN           |
| Format:       | S/N                            |
| Product Type: | Monoclonal Antibody            |
| Clone:        | 26                             |
| Isotype:      | lgG1                           |
| Quantity:     | 2 ml                           |
|               |                                |

# **Product Details**

| Applications                | This product has been reported to work in the following applications. This information is  |     |    |                |                    |  |  |  |
|-----------------------------|--|-----|----|----------------|--------------------|--|--|--|
|                             | derived from testing within our laboratories, peer-reviewed publications or personal   |     |    |                |                    |  |  |  |
|                             | communications from the originators. Please refer to references indicated for further  |     |    |                |                    |  |  |  |
|                             | information. For general protocol recommendations, please visit <u>www.bio-</u>  |     |    |                |                    |  |  |  |
|                             | rad-antibodies.com/protocols.  |     |    |                |                    |  |  |  |
|                             |  | Yes | No | Not Determined | Suggested Dilution |  |  |  |
|                             | Flow Cytometry   |     |    |                |                    |  |  |  |
|                             | Immunohistology - Frozen   | -   |    |                |                    |  |  |  |
|                             | Immunohistology - Paraffin   |     |    |                |                    |  |  |  |
|                             | ELISA  |     |    |                |                    |  |  |  |
|                             | Immunoprecipitation  |     |    | •              |                    |  |  |  |
|                             | Western Blotting   |     |    |                |                    |  |  |  |
|                             | Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates |     |    |                |                    |  |  |  |
|                             |  |     |    |                |                    |  |  |  |
|                             | the antibody for use in their own system using appropriate negative/positive controls.   |     |    |                |                    |  |  |  |
|                             | •  |     |    |                |                    |  |  |  |
| Target Species              | Human  |     |    |                |                    |  |  |  |
| Product Form                | Tissue Culture Supernatant - liquid  |     |    |                |                    |  |  |  |
| Preparation                 | Tissue Culture Supernatant containing 0.1M Tris/HCI and foetal calf serum.   |     |    |                |                    |  |  |  |
| Preservative<br>Stabilisers | <0.1% Sodium Azide (NaN <sub>3</sub> )   |     |    |                |                    |  |  |  |
| Immunogen                   | Human myelin basic prot  |     |    |                |                    |  |  |  |
| External Database<br>Links  | UniProt:   |     |    |                |                    |  |  |  |

|                                  | P02686 Related reagents   |  |  |  |  |  |  |
|----------------------------------|---|--|--|--|--|--|--|
|                                  | Entrez Gene:  |  |  |  |  |  |  |
|                                  | 4155 MBP Related reagents   |  |  |  |  |  |  |
| RRID                             | AB_325009   |  |  |  |  |  |  |
| Fusion Partners                  | Spleen cells from immunized mice were fused with cells of the mouse SP2/0 myeloma cell line.  |  |  |  |  |  |  |
| Specificity                      | <b>Mouse anti MBP antibody, clone 26</b> recognizes an epitope between amino acids 67 and 74 of human myelin basic protein, also known as MBP, Myelin A1 protein or Myelin membrane encephalitogenic protein. MBP is a 304 amino acid ~33 kDa abundant component of the myelin membrane. There are 6 potential isoforms of MBP generated by alternative splicing, 4 of which lack the N-terminal region containing the immunogen sequence. Mouse anti MBP antibody, clone 26 is expected to recognize isoforms 1 and 2 ( <u>UniProt: P02686</u> ). The N-terminal region of MBP is highly conserved and Mouse anti MBP antibody, clone 26 is expected to be broadly species cross reactive for isoforms maintaining the N-terminal region.  |  |  |  |  |  |  |
| References                       | <ol> <li>Groome, N. <i>et al.</i> (1988) New monoclonal antibodies reactive with defined sequential epitopes in human myelin basic protein. <u>J Neuroimmunol. 19 (4): 305-15.</u></li> <li>No authors listed. (1984) Experimental allergic encephalomyelitis, a useful model for multiple sclerosis. A satellite conference of the International Society of Neurochemists. Seattle, Washington, July 16-19, 1983. <u>Prog Clin Biol Res. 146: 1-554.</u></li> <li>Sanz-Rodriguez, M. <i>et al.</i> (2018) R-Ras1 and R-Ras2 Are Essential for Oligodendrocyte Differentiation and Survival for Correct Myelination in the Central Nervous System. <u>J Neurosci. 38 (22): 5096-110.</u></li> <li>Alcover-Sanchez, B. <i>et al.</i> (2021) Absence of R-Ras1 and R-Ras2 causes mitochondrial alterations that trigger axonal degeneration in a hypomyelinating disease model. <u>Glia. 69 (3): 619-37.</u></li> </ol> |  |  |  |  |  |  |
| Storage                          | This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.   |  |  |  |  |  |  |
|                                  | Avoid repeated freezing and thawing as this may denature the antibody. Storage in<br>frost-free freezers is not recommended.  |  |  |  |  |  |  |
| Guarantee                        | 12 months from date of despatch   |  |  |  |  |  |  |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10053 available at:<br>https://www.bio-rad-antibodies.com/SDS/MCA685S<br>10053   |  |  |  |  |  |  |
| Regulatory                       | For research purposes only  |  |  |  |  |  |  |

# **Related Products**

### **Recommended Secondary Antibodies**

| Rabbit A   | nti Mouse IgG (STAR12           | .) <u>R</u>   | PE  |                     |                                      |  |  |
|--|---------------------------------|---------------|---|---------------------|--------------------------------------|--|--|
| Goat Ant   | i Mouse IgG IgA IgM (ST         | AR87)         | <u>RP</u>                                 |                     |                                      |  |  |
| Goat Anti Mouse IgG (STAR76) RPE   |                                 |               |   |                     |                                      |  |  |
| Rabbit A   | nti Mouse IgG (STAR13           | .) <u>H</u>   | HRP                                       |                     |                                      |  |  |
| Goat Ant   | i Mouse IgG (STAR70)            | E             | <u>ITC</u>                                |                     |                                      |  |  |
| Goat Ant   | i Mouse IgG (H/L) (STAR         | ) <u>A</u>    | <u>lk. Phos.</u> , <u>DyLight®488</u> , I | DyLight®550         | ,                                    |  |  |
|  |                                 | D             | yLight®650, DyLight®68                    | 0, <u>DyLight®8</u> | <u>00,</u>                           |  |  |
|  |                                 | E             | <u>ITC, HRP</u>                           |                     |                                      |  |  |
| Rabbit A   | nti Mouse IgG (STAR9)           | <u> </u>      | ITC                                       |                     |                                      |  |  |
| Goat Ant   | i Mouse IgG (STAR77)            | H             | <u>RP</u>                                 |                     |                                      |  |  |
| Goat Ant   | i Mouse IgG (Fc) (STAR´         | 120) <u>F</u> | ITC, HRP                                  |                     |                                      |  |  |
|  |                                 |               |   |                     |                                      |  |  |
| North & South  | Tel: +1 800 265 7376            | Worldwide     | Tel: +44 (0)1865 852 700                  | Europe              | Tel: +49 (0) 89 8090 95 21           |  |  |
| America  | Fax: +1 919 878 3751            |               | Fax: +44 (0)1865 852 739                  |                     | Fax: +49 (0) 89 8090 95 50           |  |  |
|  | Email: antibody_sales_us@bio-ra | d.com         | Email: antibody_sales_uk@bio              | -rad.com            | Email: antibody_sales_de@bio-rad.com |  |  |
| To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets |                                 |               |   |                     |                                      |  |  |

'M389719:210806'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint