

## Datasheet: MCA708T

**BATCH NUMBER 161149**

<b>Description:</b>	MOUSE ANTI HUMAN CD103
<b>Specificity:</b>	CD103
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	2G5.1
<b>Isotype:</b>	IgG2a
<b>Quantity:</b>	25 µg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/100
Immunohistology - Frozen (1)	▪			1/50 - 1/100
Immunohistology - Paraffin		▪		
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting			▪	
Immunofluorescence	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

**(1)The epitope recognised by this antibody is reported to be sensitive to formaldehyde fixation and tissue processing. Bio-Rad recommends the use of acetone fixation for frozen sections.**

### Target Species

Human

### Species Cross Reactivity

Reacts with: Cynomolgus monkey, Rhesus Monkey

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from ascites
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative</b>	<0.1% Sodium Azide (NaN <sub>3</sub> )
<b>Stabilisers</b>	0.5% Bovine Serum Albumin
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml
<b>Immunogen</b>	Human intestinal lymphocytes
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P38570</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">3682</a> ITGAE    <a href="#">Related reagents</a></p>
<b>RRID</b>	AB_1100549
<b>Fusion Partners</b>	Spleen cells from immunized BALB/c mice were fused with cells of the NS1 mouse myeloma cell line
<b>Specificity</b>	<p><b>Mouse anti Human CD103 antibody, clone 2G5.1</b> recognizes the human CD103 cell surface antigen, also known as the alpha<sup>E</sup> integrin, HML-1 antigen, Mucosal lymphocyte 1 antigen or Integrin alpha-E. CD103 is a 1161 amino acid, ~130 kDa single pass type 1 transmembrane glycoprotein.</p> <p>Mouse anti Human CD103 antibody, clone 2G5.1 reacts with various subsets of human intra-epithelial lymphocytes:- 40% of lamina propria T-cells; 30% of mesenteric lymphoblasts and some lymphocytes from other mucosa. It recognises less than 0.1% bone marrow cells and less than 0.7% PBL.</p>
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 5 x 10 <sup>5</sup> cells in 100ul.
<b>Histology Positive Control Tissue</b>	Intestine
<b>References</b>	<ol style="list-style-type: none"> <li>1. Cerf-Bensussan, N. <i>et al.</i> (1986) A monoclonal antibody specific for rat intestinal lymphocytes. <a href="#">J Immunol. 136 (1): 76-82.</a></li> <li>2. Cerf-Bensussan, N. <i>et al.</i> (1987) A monoclonal antibody (HML-1) defining a novel membrane molecule present on human intestinal lymphocytes. <a href="#">Eur J Immunol. 17 (9): 1279-85.</a></li> <li>3. Kutleša, S. <i>et al.</i> (2002) E-cadherin-mediated interactions of thymic epithelial cells with CD103+ thymocytes lead to enhanced thymocyte cell proliferation. <a href="#">J Cell Sci. 115 (Pt 23): 4505-15.</a></li> </ol>

4. Presicce P *et al.* (2012) Myeloid dendritic cells isolated from tissues of SIV-infected Rhesus macaques promote the induction of regulatory T cells. [AIDS. 26 \(3\): 263-73.](#)
5. Swan, Z.D. *et al.* (2016) Macrophage accumulation in gut mucosa differentiates AIDS from chronic SIV infection in rhesus macaques. [Eur J Immunol. 46 \(2\): 446-54.](#)
6. Nugent, J.L. *et al.* (2021) A nonhuman primate model of vertical sleeve gastrectomy facilitates mechanistic and translational research in human obesity. [iScience. 24 \(12\): 103421.](#)

---

**Storage** This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10041 available at: <https://www.bio-rad-antibodies.com/SDS/MCA708T10041>

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...) [HRP](#)  
 Rabbit Anti Mouse IgG (STAR12...) [RPE](#)  
 Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)  
 Goat Anti Mouse IgG (STAR76...) [RPE](#)  
 Rabbit Anti Mouse IgG (STAR13...) [HRP](#)  
 Goat Anti Mouse IgG (STAR70...) [FITC](#)  
 Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@550](#),  
[DyLight@650](#), [DyLight@680](#), [DyLight@800](#),  
[FITC](#), [HRP](#)  
 Rabbit Anti Mouse IgG (STAR9...) [FITC](#)  
 Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)

### Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL \(MCA929\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)  
 'M390027:210819'

Printed on 05 Sep 2023

