

# Datasheet: MCA712 BATCH NUMBER 0414

| Description:  | MOUSE ANTI HUMAN PROLACTIN (EPITOPE c) |
|---------------|--|
| Specificity:  | PROLACTIN (EPITOPE c)                  |
| Other names:  | PRL                                    |
| Format:       | Purified                               |
| Product Type: | Monoclonal Antibody                    |
| Clone:        | INN-hPRL-1                             |
| Isotype:      | lgG1                                   |
| Quantity:     | 0.5 mg                                 |
|               |  |

### **Product Details**

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

|                                   | Yes | No | Not Determined | Suggested Dilution |
|-----------------------------------|-----|----|----------------|--------------------|
| Flow Cytometry                    |     |    |                |                    |
| Immunohistology - Frozen          |     |    |                | 1/500 - 1/1000     |
| Immunohistology - Paraffin<br>(1) |     |    |                | 1/500 - 1/1000     |
| ELISA                             | •   |    |                | 1/20 - 1/200       |
| Immunoprecipitation               |     |    |                |                    |
| Western Blotting                  |     |    |                |                    |
| Radioimmunoassays                 | •   |    |                |                    |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. 1mM EDTA buffer pH 8.0 is recommended for this purpose.

| Target Species  | Human   |
|-----------------|---|
| Product Form    | Purified IgG - liquid   |
| Preparation     | Purified IgG prepared by affinity chromatography on Protein A |
| Buffer Solution | Phosphate buffered saline                                     |

| Preservative<br>Stabilisers          | 0.09% Sodium Azide  |
|--------------------------------------|---|
| Carrier Free                         | Yes   |
| Approx. Protein<br>Concentrations    | IgG concentration 1.0 mg/ml   |
| External Database<br>Links           | UniProt:<br><u>P01236</u> <u>Related reagents</u><br>Entrez Gene:<br><u>5617</u> PRL <u>Related reagents</u>  |
| RRID                                 | AB_322383   |
| Specificity                          | <b>Mouse anti Human Prolactin antibody, clone INN-hPRL-1</b> recognises human prolactin, also known as luteotropic hormone or luteotropin, binding to epitope 'c' as determined by a competitive binding assay ( <u>Staindl <i>et al.</i> 1987</u> ). Prolactin is a 199 amnio acid ~24 kDa secreted anterior pituitary hormone acting to promote lactation.  |
| Histology Positive<br>Control Tissue | Human Pituitary   |
| References                           | <ol> <li>Staindl, B. <i>et al.</i> (1987) Monoclonal antibodies against human, bovine and rat prolactin:<br/>epitope mapping of human prolactin and development of a two-site immunoradiometric<br/>assay. <u>J Endocrinol. 114 (2): 311-8.</u></li> <li>Toth, B. <i>et al.</i> (2009) Insulin and leptin receptors as possible new candidates for<br/>endocrine control in normal and disturbed human pregnancy. <u>Mol Hum Reprod. 15:231-9.</u></li> <li>Ye, Y. <i>et al.</i> (2018) Prostaglandin E<sub>2</sub> receptor 3 signaling is induced in placentas with<br/>unexplained recurrent pregnancy losses. <u>Endocr Connect. 7 (5): 749-761.</u></li> </ol> |
| Storage                              | Store at +4°C or at -20°C if preferred.   |
|                                      | This product should be stored undiluted.  |
|                                      | Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  |
| Guarantee                            | 12 months from date of despatch   |
| Health And Safety                    |   |
| Information                          | Material Safety Datasheet documentation #10040 available at:<br>https://www.bio-rad-antibodies.com/SDS/MCA712<br>10040  |

## **Related Products**

#### **Recommended Secondary Antibodies**

| Rabbit Anti Mouse IgG (STAR12)   | RPE  |  |  |
|--|--|--|--|
| Goat Anti Mouse IgG IgA IgM (STAR87  | ) <u>HRP</u>   |  |  |
| Goat Anti Mouse IgG (STAR76)   | RPE  |  |  |
| Rabbit Anti Mouse IgG (STAR13)   | HRP  |  |  |
| Goat Anti Mouse IgG (STAR70)   | <u>FITC</u>  |  |  |
| Goat Anti Mouse IgG (H/L) (STAR117)  | <u>Alk. Phos.</u> , <u>DyLight®488</u> , <u>DyLight®550</u> ,  |  |  |
|  | DyLight®650, DyLight®680, DyLight®80                           | <u>D,</u>  |  |
|  | FITC, HRP  |  |  |
| Rabbit Anti Mouse IgG (STAR9)  | <u>FITC</u>  |  |  |
| Goat Anti Mouse IgG (STAR77)   | HRP  |  |  |
| Goat Anti Mouse IgG (Fc) (STAR120) <u>FITC</u> , <u>HRP</u>  |  |  |  |
|  |  |  |  |
| North & South         Tel: +1 800 265 7376         Worldwid           America         Fax: +1 919 878 3751 | de Tel: +44 (0)1865 852 700 Europe<br>Fax: +44 (0)1865 852 739 | Tel: +49 (0) 89 8090 95 21<br>Fax: +49 (0) 89 8090 95 50 |  |
| Email: antibody_sales_us@bio-rad.com   | Email: antibody_sales_uk@bio-rad.com                           | Email: antibody_sales_de@bio-rad.com                     |  |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M368824:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint