# Datasheet: MCA725G BATCH NUMBER 151575

MOUSE ANTI HUMAN TALIN
TALIN
Purified
Monoclonal Antibody
TA205
lgG1
0.2 mg

# **Product Details**

Applications	This product has been re	ported to	work in th	ne following application	ns. This information is	
	•	•		• • • •		
	derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further					
	information. For general	•				
	•	•	ecommen	idations, please visit <u>v</u>	<u>vww.bi0-</u>	
	rad-antibodies.com/proto					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry (1)				1/25 - 1/100	
	Immunohistology - Frozen	•				
	Immunohistology - Paraffin					
	ELISA			•		
	Immunoprecipitation	•				
	Western Blotting	•				
	Immunofluorescence	•				
	Where this antibody has not been tested for use in a particular technique this does not					
	necessarily exclude its use in such procedures. Suggested working dilutions are given as					
	a guide only. It is recommended that the user titrates the antibody for use in their own					
	system using appropriate negative/positive controls.					
	(1) Membrane permeabilisation is required for this application. Bio-Rad					
	recommends the use of	f Leucop	erm♥ (Pr	oduct Code <u>BUF09</u> ) :	for this purpose.	
Target Species	Human					
Species Cross	Reacts with: Rabbit, Chic	cken				
Reactivity	<b>N.B.</b> Antibody reactivity a		na conditi	ons may vary betweer	n species. Cross	
	reactivity is derived from testing within our laboratories, peer-reviewed publications or					
	personal communications from the originators. Please refer to references indicated for					
	further information.					

Preparation	Purified IgG prepared by affinity chromatography on Protein G
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Human platelet talin.
External Database Links	UniProt:         Q9Y490       Related reagents         Q9Y4G6       Related reagents         Entrez Gene:         7094       TLN1       Related reagents         83660       TLN2       Related reagents
Synonyms	KIAA0320, KIAA1027, TLN
RRID	AB_2233001
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the SP2/0 mouse myeloma cell line.
Specificity	<b>Mouse anti Human Talin antibody, clone TA205</b> recognizes human talin, a ~225 kDa cytoskeletal protein. Mouse anti Human Talin antibody, clone TA205 may be used to stain adhesion plaques in fixed and permeabilized fibroblasts. Mouse anti Human Talin antibody, clone recognizes an epitope between residues 139 and 433.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells
Histology Positive Control Tissue	Most tissues
Western Blotting	Clone TA205 has also been reported to work in Western blotting.
References	<ol> <li>Porter, R.M. <i>et al.</i> (1993) Monoclonal antibodies to cytoskeletal proteins: an immunohistochemical investigation of human colon cancer. <u>J Pathol. 170 (4): 435-40.</u></li> <li>Bolton, S.J. <i>et al.</i> (1997) Monoclonal antibodies recognizing the N- and C-terminal regions of talin disrupt actin stress fibers when microinjected into human fibroblasts. <u>Cell Motil Cytoskeleton. 36 (4): 363-76.</u></li> <li>Zheng, P.P. <i>et al.</i> (2007) Hela I-CaD is implicated in the migration of endothelial cells/endothelial progenitor cells in human neoplasms. <u>Cell Adh Migr. 1: 84-91.</u></li> </ol>

	<ul> <li>4. Vainionpää, N. <i>et al.</i> (2006) Laminin-10 and Lutheran blood group glycoproteins in adhesion of human endothelial cells. <u>Am J Physiol Cell Physiol. 290: C764-75.</u></li> <li>5. Filenius, S. (2003) Production of Fibronectin and Tenascin Isoforms and Their Role in the Adhesion of Human Immortalized Corneal Epithelial Cells <u>Invest Ophthalmol Vis Sci.</u> 44: 3317-25.</li> <li>6. Calderwood, D.A. <i>et al.</i> (1999) The Talin head domain binds to integrin beta subunit cytoplasmic tails and regulates integrin activation. J Biol Chem. 274: 28071-4.</li> <li>7. Cui, L. <i>et al.</i> (2009) c-Abl kinase is required for beta 2 integrin-mediated neutrophil adhesion. J Immunol. 182: 3233-42.</li> <li>8. Koch, S. <i>et al.</i> (2013) Cathepsin D deficiency induces cytoskeletal changes and affects cell migration pathways in the brain. <u>Neurobiol Dis. 50: 107-19.</u></li> </ul>
	9. Hasenson, S. <i>et al.</i> (2005) The immortalized human corneal epithelial cells adhere to laminin-10 by using Lutheran glycoproteins and integrin alpha3beta1. <u>Exp Eye Res. 81</u> (4): 415-21.
	10. Braga, V.M. <i>et al.</i> (1995) Calcium-induced changes in distribution and solubility of cadherins, integrins and their associated cytoplasmic proteins in human keratinocytes. <u>Cell Adhes Commun. 3 (3): 201-15.</u>
	<ol> <li>Valmu, L. <i>et al.</i> (1999) The cytoskeletal association of CD11/CD18 leukocyte integrins in phorbol ester-activated cells correlates with CD18 phosphorylation. <u>Eur J Immunol. 29</u> (7): 2107-18.</li> <li>Zhang C <i>et al.</i> (2013) c-Abl Kinase Is a Regulator of αvβ3 Integrin Mediated</li> </ol>
	Melanoma A375 Cell Migration. PLoS One. 8 (6): e66108.
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA725G 10040
Regulatory	For research purposes only

### **Related Products**

## **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12)	<u>RPE</u>
Goat Anti Mouse IgG IgA IgM (STAR87	) <u>HRP</u>
Goat Anti Mouse IgG (STAR76)	RPE
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>
Rabbit Anti Mouse IgG (STAR13)	<u>HRP</u>

Goat Anti Mouse IgG (Fc) (STAR120)	<u>FITC, HRP</u>
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>
Goat Anti Mouse IgG (STAR77)	HRP
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,
	DyLight®650, DyLight®680, DyLight®800,
	FITC, HRP

### **Recommended Negative Controls**

#### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	d.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M368843:200529'

#### Printed on 17 Mar 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint