

# Datasheet: MCA72PE BATCH NUMBER 165395

Description:	RAT ANTI HUMAN HLA DR:RPE		
Specificity:	HLA DR		
Format:	RPE		
Product Type:	Monoclonal Antibody		
Clone:	YD1/63.4.10		
Isotype:	lgG2a		
Quantity:	100 TESTS		

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat - 1/2

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Human  Does not react with:		
Does not react with:		
	Rat	
Purified IgG conjuga	ated to R. Phycoerythrin	(RPE) - lyophilized
Reconstitute with 1.	0 ml distilled water	
Fluorophore	Excitation Max (nm)	Emission Max (nm)
RPE 488nm laser	496	578
RPE 561nm laser	546	578
Purified IgG prepare	ed by affinity chromatog	raphy on Protein G f
supernatant		
Phosphate buffered	saline	
	Reconstitute with 1.  Fluorophore  RPE 488nm laser  RPE 561nm laser  Purified IgG prepare supernatant	RPE 488nm laser 496 RPE 561nm laser 546  Purified IgG prepared by affinity chromatog

Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> ) 1% Bovine Serum Albumin
	5% Sucrose
Immunogen	DAUDI cells.
Fusion Partners	Spleen cells of immunized DA rats were fused with cells of the Y3 Ag.1.2.3 Rat myeloma line.
Specificity	Rat anti Human HLA DR antibody, clone YD1/63.4.10 recognizes a monomorphic determinant of human HLA DR which is an MHC class II cell surface receptor expressed primarily on antigen presenting cells such as B lymphocytes, monocytes, macrophages and activated T lymphocytes.
	The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In humans, this complex is referred to as the human leukocyte antigen (HLA) region. There are 3 major MHC class II proteins encoded by the HLA which are HLA DP, HLA DQ and HLA DR.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul
References	1. Janossy, G. <i>et al.</i> (1980) Standardization of monoclonal antibodies for clinical studies in leukaemia/lymphoma. Protides Biol Fluid Proc Colloq. 28:523-527.  2. Pawelec, G. <i>et al.</i> (1982) Long-term culture, cloning, and surface markers of mixed leukocyte culture-derived human T lymphocytes with natural killer-like cytotoxicity. Jammunol. 128(4):1892-1896.
Storage	Prior to reconstitution store at +4°C.  After reconstitution store at +4°C.  DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA72PE">https://www.bio-rad-antibodies.com/SDS/MCA72PE</a> 20487
Regulatory	For research purposes only

## **Related Products**

## **Recommended Negative Controls**

RAT IgG2a NEGATIVE CONTROL:RPE (MCA6005PE)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

#### Printed on 19 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint