

Datasheet: MCA755SBR775

## **BATCH NUMBER 100008345**

Description:	MOUSE ANTI HUMAN CD27:StarBright Red 775		
Specificity:	CD27		
Format:	StarBright Red 775		
Product Type:	Monoclonal Antibody		
Clone:	LT27		
Isotype:	lgG2a		
Quantity:	100 TESTS/0.5ml		

# **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Human				
Reacts with: Cynomolgus monkey, Rhesus Monkey, Sheep  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.				
Purified IgG conjugated to StarBright Red 775 - liquid				
Fluorophore	Excitation Max (nm)	Emission Max (nm)		
StarBright Red 775	653	778		
Purified IgG prepared by affinity chromatography on DEAE from ascites				
Phosphate buffered s	aline			
	Reacts with: Cynomo  N.B. Antibody reactive reactivity is derived free personal communicate further information.  Purified IgG conjugate  Fluorophore StarBright Red 775  Purified IgG prepared	Reacts with: Cynomolgus monkey, Rhesus  N.B. Antibody reactivity and working conditi reactivity is derived from testing within our la personal communications from the originate further information.  Purified IgG conjugated to StarBright Red 7  Fluorophore Excitation Max (nm) StarBright Red 775  653	Reacts with: Cynomolgus monkey, Rhesus Monkey, Sheep  N.B. Antibody reactivity and working conditions may vary between species. Croreactivity is derived from testing within our laboratories, peer-reviewed publication personal communications from the originators. Please refer to references indication further information.  Purified IgG conjugated to StarBright Red 775 - liquid  Fluorophore Excitation Max (nm) Emission Max (nm)  StarBright Red 775 653 778  Purified IgG prepared by affinity chromatography on DEAE from ascites	

Preservative Stabilisers 0.09% Sodium Azide (NaN<sub>3</sub>)1% Bovine Serum Albumin

0.1% Pluronic F680.1% PEG 33500.05% Tween 20

Immunogen

Normal human blood lymphocytes.

External Database Links

**UniProt:** 

P26842 Related reagents

**Entrez Gene:** 

939 CD27 Related reagents

**Synonyms** 

TNFRSF7

**Fusion Partners** 

Spleen cells from immunized mice were fused with cells of the P3. X 63-Ag8-653 mouse myeloma cell line.

**Specificity** 

**Mouse anti human CD27, clone LT27,** recognizes the human T-cell activation antigen, CD27. This antigen is expressed on activated T lymphocytes and belongs to a family of proteins associated with the nerve growth factor receptor. CD27 is expressed by thymocytes and peripheral T cells and also by EBV transformed B cell lines.

Mouse anti human CD27, clone LT27 precipitates a ~55 kDa protein under reducing conditions or a ~120 kDa protein under non-reducing conditions.

**Flow Cytometry** 

Use  $5\mu$ l of the suggested working dilution to label  $10^6$  cells in  $100\mu$ l. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.

#### References

- 1. Ravoet, A.M. *et al.* (1989) CD25 mAb: epitopes recognised, effect on lymphocyte activation, mediation of ADCC in Leucocyte Typing IV: White Cell Differentiation Antigens Eds Knapp, W. *et al.* Oxford University Press pp 408-411.
- 2. Boxall, S. *et al.* (2004) Abnormal cell surface antigen expression in individuals with variant CD45 splicing and histiocytosis. <u>Pediatr Res. 55 (3): 478-84.</u>
- 3. Griebel, P.J. *et al.* (2007) Cross-reactivity of mAbs to human CD antigens with sheep leukocytes. <u>Vet Immunol Immunopathol. 119: 115-22.</u>
- 4. Becker, P.D. *et al.* (2010) Generation of Human Antigen-Specific Monoclonal IgM Antibodies Using Vaccinated "Human Immune System" Mice <u>PLoS One. 5(10). pii:</u> <u>e13137.</u>
- 5. van Zelm, M.C. *et al.* (2007) Replication history of B lymphocytes reveals homeostatic proliferation and extensive antigen-induced B cell expansion. <u>J Exp Med. 204: 645-55.</u>
- 6. Steger, B. *et al.* (2014) CD4(+)and CD8(+)T-cell reactions against leukemia-associated-or minor-histocompatibility-antigens in AML-patients after allogeneic SCT. <u>Immunobiology.</u> 219 (4): 247-60.

#### **Storage**

Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted.

Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
Health And Safety Information	Material Safety Datasheet documentation #20471 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA755SBR775">https://www.bio-rad-antibodies.com/SDS/MCA755SBR775</a> 20471
Regulatory	For research purposes only

# **Related Products**

# **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe Te

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M426069:231120'

## Printed on 10 Oct 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint