

Datasheet: MCA755SBUV575

BATCH NUMBER 100006649

Description:	MOUSE ANTI HUMAN CD27:StarBright UltraViolet 575
Specificity:	CD27
Format:	StarBright UltraViolet 575
Product Type:	Monoclonal Antibody
Clone:	LT27
Isotype:	lgG2a
Quantity:	100 TESTS/0.5ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human			
Species Cross Reactivity	N.B. Antibody reactive reactivity is derived for	olgus monkey, Rhesus rity and working conditi rom testing within our la tions from the originato	ons may vary betwe aboratories, peer-rev	viewed publications o
Product Form	Purified IgG conjuga	ted to StarBright UltraV	iolet 575 - liquid	
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)	
	StarBright UltraViolet 575	340	569	
Preparation	Purified IgG prepared	d by ion exchange chro	omatography	
Buffer Solution	Phosphate buffered s	saline		

Preservative Stabilisers 0.09% Sodium Azide (NaN₃)1% Bovine Serum Albumin

0.1% Pluronic F680.1% PEG 33500.05% Tween 20

Immunogen

Normal human blood lymphocytes.

External Database Links

UniProt:

P26842 Related reagents

Entrez Gene:

939 CD27 Related reagents

Synonyms

TNFRSF7

Fusion Partners

Spleen cells from immunized mice were fused with cells of the P3. X 63-Ag8-653 mouse myeloma cell line.

Specificity

Mouse anti human CD27, clone LT27, recognizes the human T-cell activation antigen, CD27. This antigen is expressed on activated T lymphocytes and belongs to a family of proteins associated with the nerve growth factor receptor. CD27 is expressed by thymocytes and peripheral T cells and also by EBV transformed B cell lines.

Mouse anti human CD27, clone LT27 precipitates a ~55 kDa protein under reducing conditions or a ~120 kDa protein under non-reducing conditions.

Flow Cytometry

Use 5ul of the suggested working dilution to label 10^6 cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.

References

- 1. Ravoet, A.M. *et al.* (1989) CD25 mAb: epitopes recognised, effect on lymphocyte activation, mediation of ADCC in Leucocyte Typing IV: White Cell Differentiation Antigens Eds Knapp, W. *et al.* Oxford University Press pp 408-411.
- 2. Boxall, S. *et al.* (2004) Abnormal cell surface antigen expression in individuals with variant CD45 splicing and histiocytosis. Pediatr Res. 55 (3): 478-84.
- 3. Griebel, P.J. *et al.* (2007) Cross-reactivity of mAbs to human CD antigens with sheep leukocytes. Vet Immunol Immunopathol. 119: 115-22.
- 4. Becker, P.D. *et al.* (2010) Generation of Human Antigen-Specific Monoclonal IgM Antibodies Using Vaccinated "Human Immune System" Mice <u>PLoS One. 5(10). pii:</u> <u>e13137.</u>
- 5. van Zelm, M.C. *et al.* (2007) Replication history of B lymphocytes reveals homeostatic proliferation and extensive antigen-induced B cell expansion. <u>J Exp Med. 204: 645-55.</u>
- 6. Steger, B. *et al.* (2014) CD4(+)and CD8(+)T-cell reactions against leukemia-associated-or minor-histocompatibility-antigens in AML-patients after allogeneic SCT. <u>Immunobiology.</u> 219 (4): 247-60.

Storage

Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted.

Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
Health And Safety Information	Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA755SBUV575 20471
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe Te

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M403705:220728'

Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint