# Datasheet: MCA755SBUV795 BATCH NUMBER 100006202

Description:	MOUSE ANTI HUMAN CD27:StarBright UltraViolet 795
Specificity:	CD27
Format:	StarBright UltraViolet 795
Product Type:	Monoclonal Antibody
Clone:	LT27
Isotype:	lgG2a
Quantity:	100 TESTS/0.5ml

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry	-			Neat	
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Human					
Species Cross Reactivity	Reacts with: Cynomolgus monkey, Rhesus Monkey, Sheep <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.					
Product Form	Purified IgG conjugated to StarBright UltraViolet 795 - liquid					
Max Ex/Em	Fluorophore	Excitation Max	(nm)	Emission Max (nm)		
	StarBright UltraViolet 795	340		792		
Preparation	Purified IgG prepared by ion exchange chromatography					
Buffer Solution	Phosphate buffered s	aline				

Storage	Store at +4°C. DO NOT FREEZE.
	<u>219 (4): 247-60.</u>
	or minor-histocompatibility-antigens in AML-patients after allogeneic SCT. Immunobiology.
	6. Steger, B. et al. (2014) CD4(+)and CD8(+)T-cell reactions against leukemia-associated-
	proliferation and extensive antigen-induced B cell expansion. J Exp Med. 204: 645-55.
	5. van Zelm, M.C. et al. (2007) Replication history of B lymphocytes reveals homeostatic
	<u>e13137.</u>
	Antibodies Using Vaccinated "Human Immune System" Mice <u>PLoS One. 5(10). pii:</u>
	4. Becker, P.D. <i>et al.</i> (2010) Generation of Human Antigen-Specific Monoclonal IgM
	leukocytes. Vet Immunol Immunopathol. 119: 115-22.
	3. Griebel, P.J. <i>et al.</i> (2007) Cross-reactivity of mAbs to human CD antigens with sheep
	<ol> <li>Boxall, S. et al. (2004) Abnormal cell surface antigen expression in individuals with variant CD45 splicing and histiocytosis. <u>Pediatr Res. 55 (3): 478-84.</u></li> </ol>
	Eds Knapp, W. <i>et al.</i> Oxford University Press pp 408-411.
	activation, mediation of ADCC in Leucocyte Typing IV: White Cell Differentiation Antigens
References	1. Ravoet, A.M. <i>et al.</i> (1989) CD25 mAb: epitopes recognised, effect on lymphocyte
r tow Cytometry	suggest a 5 minutes centrifugation at 6,000g prior to sample application.
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul. Best practices
	Mouse anti human CD27, clone LT27 precipitates a ~55 kDa protein under reducing conditions or a ~120 kDa protein under non-reducing conditions.
	thymocytes and peripheral T cells and also by EBV transformed B cell lines.
	proteins associated with the nerve growth factor receptor. CD27 is expressed by
opecificity	<b>Mouse anti human CD27, clone LT27,</b> recognizes the human T-cell activation antigen, CD27. This antigen is expressed on activated T lymphocytes and belongs to a family of
Specificity	Mouse anti human CD27, clone LT27, recognizes the human T coll activation antigan
	myeloma cell line.
Fusion Partners	Spleen cells from immunized mice were fused with cells of the P3. X 63-Ag8-653 mouse
Synonyms	TNFRSF7
2	
	<u>939</u> CD27 <u>Related reagents</u>
	Entrez Gene:
	P26842 Related reagents
Links	UniProt:
External Database	
Immunogen	Normal human blood lymphocytes.
	0.1% PEG 3350 0.05% Tween 20
	0.1% Pluronic F68
Stabilisers	1% Bovine Serum Albumin
Preservative	0.09% Sodium Azide (NaN <sub>3</sub> )

	This product should be stored undiluted.
Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
Health And Safety Information	Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA755SBUV795 20471
Regulatory	For research purposes only

### **Related Products**

#### **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21		
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50		
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com		
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets							

'M399299:220630'

#### Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint