

Datasheet: MCA755SBV440 BATCH NUMBER 64599653

| Description: | MOUSE ANTI HUMAN CD27:StarBright Violet 440 |
|---------------|---|
| Specificity: | CD27 |
| Format: | StarBright Violet 440 |
| Product Type: | Monoclonal Antibody |
| Clone: | LT27 |
| Isotype: | IgG2a |
| Quantity: | 100 TESTS/0.5ml |
| | |

Product Details

| Applications | This product has been reported to work in the following applications. This inform derived from testing within our laboratories, peer-reviewed publications or perso communications from the originators. Please refer to references indicated for fu | | | | | | |
|-----------------------------|---|---|--------|-------------------|--------------------|--|--|
| | | information. For general protocol recommendations, please visit <u>www.bio-</u> | | | | | |
| | rad-antibodies.com/protocols. | | | | | | |
| | raa antibodioo.oom/pr | Yes | No | Not Determined | Suggested Dilution | | |
| | Flow Cytometry | • | | | Neat | | |
| | Where this product has not been tested for use in a particular technique this does not | | | | | | |
| | necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. | | | | | | |
| Target Species | Human | | | | | | |
| Species Cross Reactivity | Reacts with: Cynomolgus monkey, Rhesus Monkey, Sheep N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. | | | | | | |
| Product Form | Purified IgG conjugated to StarBright Violet 440 - liquid | | | | | | |
| Max Ex/Em | Fluorophore | Excitation Max | x (nm) | Emission Max (nm) | | | |
| | StarBright Violet 440 | 383 | | 436 | | | |
| Preparation | Purified IgG prepared by ion exchange chromatography from ascites | | | | | | |
| Buffer Solution | Phosphate buffered saline | | | | | | |

| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350 | |
|-----------------------------|---|----------|
| Immunogen | Normal human blood lymphocytes. | |
| External Database Links | UniProt: <u>P26842</u> <u>Related reagents</u> | |
| | Entrez Gene: 939 CD27 <u>Related reagents</u> | |
| Synonyms | TNFRSF7 | |
| Fusion Partners | Spleen cells from immunized mice were fused with cells of the P3. X 63-Ag8-653 mous myeloma cell line. | se |
| Specificity | Mouse anti human CD27, clone LT27, recognizes the human T-cell activation antiger CD27. This antigen is expressed on activated T lymphocytes and belongs to a family o proteins associated with the nerve growth factor receptor. CD27 is expressed by thymocytes and peripheral T cells and also by EBV transformed B cell lines. | |
| | Mouse anti human CD27, clone LT27 precipitates a ~55 kDa protein under reducing conditions or a ~120 kDa protein under non-reducing conditions. | |
| Flow Cytometry | Use 5µl of the suggested working dilution to label 10 ⁶ cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application. | |
| References | Ravoet, A.M. <i>et al.</i> (1989) CD25 mAb: epitopes recognised, effect on lymphocyte activation, mediation of ADCC in Leucocyte Typing IV: White Cell Differentiation Antige Eds Knapp, W. <i>et al.</i> Oxford University Press pp 408-411. Boxall, S. <i>et al.</i> (2004) Abnormal cell surface antigen expression in individuals with variant CD45 splicing and histiocytosis. <u>Pediatr Res. 55 (3): 478-84.</u> Griebel, P.J. <i>et al.</i> (2007) Cross-reactivity of mAbs to human CD antigens with sheep leukocytes. <u>Vet Immunol Immunopathol. 119: 115-22.</u> Becker, P.D. <i>et al.</i> (2010) Generation of Human Antigen-Specific Monoclonal IgM Antibodies Using Vaccinated "Human Immune System" Mice <u>PLoS One. 5(10). pii: e13137.</u> van Zelm, M.C. <i>et al.</i> (2007) Replication history of B lymphocytes reveals homeostat proliferation and extensive antigen-induced B cell expansion. <u>J Exp Med. 204: 645-55.</u> | o tic |
| | Steger, B. <i>et al.</i> (2014) CD4(+)and CD8(+)T-cell reactions against leukemia-associat or minor-histocompatibility-antigens in AML-patients after allogeneic SCT. <u>Immunobiolo</u> <u>219 (4): 247-60.</u> | |
| Storage | Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. | |

| Guarantee | 12 months from date of despatch |
|----------------------------------|--|
| Acknowledgements | This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts |
| Health And Safety Information | Material Safety Datasheet documentation #20438 available at: https://www.bio-rad-antibodies.com/SDS/MCA755SBV440 20438 |
| Regulatory | For research purposes only |

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

| North & South | Tel: +1 800 265 7376 | Worldwide | Tel: +44 (0)1865 852 700 | Europe | Tel: +49 (0) 89 8090 95 21 |
|---------------|-----------------------------|-----------|------------------------------|----------|--------------------------------------|
| America | Fax: +1 919 878 3751 | | Fax: +44 (0)1865 852 739 | | Fax: +49 (0) 89 8090 95 50 |
| | Email: antibody_sales_us@bi | o-rad.com | Email: antibody_sales_uk@bio | -rad.com | Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M426412:231221'

Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint