Datasheet: MCA771FA

BATCH NUMBER 149369

Description:	RAT ANTI MOUSE Ly-6B.2 ALLOANTIGEN:FITC
Specificity:	Ly-6B.2 ALLOANTIGEN
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	7/4
Isotype:	IgG2a
Quantity:	50 µg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use their own system using appropriate negative/positive controls.

Target Species

Mouse

Product Form

Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid

Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
FITC	490	525

Preparation

Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.09% Sodium Azide
1% Bovine Serum Albumin

Approx. Protein Concentrations	IgG concentration 0.1 mg/ml
Immunogen	Cultured bone marrow cells
RRID	AB_567162
Fusion Partners	Spleen cells from AO rats were fused with cells from the Y3 Ag1.2.3 rat myeloma cell line.
Specificity	**Rat anti Mouse Ly-6B.2 monoclonal antibody, clone 7/4** recognizes the Ly-6B.2 antigen. Ly-6B.2 is a ~25-30 kDa GPI-anchored, heavily glycosylated protein expressed on neutrophils, inflammatory monocytes and some activated macrophages (Rosas *et al.* 2010). High levels of expression are seen in bone marrow, spleen, lung and lymph nodes. N-glycanase treatment of thioglycollate elicited peritoneal neutrophil lysates lowers the apparent molecular weight of Ly-6B.2 to ~15 kDa (Rosas *et al.*2010). In common with other Ly-6 antigens Ly-6B.2 demonstrates a polymorphic expression on inbred mouse strains (Kimura *et al.* 1984). Rat anti mouse Ly-6B.2, clone 7/4 recognizes the Ly-6B.2 antigen in 129J; AKR; C57BL/6; C57BL/10; C58; DBA/2; NZB; NZW; SJL; MFI; Swiss (PO) Strains whilst A2G; A/Sn; ASW; BALB/c; C3H/HEH: CBA.T6T6 are negative or demonstrate very weak reactivity (Hirsch and Gordon 1982). Rat anti mouse Ly-6B.2 has been successfully used for the immunomagnetic depletion of neutrophils during the enrichment of primitive hematopoietic cells from bone marrow (Bertoncello *et al.* 1991) and the depletion of myeloid cells *in vivo* (Rosas *et al.* 2010).
Flow Cytometry	Use 10ul of the suggested working dilution to label 10^6 cells in 100ul.
References	1. Gordon, S. *et al.* (1992) Antigen markers of macrophage differentiation in murine tissues. Curr Top Microbiol Immunol. 181: 1-37. 2. Horiba, M. *et al.* (2000) Neointima formation in a restenosis model is suppressed in midkine-deficient mice. J Clin Invest. 105: 489-95. 3. Pyo, R. *et al.* (2000) Targeted gene disruption of matrix metalloproteinase-9 (gelatinase B) suppresses development of experimental abdominal aortic aneurysms. J Clin Invest. 105: 1641-9. 4. Liao, C. *et al.* (2001) Altered myelopoiesis and the development of acute myeloid leukemia in transgenic mice overexpressing cyclin A1. Proc Natl Acad Sci U S A. 98: 6853-8. 5. Song, Y. *et al.* (2001) A low level of TNF-alpha mediates hemorrhage-induced acute lung injury via p55 TNF receptor. Am J Physiol Lung Cell Mol Physiol. 281: L677-84. 6. Singbartl, K. *et al.* (2001) Platelet, but not endothelial, P-selectin is critical for neutrophil-mediated acute postischemic renal failure. FASEB J. 15: 2337-44. 7. Endlich, B. *et al.* (2002) Distinct temporal patterns of macrophage-inflammatory protein-2 and KC chemokine gene expression in surgical injury. J Immunol. 168: 3586-94. 8. Lacroix-Lamandé, S. *et al.* (2002) Role of gamma interferon in chemokine expression in the ileum of mice and in a murine intestinal epithelial cell line after Cryptosporidium parvum infection. Infect Immun. 70: 2090-9. 9. Sato, J. *et al.* (2003) The fibrinolytic system in dissemination and matrix protein

deposition during a mycobacterium infection. Am J Pathol. 163: 517-31.
10. Chen, Z. *et al.* (2004) Evidence for a role of macrophage migration inhibitory factor in vascular disease. Arterioscler Thromb Vasc Biol. 24: 709-14.
11. Lee, H.T. *et al.* (2004) A1 adenosine receptor activation inhibits inflammation, necrosis, and apoptosis after renal ischemia-reperfusion injury in mice. J Am Soc Nephrol. 15: 102-11.
12. Day, Y.J. *et al.* (2004) Protection from ischemic liver injury by activation of A2A adenosine receptors during reperfusion: inhibition of chemokine induction. Am J Physiol Gastrointest Liver Physiol. 286: G285-93.
13. Crockett, E.T. *et al.* (2004) Gene deletion of P-Selectin and ICAM-1 does not inhibit neutrophil infiltration into peritoneal cavity following cecal ligation-puncture. BMC Clin Pathol. 4: 2
14. Kaur, S. *et al.* (2004) Acidic duodenal pH alters gene expression in the cystic fibrosis mouse pancreas. Am J Physiol Gastrointest Liver Physiol. 287 (2): G480-90.
15. Thatcher, T.H. *et al.* (2005) Role of CXCR2 in cigarette smoke-induced lung inflammation. Am J Physiol Lung Cell Mol Physiol. 289: L322-8.
16. Iwaki, T. *et al.* (2005) A cardioprotective role for the endothelial protein C receptor in lipopolysaccharide-induced endotoxemia in the mouse. Blood. 105: 2364-71.
17. Word, R.A. *et al.* (2005) Transgene insertion on mouse chromosome 6 impairs function of the uterine cervix and causes failure of parturition. Biol Reprod. 73 (5): 1046-56.
18. Sasaki, T. *et al.* (2006) A simple method of plaque rupture induction in apolipoprotein E-deficient mice. Arterioscler Thromb Vasc Biol. 26: 1304-9.
19. Chen, C.J. *et al.* (2006) MyD88-dependent IL-1 receptor signaling is essential for gouty inflammation stimulated by monosodium urate crystals. J Clin Invest. 2006 Aug;116(8):2262-71.
20. Timmons, B.C. & Mahendroo, M.S. (2006) Timing of neutrophil activation and expression of proinflammatory markers do not support a role for neutrophils in cervical ripening in the mouse. Biol Reprod. 74: 236-45.
21. Morison, N.B. *et al.* (2007) The long-term actions of etonogestrel and levonorgestrel on decidualized and non-decidualized endometrium in a mouse model mimic some effects of progestogen-only contraceptives in women. Reproduction. 133: 309-21.
22. Cheng, C.W. *et al.* (2007) Quantitative cellular and molecular analysis of the effect of progesterone withdrawal in a murine model of decidualization. Biol Reprod. 76: 871-83.
23. Tsou, C.L. *et al.* (2007) Critical roles for CCR2 and MCP-3 in monocyte mobilization from bone marrow and recruitment to inflammatory sites. J Clin Invest. 117: 902-9.
24. Clark, J.D. *et al.* (2007) Morphine reduces local cytokine expression and neutrophil infiltration after incision. Mol Pain. 3:28.
25. Laubitz, D. *et al.* (2008) Colonic gene expression profile in NHE3-deficient mice: evidence for spontaneous distal colitis. Am J Physiol Gastrointest Liver Physiol. 295: G63-G77.
26. Shornick, L.P. *et al.* (2008) Airway epithelial versus immune cell Stat1 function for innate defense against respiratory viral infection. J Immunol. 180: 3319-28.
27. Kato, N. *et al.* (2009) The E-selectin ligand basigin/CD147 is responsible for neutrophil recruitment in renal ischemia/reperfusion. J Am Soc Nephrol. 20: 1565-76.
28. Lacroix-Lamandé, S. *et al.* (2009) Neonate intestinal immune response to CpG oligodeoxynucleotide stimulation. PLoS One. 4: e8291.

29. Park, S.W. *et al.* (2009) Human activated protein C attenuates both hepatic and renal injury caused by hepatic ischemia and reperfusion injury in mice. Kidney Int. 76 (7): 739-50.
30. Locke, L.W. (2009) A novel neutrophil-specific PET imaging agent: cFLFLFK-PEG-64Cu. J Nucl Med. 50: 790-7.
31. Omari, K.M. *et al.* (2009) Neuroprotection and remyelination after autoimmune demyelination in mice that inducibly overexpress CXCL1. Am J Pathol. 174: 164-76.
32. Plüddemann, A. (2009) The macrophage scavenger receptor A is host-protective in experimental meningococcal septicaemia. PLoS Pathog. 5:e1000297.
33. Lech, M. *et al.* (2009) Resident dendritic cells prevent postischemic acute renal failure by help of single Ig IL-1 receptor-related protein. J Immunol. 183: 4109-18.
34. Bombardelli, L. *et al.* (2010) Pancreas-specific ablation of beta1 integrin induces tissue degeneration by disrupting acinar cell polarity. Gastroenterology. 138: 2531-40,
35. Schneider, D.J. *et al.* (2010) Adenosine and osteopontin contribute to the development of chronic obstructive pulmonary disease. FASEB J. 24: 70-80.
36. Rosas, M. *et al.* (2010) The myeloid 7/4-antigen defines recently generated inflammatory macrophages and is synonymous with Ly-6B. J Leukoc Biol. 88 (1): 169-80.
37. Smalley-Freed, W.G. *et al.* (2010) p120-catenin is essential for maintenance of barrier function and intestinal homeostasis in mice. J Clin Invest. 120: 1824-35.
38. Lassen, S. *et al.* (2010) Ischemia reperfusion induces IFN regulatory factor 4 in renal dendritic cells, which suppresses postischemic inflammation and prevents acute renal failure J Immunol. 185: 1976-83.
39. Kim, M. *et al.* (2010) Selective renal overexpression of human heat shock protein 27 reduces renal ischemia-reperfusion injury in mice. Am J Physiol Renal Physiol. 299: F347-58.
40. Shi, H. *et al.* (2010) MAP kinase phosphatase-1 deficiency impairs skeletal muscle regeneration and exacerbates muscular dystrophy. FASEB J. 24: 2985-97.
41. Nadeau, S. *et al.* (2011) Functional Recovery after Peripheral Nerve Injury is Dependent on the Pro-Inflammatory Cytokines IL-1{beta} and TNF: Implications for Neuropathic Pain. J Neurosci. 31: 12533-12542.
42. Guerriero, J.L. *et al.* (2011) DNA alkylating therapy induces tumor regression through an HMGB1-mediated activation of innate immunity. J Immunol. 186: 3517-26.
43. Yellon, S.M. *et al.* (2011) Remodeling of the cervix and parturition in mice lacking the progesterone receptor B isoform. Biol Reprod. 85: 498-502.
44. Frossard, J.L. *et al.* (2011) Role of CCL-2, CCR-2 and CCR-4 in cerulein-induced acute pancreatitis and pancreatitis-associated lung injury. J Clin Pathol. 64: 387-93.
45. McDonald, J.U. *et al.* (2011) *In vivo* functional analysis and genetic modification of in vitro-derived mouse neutrophils. FASEB J. 25: 1972-82.
46. Larmonier, C.B. *et al.* (2011) NHE3 modulates the severity of colitis in IL-10-deficient mice. Am J Physiol Gastrointest Liver Physiol. 300: G998-G1009.
47. Allam, R. *et al.* (2011) Cyclic Polypeptide and Aminoglycoside Antibiotics Trigger IL-1{beta} Secretion by Activating the NLRP3 Inflammasome. J Immunol. 186: 2714-8.
48. Holt, R. *et al.* (2011) The Molecular Mechanisms of Cervical Ripening Differ between Term and Preterm Birth. Endocrinology. 152: 1036-46.
49. Chatterjee, S. *et al.* (2013) Junctional adhesion molecule-A regulates vascular endothelial growth factor receptor-2 signaling-dependent mouse corneal wound healing. PLoS One. 8 (5): e63674.

50. Brulhart-Meynet, M.C. *et al.* (2015) Improving Reconstituted HDL Composition for Efficient Post-Ischemic Reduction of Ischemia Reperfusion Injury. PLoS One. 10 (3): e0119664.
51. Patel, J. *et al.* (2015) RGS1 regulates myeloid cell accumulation in atherosclerosis and aortic aneurysm rupture through altered chemokine signalling. Nat Commun. 6: 6614.
52. Hamers, A.A. *et al.* (2015) Deficiency of Nuclear Receptor Nur77 Aggravates Mouse Experimental Colitis by Increased NFκB Activity in Macrophages. PLoS One. 10 (8): e0133598.
53. Ao, M. *et al.* (2015) Dental Infection of *Porphyromonas gingivalis* Induces Preterm Birth in Mice. PLoS One. 10 (8): e0137249.
54. Cnops, J. *et al.* (2015) NK-, NKT- and CD8-Derived IFNγ Drives Myeloid Cell Activation and Erythrophagocytosis, Resulting in Trypanosomosis-Associated Acute Anemia. PLoS Pathog. 11 (6): e1004964.
55. Kjellman, P. *et al.* (2015) Size-dependent lymphatic uptake of nanoscale-tailored particles as tumor mass increases. Future Sci OA. 1 (4): FSO60.
56. Wan, W. *et al.* (2015) Atypical chemokine receptor 1 deficiency reduces atherogenesis in ApoE-knockout mice. Cardiovasc Res. 106 (3): 478-87.
57. Kidoya, H. *et al.* (2015) APJ Regulates Parallel Alignment of Arteries and Veins in the Skin. Dev Cell. 33 (3): 247-59.
58. Brennan, F.H. *et al.* (2015) The Complement Receptor C5aR Controls Acute Inflammation and Astrogliosis following Spinal Cord Injury. J Neurosci. 35 (16): 6517-31.
59. Wang, S. *et al.* (2016) Increased hepatic receptor interacting protein kinase 3 expression due to impaired proteasomal functions contributes to alcohol-induced steatosis and liver injury. Oncotarget. 7 (14): 17681-98.
60. Ni, H.M. *et al.* (2016) Caspase Inhibition Prevents Tumor Necrosis Factor-α-Induced Apoptosis and Promotes Necrotic Cell Death in Mouse Hepatocytes *in Vivo* and *in Vitro*. Am J Pathol. 186 (10): 2623-36.
61. Morris, A.H. *et al.* (2016) Inadequate Processing of Decellularized Dermal Matrix Reduces Cell Viability *In Vitro* and Increases Apoptosis and Acute Inflammation *In Vivo*. Biores Open Access. 5 (1): 177-87.
62. Rabadi, M. *et al.* (2016) Peptidyl arginine deiminase-4-deficient mice are protected against kidney and liver injury after renal ischemia and reperfusion. Am J Physiol Renal Physiol. 311 (2): F437-49.
63. Laubitz, D. *et al.* (2016) Reduced Epithelial Na+/H+ Exchange Drives Gut Microbial Dysbiosis and Promotes Inflammatory Response in T Cell-Mediated Murine Colitis. PLoS One. 11 (4): e0152044.
64. Farrar, C.A. *et al.* (2016) Collectin-11 detects stress-induced L-fucose pattern to trigger renal epithelial injury. J Clin Invest. 126 (5): 1911-25.
65. Zhao, Y. *et al.* (2016) Rapamycin prevents bronchiolitis obliterans through increasing infiltration of regulatory B cells in a murine tracheal transplantation model. J Thorac Cardiovasc Surg. 151 (2): 487-496.e3.
66. Choi, E. *et al.* (2016) Expression of Activated Ras in Gastric Chief Cells of Mice Leads to the Full Spectrum of Metaplastic Lineage Transitions. Gastroenterology. 150 (4): 918-30.e13.
67. Nguyen, H.T. & Shen, H. (2016) The effect of PEGylation on the stimulation of IL-1β by gold (Au) nanoshell/silica core nanoparticles. J Mater Chem B Mater Biol Med. 4 (9): 1650-9.

68. Boal, F. *et al.* (2016) PI5P Triggers ICAM-1 Degradation in *Shigella* Infected Cells, Thus Dampening Immune Cell Recruitment. Cell Rep. 14 (4): 750-9.
69. Cardenas, H. *et al.* (2016) Dietary Apigenin Exerts Immune-Regulatory Activity in Vivo by Reducing NF-κB Activity, Halting Leukocyte Infiltration and Restoring Normal Metabolic Function. Int J Mol Sci. 17 (3): 323.
70. Wieser, V. *et al.* (2016) Lipocalin 2 drives neutrophilic inflammation in alcoholic liver disease. J Hepatol. 64 (4): 872-80.
71. Konrad, F.M. *et al.* (2019) How Adhesion Molecule Patterns Change While Neutrophils Traffic through the Lung during Inflammation. Mediators Inflamm. 2019: 1208086.
72. Jung, P.E. *et al.* (2020) Honokiol Protects the Kidney from Renal Ischemia and Reperfusion Injury by Upregulating the Glutathione Biosynthetic Enzymes. Biomedicines. 8 (9): 352.
73. Han, Y. *et al.* (2020) Close Homolog of L1 Deficiency Exacerbated Intestinal Epithelial Barrier Function in Mouse Model of Dextran Sulfate Sodium-Induced Colitis. Front Physiol. 11: 584508.
74. Tilstra, J.S. *et al.* (2020) B cell-intrinsic TLR9 expression is protective in murine lupus. J Clin Invest. 130 (6): 3172-3187.
75. Gordon, R.A. *et al.* (2020) Murine lupus is neutrophil elastase-independent in the MRL.Faslpr model. PLoS One. 15 (4): e0226396.
76. Hawkins, R.B. *et al.* (2021) Mesenchymal Stem Cells Alter MicroRNA Expression and Attenuate Thoracic Aortic Aneurysm Formation. J Surg Res. 268: 221-31.
77. Leinweber, J. *et al.* (2021) Elastase inhibitor agaphelin protects from acute ischemic stroke in mice by reducing thrombosis, blood-brain barrier damage, and inflammation. Brain Behav Immun. S0889-1591(20)32485-5.
78. Matsumoto, K. *et al.* (2021) Juvenile social defeat stress exposure favors in later onset of irritable bowel syndrome-like symptoms in male mice. Sci Rep. 11 (1): 16276.
79. Filiberto, A.C. *et al.* (2022) Endothelial pannexin-1 channels modulate macrophage and smooth muscle cell activation in abdominal aortic aneurysm formation. Nat Commun. 13 (1): 1521.
80. Chute, M. *et al.* (2022) ADAM15 is required for optimal collagen cross-linking and scar formation following myocardial infarction. Matrix Biol. 105: 127-43.
81. Beuker, C. *et al.* (2022) Stroke induces disease-specific myeloid cells in the brain parenchyma and pia. Nat Commun. 13 (1): 945.
82. Zheng, Z. *et al.* (2022) Role of TRPC6 in kidney damage after acute ischemic kidney injury. Sci Rep. 12 (1): 3038.
83. Lyubenov, L. *et al.* (2022) Intravenous Glu-plasminogen attenuates cholesterol crystal embolism-induced thrombotic angiopathy, acute kidney injury and kidney infarction. Nephrol Dial Transplant. gfac273.
84. Haruta, Y. *et al.* (2022) Zinc chelator treatment in crush syndrome model mice attenuates ischemia-reperfusion-induced muscle injury due to suppressing of neutrophil infiltration. Sci Rep. 12 (1): 15580.
85. Byts, N. *et al.* (2022) Inactivation of mouse transmembrane prolyl 4-hydroxylase increases blood brain barrier permeability and ischemia-induced cerebral neuroinflammation. J Biol Chem. 298 (3): 101721.
86. Salmon, M. *et al.* (2022) Genetic and Pharmacological Disruption of Interleukin-1α Leads to Augmented Murine Aortic Aneurysm. Ann Vasc Surg. 85: 358-370.
87. Dardenne, C. *et al.* (2022) Topical Aspirin Administration Improves Cutaneous Wound

Healing in Diabetic Mice Through a Phenotypic Switch of Wound Macrophages Toward an Anti-inflammatory and Proresolutive Profile Characterized by LXA4 Release. Diabetes. 71 (10): 2181-96.
88. Di Santo, C.*et al.* (2023) Characterization of the Involvement of Tumour Necrosis Factor (TNF)-α-Stimulated Gene 6 (TSG-6) in Ischemic Brain Injury Caused by Middle Cerebral Artery Occlusion in Mouse Int J Mol Sci. 24 (6): 5800.
89. Yang, L. *et al.* (2023) Both hyperglycemia and hyperuricemia aggravate acute kidney injury during cholesterol embolism syndrome despite opposite effects on kidney infarct size. Kidney Int. 104 (1): 139-150.
90. Klement, K. *et al.* (2023) Phosphorylation of axin within biomolecular condensates counteracts its tankyrase-mediated degradation. J Cell Sci. 136 (20): jcs261214.
91. Ladd, Z. *et al.* (2023) Pharmacologic inhibition by spironolactone attenuates experimental abdominal aortic aneurysms. Front Cardiovasc Med. 10: 1101389.
92. Gilfillan, C.B. *et al.* (2018) Clec9A(+) Dendritic Cells Are Not Essential for Antitumor CD8(+) T Cell Responses Induced by Poly I:C Immunotherapy. J Immunol. 200 (8): 2978-86.
93. Lopes, J.P. *et al.* (2018) Evasion of Immune Surveillance in Low Oxygen Environments Enhances *Candida albicans* Virulence. mBio. 9 (6): e02120-18.
94. Howard, M.C. *et al.* (2020) l-Fucose prevention of renal ischaemia/reperfusion injury in Mice. FASEB J. 34 (1): 822-34.
95. Grist, J.J. *et al.* (2018) Induced CNS expression of CXCL1 augments neurologic disease in a murine model of multiple sclerosis via enhanced neutrophil recruitment. Eur J Immunol. 48 (7): 1199-210.
96. Urbschat, A. *et al.* (2018) Systemic TLR2 Antibody Application in Renal Ischaemia and Reperfusion Injury Decreases AKT Phosphorylation and Increases Apoptosis in the Mouse Kidney. Basic Clin Pharmacol Toxicol. 122 (2): 223-32.
97. Li, N. *et al.* (2021) IRF8-Dependent Type I Conventional Dendritic Cells (cDC1s) Control Post-Ischemic Inflammation and Mildly Protect Against Post-Ischemic Acute Kidney Injury and Disease. Front Immunol. 12: 685559.
98. K&oumml;rner, A. *et al.* (2023) Semaphorin 7A is protective during inflammatory peritonitis through integrin receptor signaling. Front Immunol. 14: 1251026.
99. McNeill, E. *et al.* (2015) Hydrodynamic Gene Delivery of CC Chemokine Binding Fc Fusion Proteins to Target Acute Vascular Inflammation *In Vivo*. Sci Rep. 5: 17404.
100. Martin, K. *et al.* (2020) Requirement of Mucosa-Associated Lymphoid Tissue Lymphoma Translocation Protein 1 Protease Activity for Fcγ Receptor-Induced Arthritis, but Not Fcγ Receptor-Mediated Platelet Elimination, in Mice. Arthritis Rheumatol. 72 (6): 919-30.
101. Shannon, A.H. *et al.* (2020) Single-Photon Emission Computed Tomography Imaging Using Formyl Peptide Receptor 1 Ligand Can Diagnose Aortic Aneurysms in a Mouse Model. J Surg Res. 251: 239-47.
102. Markert, C. *et al.* (2021) Discovery of LYS006, a Potent and Highly Selective Inhibitor of Leukotriene A(4) Hydrolase. J Med Chem. 64 (4): 1889-903.
103. von Rauchhaupt, E. *et al.* (2024) GDF-15 Suppresses Puromycin Aminonucleoside-Induced Podocyte Injury by Reducing Endoplasmic Reticulum Stress and Glomerular Inflammation Cells. 13 (7): 637.
104. Wang, Y. *et al.* (2021) Aging Affects K(V)7 Channels and Perivascular Adipose Tissue-Mediated Vascular Tone. Front Physiol. 12: 749709.

105. Köhler, D. *et al.* (2024) Targeting Gα(i2) in neutrophils protects from myocardial ischemia reperfusion injury. Basic Res Cardiol. May 30 [Epub ahead of print].
106. Gui, Y. *et al.* (2020) Schisantherin A attenuates sepsis-induced acute kidney injury by suppressing inflammation via regulating the NRF2 pathway. Life Sci. 258: 118161.
107. Amantea, D. *et al.* (2022) Ischemic Preconditioning Modulates the Peripheral Innate Immune System to Promote Anti-Inflammatory and Protective Responses in Mice Subjected to Focal Cerebral Ischemia. Front Immunol. 13: 825834.
108. Jütte, B.B. *et al.* (2021) Intercellular cGAMP transmission induces innate immune activation and tissue inflammation in Trex1 deficiency. iScience. 24 (8): 102833.
109. Schuhmann, M.K. *et al.* (2020) CD84 Links T Cell and Platelet Activity in Cerebral Thrombo-Inflammation in Acute Stroke. Circ Res. 127 (8): 1023-35.
110. Beckmann, N. *et al.* (2020) IFNγ and TNFα mediate CCL22/MDC production in alveolar macrophages after hemorrhage and resuscitation. Am J Physiol Lung Cell Mol Physiol. 318 (5): L864-L872.
111. Ngamsri, K.C. *et al.* (2021) Sevoflurane Exerts Protective Effects in Murine Peritonitis-induced Sepsis via Hypoxia-inducible Factor 1α/Adenosine A2B Receptor Signaling. Anesthesiology. 135 (1): 136-50.
112. Di Santo, C. *et al.* (2024) Brain Ischemic Tolerance Triggered by Preconditioning Involves Modulation of Tumor Necrosis Factor-α-Stimulated Gene 6 (TSG-6) in Mice Subjected to Transient Middle Cerebral Artery Occlusion. Curr Issues Mol Biol. 46 (9): 9970-83.
113. Bastea, L.I. *et al.* (2024) Coxsackievirus and adenovirus receptor expression facilitates enteroviral infections to drive the development of pancreatic cancer. Nat Commun. 15 (1): 10547.

Storage	Store at +4ºC. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA771FA
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

RAT IgG2a NEGATIVE CONTROL:FITC (MCA1212F)

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M368934:200529'

Printed on 29 Jan 2026

© 2026 Bio-Rad Laboratories Inc | Legal | Imprint