

Datasheet: MCA771FB

Description:	RAT ANTI MOUSE Ly-6B.2 ALLOANTIGEN:FITC
Specificity:	Ly-6B.2 ALLOANTIGEN
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	7/4
Isotype:	IgG2a
Quantity:	0.5 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/5 - 1/50

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use their own system using appropriate negative/positive controls.

Target Species	Mouse						
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid						
Max Ex/Em	<table border="1"> <thead> <tr> <th>Fluorophore</th> <th>Excitation Max (nm)</th> <th>Emission Max (nm)</th> </tr> </thead> <tbody> <tr> <td>FITC</td> <td>490</td> <td>525</td> </tr> </tbody> </table>	Fluorophore	Excitation Max (nm)	Emission Max (nm)	FITC	490	525
Fluorophore	Excitation Max (nm)	Emission Max (nm)					
FITC	490	525					
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin						
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml						

Immunogen	Cultured bone marrow cells
RRID	AB_324596
Fusion Partners	Spleen cells from AO rats were fused with cells from the Y3 Ag1.2.3 rat myeloma cell line.
Specificity	<p>Rat anti Mouse Ly-6B.2 monoclonal antibody, clone 7/4 recognizes the Ly-6B.2 antigen. Ly-6B.2 is a ~25-30 kDa GPI-anchored, heavily glycosylated protein expressed on neutrophils, inflammatory monocytes and some activated macrophages (Rosas et al. 2010). High levels of expression are seen in bone marrow, spleen, lung and lymph nodes. N-glycanase treatment of thioglycollate elicited peritoneal neutrophil lysates lowers the apparent molecular weight of Ly-6B.2 to ~15 kDa (Rosas et al.2010).</p> <p>In common with other Ly-6 antigens Ly-6B.2 demonstrates a polymorphic expression on inbred mouse strains (Kimura et al. 1984). Rat anti mouse Ly-6B.2, clone 7/4 recognizes the Ly-6B.2 antigen in 129J; AKR; C57BL/6; C57BL/10; C58; DBA/2; NZB; NZW; SJL; MFI; Swiss (PO) Strains whilst A2G; A/Sn; ASW; BALB/c; C3H/HEH: CBA.T6T6 are negative or demonstrate very weak reactivity (Hirsch and Gordon 1982).</p> <p>Rat anti mouse Ly-6B.2 has been successfully used for the immunomagnetic depletion of neutrophils during the enrichment of primitive hematopoietic cells from bone marrow (Bertoncello et al. 1991) and the depletion of myeloid cells <i>in vivo</i> (Rosas et al. 2010).</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	<ol style="list-style-type: none"> Rosas, M. <i>et al.</i> (2010) The myeloid 7/4-antigen defines recently generated inflammatory macrophages and is synonymous with Ly-6B. J Leukoc Biol. 88 (1): 169-80. Gordon, S. <i>et al.</i> (1992) Antigen markers of macrophage differentiation in murine tissues. Curr Top Microbiol Immunol. 181: 1-37. Word, R.A. <i>et al.</i> (2005) Transgene insertion on mouse chromosome 6 impairs function of the uterine cervix and causes failure of parturition. Biol Reprod. 73 (5): 1046-56. Locke, L.W. (2009) A novel neutrophil-specific PET imaging agent: cFLFLFK-PEG-64Cu. J Nucl Med. 50: 790-7. Allam, R. <i>et al.</i> (2011) Cyclic Polypeptide and Aminoglycoside Antibiotics Trigger IL-1{beta} Secretion by Activating the NLRP3 Inflammasome. J Immunol. 186: 2714-8. Holt, R. <i>et al.</i> (2011) The Molecular Mechanisms of Cervical Ripening Differ between Term and Preterm Birth. Endocrinology. 152: 1036-46. Frossard, J.L. <i>et al.</i> (2011) Role of CCL-2, CCR-2 and CCR-4 in cerulein-induced acute pancreatitis and pancreatitis-associated lung injury. J Clin Pathol. 64: 387-93. McDonald, J.U. <i>et al.</i> (2011) <i>In vivo</i> functional analysis and genetic modification of in vitro-derived mouse neutrophils. FASEB J. 25: 1972-82. Larmonier, C.B. <i>et al.</i> (2011) NHE3 modulates the severity of colitis in IL-10-deficient mice. Am J Physiol Gastrointest Liver Physiol. 300: G998-G1009. Yellon, S.M. <i>et al.</i> (2011) Remodeling of the cervix and parturition in mice lacking the progesterone receptor B isoform. Biol Reprod. 85: 498-502. Nadeau, S. <i>et al.</i> (2011) Functional Recovery after Peripheral Nerve Injury is Dependent on the Pro-Inflammatory Cytokines IL-1{beta} and TNF: Implications for Neuropathic Pain. J Neurosci. 31: 12533-12542.

12. Bombardelli, L. *et al.* (2010) Pancreas-specific ablation of beta1 integrin induces tissue degeneration by disrupting acinar cell polarity. [Gastroenterology. 138: 2531-40.](#)
13. Guerriero, J.L. *et al.* (2011) DNA alkylating therapy induces tumor regression through an HMGB1-mediated activation of innate immunity. [J Immunol. 186: 3517-26.](#)
14. Brulhart-Meynet, M.C. *et al.* (2015) Improving Reconstituted HDL Composition for Efficient Post-Ischemic Reduction of Ischemia Reperfusion Injury. [PLoS One. 10 \(3\): e0119664.](#)
15. Patel, J. *et al.* (2015) RGS1 regulates myeloid cell accumulation in atherosclerosis and aortic aneurysm rupture through altered chemokine signalling. [Nat Commun. 6: 6614.](#)
16. Hamers, A.A. *et al.* (2015) Deficiency of Nuclear Receptor Nur77 Aggravates Mouse Experimental Colitis by Increased NFkB Activity in Macrophages. [PLoS One. 10 \(8\): e0133598.](#)
17. Ao, M. *et al.* (2015) Dental Infection of *Porphyromonas gingivalis* Induces Preterm Birth in Mice. [PLoS One. 10 \(8\): e0137249.](#)
18. Cnops, J. *et al.* (2015) NK-, NKT- and CD8-Derived IFN γ Drives Myeloid Cell Activation and Erythrophagocytosis, Resulting in Trypanosomiasis-Associated Acute Anemia. [PLoS Pathog. 11 \(6\): e1004964.](#)
19. Cardenas, H. *et al.* (2016) Dietary Apigenin Exerts Immune-Regulatory Activity in Vivo by Reducing NF- κ B Activity, Halting Leukocyte Infiltration and Restoring Normal Metabolic Function. [Int J Mol Sci. 17 \(3\). pii: E323. doi: 10.3390/ijms17030323.](#)
20. Park, S.W. *et al.* (2009) Human activated protein C attenuates both hepatic and renal injury caused by hepatic ischemia and reperfusion injury in mice. [Kidney Int. 76 \(7\): 739-50.](#)
21. Boal, F. *et al.* (2016) PI5P Triggers ICAM-1 Degradation in *Shigella* Infected Cells, Thus Dampening Immune Cell Recruitment. [Cell Rep. 14 \(4\): 750-9.](#)
22. Nguyen, H.T. & Shen, H. (2016) The effect of PEGylation on the stimulation of IL-1 β by gold (Au) nanoshell/silica core nanoparticles. [J Mater Chem B Mater Biol Med. 4 \(9\): 1650-1659.](#)
23. Choi, E. *et al.* (2015) Expression of Activated Ras in Gastric Chief Cells of Mice Leads to the Full Spectrum of Metaplastic Lineage Transitions. [Gastroenterology. Dec 8. pii: S0016-5085\(15\)01735-7. \[Epub ahead of print\]](#)
24. Zhao, Y. *et al.* (2016) Rapamycin prevents bronchiolitis obliterans through increasing infiltration of regulatory B cells in a murine tracheal transplantation model. [J Thorac Cardiovasc Surg. 151 \(2\): 487-496.e3.](#)
25. Wan, W. *et al.* (2015) Atypical chemokine receptor 1 deficiency reduces atherogenesis in ApoE-knockout mice. [Cardiovasc Res. 106 \(3\): 478-87.](#)
26. Kidoya, H. *et al.* (2015) APJ Regulates Parallel Alignment of Arteries and Veins in the Skin. [Dev Cell. 33 \(3\): 247-59.](#)
27. Wieser, V. *et al.* (2016) Lipocalin 2 drives neutrophilic inflammation in alcoholic liver disease. [J Hepatol. 64 \(4\): 872-80.](#)
28. Kjellman, P. *et al.* (2015) Size-dependent lymphatic uptake of nanoscale-tailored particles as tumor mass increases [Future Science OA. 1: \(4\)](#)
29. Brennan, F.H. *et al.* (2015) The Complement Receptor C5aR Controls Acute Inflammation and Astroglia following Spinal Cord Injury. [J Neurosci. 35 \(16\): 6517-31.](#)
30. Farrar, C.A. *et al.* (2016) Collectin-11 detects stress-induced L-fucose pattern to trigger renal epithelial injury. [J Clin Invest. Apr 18. pii: 83000. \[Epub ahead of print\]](#)
31. Laubitz, D. *et al.* (2016) Reduced Epithelial Na $^+$ /H $^+$ Exchange Drives Gut Microbial

Dysbiosis and Promotes Inflammatory Response in T Cell-Mediated Murine Colitis. [PLoS One. 11 \(4\): e0152044.](#)

32. Rabadi, M.M. *et al.* (2016) Peptidyl arginine deiminase-4 deficient mice are protected against kidney and liver injury after renal ischemia and reperfusion. [Am J Physiol Renal Physiol. Jun 22: ajprenal.00254.2016. \[Epub ahead of print\]](#)

33. Morris, A. H. *et al.* (2016) Inadequate Processing of Decellularized Dermal Matrix Reduces Cell Viability *In Vitro* and Increases Apoptosis and Acute Inflammation *In Vivo*. [BioResearch Open Access. 5 \(1\): 177-87.](#)

34. Ni, H.M. *et al.* (2016) Caspase Inhibition Prevents Tumor Necrosis Factor- α -Induced Apoptosis and Promotes Necrotic Cell Death in Mouse Hepatocytes *in Vivo* and *in Vitro*. [Am J Pathol. Sep 7. pii: S0002-9440\(16\)30236-X. \[Epub ahead of print\]](#)

35. Wang, S. *et al.* (2016) Increased hepatic receptor interacting protein kinase 3 expression due to impaired proteasomal functions contributes to alcohol-induced steatosis and liver injury. [Oncotarget. 7 \(14\): 17681-98.](#)

36. Konrad, F.M. *et al.* (2019) How Adhesion Molecule Patterns Change While Neutrophils Traffic through the Lung during Inflammation. [Mediators Inflamm. 2019: 1208086.](#)

37. Jung, P.E. *et al.* (2020) Honokiol Protects the Kidney from Renal Ischemia and Reperfusion Injury by Upregulating the Glutathione Biosynthetic Enzymes. [Biomedicines. 8 \(9\): 352.](#)

38. Chatterjee, S. *et al.* (2013) Junctional adhesion molecule-A regulates vascular endothelial growth factor receptor-2 signaling-dependent mouse corneal wound healing. [PLoS One. 8 \(5\): e63674.](#)

39. Han, Y. *et al.* (2020) Close Homolog of L1 Deficiency Exacerbated Intestinal Epithelial Barrier Function in Mouse Model of Dextran Sulfate Sodium-Induced Colitis. [Front Physiol. 11: 584508.](#)

40. Leinweber, J. *et al.* (2021) Elastase inhibitor agaphelin protects from acute ischemic stroke in mice by reducing thrombosis, blood-brain barrier damage, and inflammation. [Brain Behav Immun. S0889-1591\(20\)32485-5.](#)

Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
----------------	--

Guarantee	12 months from date of despatch
------------------	---------------------------------

Health And Safety Information	Material Safety Datasheet documentation #10041 available at: 10041: https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf
--------------------------------------	--

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Negative Controls

[RAT IgG2a NEGATIVE CONTROL:FITC \(MCA1212F\)](#)

North & South America Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products.
Look out for updates on how to access your digital version at [bio-rad-antibodies.com](https://www.bio-rad-antibodies.com)

'M374448:201105'

Printed on 12 Feb 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)