

## Datasheet: MCA77G

**BATCH NUMBER 157801**

|                      |                        |
|----------------------|------------------------|
| <b>Description:</b>  | RAT ANTI TUBULIN ALPHA |
| <b>Specificity:</b>  | TUBULIN ALPHA          |
| <b>Format:</b>       | Purified               |
| <b>Product Type:</b> | Monoclonal Antibody    |
| <b>Clone:</b>        | YL1/2                  |
| <b>Isotype:</b>      | IgG2a                  |
| <b>Quantity:</b>     | 0.5 mg                 |

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

|                            | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry             |     |    | ▪              |                    |
| Immunohistology - Frozen   | ▪   |    |                |                    |
| Immunohistology - Paraffin |     |    | ▪              |                    |
| ELISA                      | ▪   |    |                | 1/100 - 1/1000     |
| Immunoprecipitation        | ▪   |    |                |                    |
| Western Blotting           | ▪   |    |                |                    |
| Immunofluorescence         | ▪   |    |                |                    |
| Radioimmunoassays          | ▪   |    |                |                    |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

### Target Species

Yeast

### Species Cross Reactivity

Reacts with: Ashbya, Human, Mouse, Dog, Rat, Pig, Drosophila, Saccharomyces, Pleurobrachia, Caenorhabditis, Dictyostelium discoideum, Xenopus, Pig-tailed macaque, Clytia sp., Arabidopsis, Strongylocentrotus purpuratus, Dendroaster excentricus, Trypanosoma brucei, Potorous tridactylis, Bovine, Hemicentrotus pulcherrimus, Potato, Bombyx mori, Rhodnius prolixus, Beroe abyssicola, Candida sp.

Does not react with: Nephrotoma suturalis

Based on sequence similarity, is expected to react with: Birds, Echinoderm, Plants, Amphibia

**N.B.** Antibody reactivity and working conditions may vary between species. Cross

reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

---

|                     |                       |
|---------------------|-----------------------|
| <b>Product Form</b> | Purified IgG - liquid |
|---------------------|-----------------------|

---

|                    |  |
|--------------------|--|
| <b>Preparation</b> | Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant. |
|--------------------|--|

---

|                        |                           |
|------------------------|---------------------------|
| <b>Buffer Solution</b> | Phosphate buffered saline |
|------------------------|---------------------------|

---

|                                 |                    |
|---------------------------------|--------------------|
| <b>Preservative Stabilisers</b> | 0.09% Sodium Azide |
|---------------------------------|--------------------|

---

|                     |     |
|---------------------|-----|
| <b>Carrier Free</b> | Yes |
|---------------------|-----|

---

|                                       |                             |
|---------------------------------------|-----------------------------|
| <b>Approx. Protein Concentrations</b> | IgG concentration 1.0 mg/ml |
|---------------------------------------|-----------------------------|

---

|                  |                |
|------------------|----------------|
| <b>Immunogen</b> | Yeast tubulin. |
|------------------|----------------|

---

|             |           |
|-------------|-----------|
| <b>RRID</b> | AB_325003 |
|-------------|-----------|

---

|                        |  |
|------------------------|--|
| <b>Fusion Partners</b> | Spleen cells from immunized LOU rats were fused with cells of the Y3.Ag.1.2.3 rat myeloma cell line. |
|------------------------|--|

---

|                    |  |
|--------------------|--|
| <b>Specificity</b> | <p><b>Rat anti tubulin alpha antibody, clone YL1/2</b> recognizes the alpha subunit of tubulin, specifically binding tyrosylated Tubulin (Tyr-Tubulin) (<a href="#">Wehland et al. 1983</a>). The epitope recognized by this antibody has been extensively studied and would appear to be a linear sequence requiring an aromatic residue at the C terminus, with the two adjacent amino acids being negatively charged (represented by Glu-Glu-Tyr in Tyr-Tubulin).</p> <p>The antibody has been used in epitope tagging procedures to detect proteins tagged with a C-terminal Gly-Gly-Phe epitope. These sequence requirements have been reported to result in some cross-reactivity with other proteins in certain circumstances, including <i>E. coli</i> rec A and oxidized actin (<a href="#">Burns 1987</a>).</p> <p>Rat anti tubulin alpha antibody, clone YL1/2 is routinely tested in ELISA on tubulin.</p> |
|--------------------|--|

---

|                         |  |
|-------------------------|--|
| <b>Western Blotting</b> | Rat anti tubulin alpha antibody, clone YL1/2 recognizes a band of ~55 kDa in cell lysate from a wide range of species. Rat anti tubulin alpha antibody, clone YL1/2 is suitable for use as a western blotting loading control. |
|-------------------------|--|

---

|                   |   |
|-------------------|---|
| <b>References</b> | <ol style="list-style-type: none"><li>1. Kilmartin, J.V. <i>et al.</i> (1982) Rat monoclonal anti tubulin antibodies derived by using a new nonsecreting rat cell line. <a href="#">J Cell Biol. 93 (3): 576-82.</a></li><li>2. Wehland, J. <i>et al.</i> (1983) A rat monoclonal antibody reacting specifically with the tyrosylated form of alpha-tubulin. I. Biochemical characterization, effects on microtubule polymerization <i>in vitro</i>, and microtubule polymerization and organization <i>in vivo</i>. <a href="#">J Cell Biol. 97 (5 Pt 1): 1467-75.</a></li></ol> |
|-------------------|---|

3. Wallace, S.W. *et al.* (2010) Cdc42 regulates apical junction formation in human bronchial epithelial cells through PAK4 and Par6B. [Mol Biol Cell. 21 \(17\): 2996-3006.](#)
4. Wehland, J. *et al.* (1984) Amino acid sequence requirements in the epitope recognized by the alpha-tubulin-specific rat monoclonal antibody YL 1/2. [EMBO J. 3 \(6\): 1295-300.](#)
5. Burns, R. (1987) Cytoskeleton. Tubulin's terminal tyrosine. [Nature. 327 \(6118\): 103-4.](#)
6. Skinner, R.H. *et al.* (1991) Use of the Glu-Glu-Phe C-terminal epitope for rapid purification of the catalytic domain of normal and mutant ras GTPase-activating proteins. [J Biol Chem. 266 \(22\): 14163-6.](#)
7. Abe, Y. *et al.* (2010) A single starfish Aurora kinase performs the combined functions of Aurora-A and Aurora-B in human cells. [J Cell Sci. 123: 3978-88.](#)
8. Cheishvili, D. *et al.* (2011) Involvement in Cytoskeleton Regulation and Implication for Familial Dysautonomia. [Hum Mol Genet. 20: 1585-94.](#)
9. Berrueta, L. *et al.* (1998) The adenomatous polyposis coli-binding protein EB1 is associated with cytoplasmic and spindle microtubules. [Proc Natl Acad Sci U S A. 95: 10596-601.](#)
10. Bruce, E.A. *et al.* (2010) The Rab11 pathway is required for influenza A virus budding and filament formation. [J Virol. 84: 5848-59.](#)
11. Jager, M. *et al.* (2008) Insights into the early evolution of SOX genes from expression analyses in a ctenophore. [J Exp Zool B Mol Dev Evol. 310: 650-67.](#)
12. Wise, H.M. *et al.* (2011) Overlapping signals for translational regulation and packaging of influenza A virus segment 2. [Nucleic Acids Res. 39: 7775-90.](#)
13. Zenner, H.L. *et al.* (2011) Analysis of Rab GTPase-Activating Proteins Indicates that Rab1a/b and Rab43 Are Important for Herpes Simplex Virus 1 Secondary Envelopment. [J Virol. 85: 8012-21.](#)
14. Timm, T. *et al.* (2011) Microtubule affinity regulating kinase (MARK) activity in living neurons examined by a genetically encoded FRET/FLIM based biosensor: Inhibitors with therapeutic potential. [J Biol Chem. 286: 41711-22.](#)
15. Virágh, E. *et al.* (2012) Specific Cooperation Between Imp- $\alpha$ 2 and Imp- $\beta$ /Ketel in Spindle Assembly During Drosophila Early Nuclear Divisions. [G3 \(Bethesda\). 2 \(1\): 1-14.](#)
16. Courtois, A. *et al.* (2012) The transition from meiotic to mitotic spindle assembly is gradual during early mammalian development. [J Cell Biol. 198: 357-70.](#)
17. Feau, S. *et al.* (2013) SLAT Regulates CD8+ T Cell Clonal Expansion in a Cdc42- and NFAT1-Dependent Manner. [J Immunol. 190: 174-83.](#)
18. Wise, H.M. *et al.* (2012) Identification of a novel splice variant form of the influenza A virus M2 ion channel with an antigenically distinct ectodomain. [PLoS Pathog. 8\(11\): e1002998.](#)
19. Dayraud, C. *et al.* (2012) Independent specialisation of myosin II paralogues in muscle vs. non-muscle functions during early animal evolution: a ctenophore perspective. [BMC Evol Biol. 12: 107.](#)
20. Ligon, L.A. *et al.* (2003) The microtubule plus-end proteins EB1 and dynactin have differential effects on microtubule polymerization. [Mol Biol Cell. 14: 1405-17.](#)
21. Smertenko, A.P. *et al.* (2008) The C-terminal variable region specifies the dynamic properties of *Arabidopsis* microtubule-associated protein MAP65 isoforms. [Plant Cell. 20: 3346-58.](#)
22. Li, Y. *et al.* (2010) The type II *Arabidopsis* formin14 interacts with microtubules and microfilaments to regulate cell division. [Plant Cell. 22: 2710-26.](#)
23. Brunk, K. *et al.* (2007) Microcephalin coordinates mitosis in the syncytial *Drosophila*

- embryo. [J Cell Sci. 120: 3578-88.](#)
24. Gordon-Weeks, R. *et al.* (2003) Restricted spatial expression of a high-affinity phosphate transporter in potato roots. [J Cell Sci.116: 3135-44.](#)
25. Bodor, D.L. *et al.* (2013) Assembly in G1 phase and long-term stability are unique intrinsic features of CENP-A nucleosomes. [Mol Biol Cell. 24: 923-32.](#)
26. De Faveri, L.E. *et al.* (2013) Putative tumour suppressor gene necdin is hypermethylated and mutated in human cancer. [Br J Cancer. 108: 1368-77.](#)
27. Machado, E. *et al.* (2007) Prostaglandin signaling and ovarian follicle development in the silkworm, *Bombyx mori*. [Insect Biochem Mol Biol. 37: 876-85.](#)
28. Meseroll, R.A. *et al.* (2012) Septin ring size scaling and dynamics require the coiled-coil region of Shs1p. [Mol Biol Cell. 23: 3391-406.](#)
29. Vafopoulou, X. (2009) Ecdysteroid receptor (EcR) is associated with microtubules and with mitochondria in the cytoplasm of prothoracic gland cells of *Rhodnius prolixus* (Hemiptera). [Arch Insect Biochem Physiol. 72: 249-62.](#)
30. Levy, G.V. *et al.* (2015) Depletion of the SR-Related Protein TbRRM1 Leads to Cell Cycle Arrest and Apoptosis-Like Death in *Trypanosoma brucei*. [PLoS One. 10 \(8\): e0136070.](#)
31. Iwasaki, D. *et al.* (2016) The MRX Complex Ensures NHEJ Fidelity through Multiple Pathways Including Xrs2-FHA-Dependent Tel1 Activation. [PLoS Genet. 12 \(3\): e1005942.](#)
32. Zasadil, L.M. *et al.* (2016) High rates of chromosome missegregation suppress tumor progression but do not inhibit tumor initiation. [Mol Biol Cell. 27 \(13\): 1981-9.](#)
33. Vafopoulou, X. & Steel, C.G. (2012) Cytoplasmic travels of the ecdysteroid receptor in target cells: pathways for both genomic and non-genomic actions. [Front Endocrinol \(Lausanne\). 3: 43.](#)
34. Vafopoulou, X. & Steel, C.G. (2016) Mitochondria and the insect steroid hormone receptor (EcR): A complex relationship. [Gen Comp Endocrinol. pii: S0016-6480\(16\)30224-6. \[Epub ahead of print\]](#)
35. Turnbull, M.L. *et al.* (2016) The Role of the B-Allele of the Influenza A Virus Segment 8 in Setting Mammalian Host Range and Pathogenicity. [J Virol. Aug 3. pii: JVI.01205-16. \[Epub ahead of print\]](#)
36. Vargas, P. *et al.* (2016) Innate control of actin nucleation determines two distinct migration behaviours in dendritic cells. [Nat Cell Biol. 18 \(1\): 43-53.](#)
37. Kerr, G.W. *et al.* (2016) PP2A(Cdc55)'s role in reductional chromosome segregation during achiasmate meiosis in budding yeast is independent of its FEAR function. [Sci Rep. 6: 30397.](#)
38. Schlicher, L. *et al.* (2016) SPATA2 promotes CYLD activity and regulates TNF-induced NF- $\kappa$ B signaling and cell death. [EMBO Rep. Jul 25. pii: e201642592. \[Epub ahead of print\]](#)
39. Gholkar AA *et al.* (2016) Fatostatin inhibits cancer cell proliferation by affecting mitotic microtubule spindle assembly and cell division. [J Biol Chem. Aug 12 \[Epub ahead of print\].](#)
40. Takáč, T. *et al.* (2016) Actin depolymerization-induced changes in proteome of *Arabidopsis* roots. [J Proteomics. Jun 14. pii: S1874-3919\(16\)30251-2. \[Epub ahead of print\]](#)
41. Kono, K. *et al.* (2016) Plasma membrane/cell wall perturbation activates a novel cell cycle checkpoint during G1 in *Saccharomyces cerevisiae*. [Proc Natl Acad Sci U S A. 113 \(25\): 6910-5.](#)
42. Koparir, A. *et al.* (2015) Novel POC1A mutation in primordial dwarfism reveals new

- insights for centriole biogenesis. [Hum Mol Genet. 24 \(19\): 5378-87.](#)
43. Liz, M.A. *et al.* (2014) Neuronal deletion of GSK3 $\beta$  increases microtubule speed in the growth cone and enhances axon regeneration via CRMP-2 and independently of MAP1B and CLASP2. [BMC Biol. 12: 47.](#)
44. Jonasson, E.M. *et al.* (2016) Zds1/Zds2-PP2ACdc55 complex specifies signaling output from Rho1 GTPase. [J Cell Biol. 212 \(1\): 51-61.](#)
45. Nunan, R. *et al.* (2015) Ephrin-Bs Drive Junctional Downregulation and Actin Stress Fiber Disassembly to Enable Wound Re-epithelialization. [Cell Rep. 13 \(7\): 1380-95.](#)
46. Gaudet, A.D. *et al.* (2015) Galectin-1 in injured rat spinal cord: implications for macrophage phagocytosis and neural repair. [Mol Cell Neurosci. 64: 84-94.](#)
47. Klinger, P. *et al.* (2017) PEDF Is Associated with the Termination of Chondrocyte Phenotype and Catabolism of Cartilage Tissue. [Biomed Res Int. 2017: 7183516.](#)
48. Gao, L. *et al.* (2017) Afadin orients cell division to position the tubule lumen in developing renal tubules. [Development. 144 \(19\): 3511-20.](#)
49. Norekian, T.P. & Moroz, L.L. (2019) Neural system and receptor diversity in the ctenophore *Beroë abyssicola*. [J Comp Neurol. Jan 11 \[Epub ahead of print\].](#)
50. Norekian, T.P. & Moroz, L.L. (2019) Atlas of the Neuromuscular System in the Trachymedusa *Aglantha digitale*: Insights from the advanced hydrozoan [bioRxiv Sep 18. \[Epub ahead of print\].](#)
51. Norekian, T.P. & Moroz, L.L. (2019) Neuromuscular organization of the Ctenophore *Pleurobrachia bachei*. [J Comp Neurol. 527 \(2\): 406-36.](#)
52. Norekian, T.P. & Moroz, L.L. (2019) Comparative neuroanatomy of ctenophores: Neural and muscular systems in *Euplokamis dunlapae* and related species. [J Comp Neurol. Sep 09 \[Epub ahead of print\].](#)
53. Garrido, D. *et al.* (2020) Cyclin B3 activates the Anaphase-Promoting Complex/Cyclosome in meiosis and mitosis. [PLoS Genet. 16 \(11\): e1009184.](#)
54. Gallaud, E. *et al.* (2020) Dynamic centriolar localization of Polo and Centrobin in early mitosis primes centrosome asymmetry. [PLoS Biol. 18 \(8\): e3000762.](#)
55. Montesinos, J.C. *et al.* (2020) Phytohormone cytokinin guides microtubule dynamics during cell progression from proliferative to differentiated stage. [EMBO J. 39 \(17\): e104238.](#)
56. Inoue, D. *et al.* (2019) Actin filaments regulate microtubule growth at the centrosome. [EMBO J. 38\(11\): e99630.](#)

---

|                |  |
|----------------|--|
| <b>Storage</b> | <p>Store at +4°C or at -20°C if preferred.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p> |
|----------------|--|

---

|                  |                                 |
|------------------|---------------------------------|
| <b>Guarantee</b> | 12 months from date of despatch |
|------------------|---------------------------------|

---

|                                      |  |
|--------------------------------------|--|
| <b>Health And Safety Information</b> | <p>Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA77G">https://www.bio-rad-antibodies.com/SDS/MCA77G</a></p> <p>10040</p> |
|--------------------------------------|--|

---

## Related Products

### Recommended Secondary Antibodies

|  |   |
|--|---|
| Rabbit Anti Rat IgG (STAR16...)                | <a href="#">DyLight@800</a>   |
| Rabbit Anti Rat IgG (STAR17...)                | <a href="#">FITC</a>  |
| Goat Anti Rat IgG (STAR72...)                  | <a href="#">HRP</a>   |
| Goat Anti Rat IgG (STAR69...)                  | <a href="#">FITC</a>  |
| Goat Anti Rat IgG (STAR73...)                  | <a href="#">RPE</a>   |
| Rabbit Anti Rat IgG (STAR21...)                | <a href="#">HRP</a>   |
| Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) | <a href="#">DyLight@550</a> , <a href="#">DyLight@650</a> , <a href="#">DyLight@800</a> |
| Goat Anti Rat IgG (STAR131...)                 | <a href="#">Alk. Phos.</a> , <a href="#">Biotin</a>                                     |

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M368968:200529'

Printed on 04 Jun 2024