

## Datasheet: MCA796A700

<b>Description:</b>	MOUSE ANTI HUMAN CD62P:Alexa Fluor® 700
<b>Specificity:</b>	CD62P
<b>Other names:</b>	P-SELECTIN
<b>Format:</b>	ALEXA FLUOR® 700
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	AK-6
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	100 TESTS/1ml

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

#### Target Species

Human

#### Species Cross Reactivity

Reacts with: Rhesus Monkey

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

#### Product Form

Purified IgG conjugated to Alexa Fluor 700 - liquid

#### Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
Alexa Fluor®700	702	723

#### Preparation

Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant

#### Buffer Solution

Phosphate buffered saline

<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> ) 1% Bovine Serum Albumin
<b>Approx. Protein Concentrations</b>	IgG concentration 0.05 mg/ml
<b>Immunogen</b>	Human platelet membrane glycoproteins.
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P16109</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">6403</a>    SELP    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	GMRP, GRMP
<b>Specificity</b>	<p><b>Mouse anti Human CD62P antibody, clone AK-6</b> recognizes the CD62P, also known as P-selectin, Granule membrane protein 140, GMP140, Leukocyte-endothelial cell adhesion molecule 3 or Platelet activation dependent granule-external membrane protein. CD62P is a 830 amino acid, including a 41 amino acid signal peptide, ~140 kDa single pass type I transmembrane glycoprotein expressed on activated platelets and endothelial cell</p> <p>CD62P plays an important role in adhesive processes between leucocytes and endothelial cells. CD62P is a component of the platelet alpha granule and is rapidly translocated to the plasma membrane upon activation (<a href="#">Stenberg <i>et al.</i> 1985</a>).</p>
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul
<b>References</b>	<ol style="list-style-type: none"> <li>Dunlop, L.C. <i>et al.</i> (1992) Characterization of GMP-140 (P-selectin) as a circulating plasma protein. <a href="#">J Exp Med. 175 (4): 1147-50.</a></li> <li>Skinner, M.P. <i>et al.</i> (1989) Characterization of human platelet GMP-140 as a heparin-binding protein. <a href="#">Biochem Biophys Res Commun. 164 (3): 1373-9.</a></li> <li>Skinner, M.P. <i>et al.</i> (1991) GMP-140 binding to neutrophils is inhibited by sulfated glycans. <a href="#">J Biol Chem. 266 (9): 5371-4.</a></li> <li>Sopper, S. <i>et al.</i> (1997) Lymphocyte subsets and expression of differentiation markers in blood and lymphoid organs of rhesus monkeys. <a href="#">Cytometry. 29 (4): 351-62.</a></li> <li>Bevilacqua, M.P. &amp; Nelson, R.M. (1993) Selectins. <a href="#">J Clin Invest. 91 (2): 379-87.</a></li> <li>Roos-Engstrand, E. <i>et al.</i> (2005) Increased expression of p38 MAPK in human bronchial epithelium after lipopolysaccharide exposure. <a href="#">Eur Respir J. 25 (5): 797-803.</a></li> <li>Kornerup, K.N. <i>et al.</i> (2010) Circulating platelet-neutrophil complexes are important for subsequent neutrophil activation and migration. <a href="#">J Appl Physiol. 109: 758-67.</a></li> <li>Norling, L.V. <i>et al.</i> (2008) Inhibitory control of endothelial galectin-1 on in vitro and in vivo lymphocyte trafficking. <a href="#">FASEB J. 22: 682-90.</a></li> <li>Dalli, J. <i>et al.</i> (2008) Annexin 1 mediates the rapid anti-inflammatory effects of neutrophil-derived microparticles. <a href="#">Blood. 112 (6): 2512-9.</a></li> <li>Wassmer, S.C. <i>et al.</i> (2008) Platelet-induced clumping of Plasmodium falciparum-infected erythrocytes from Malawian patients with cerebral malaria-possible modulation in</li> </ol>

- vivo by thrombocytopenia. [J Infect Dis. 197: 72-8.](#)
11. Theoret, J.F. *et al.* (2001) P-selectin antagonism with recombinant p-selectin glycoprotein ligand-1 (rPSGL-Ig) inhibits circulating activated platelet binding to neutrophils induced by damaged arterial surfaces. [J Pharmacol Exp Ther. 298: 658-64](#)
  12. Turner, C.P. *et al.* (2003) The role of P-selectin in the immune destruction of platelets. [Br J Haematol. 121: 623-31.](#)
  13. van Nispen tot Pannerden, H. *et al.* (2010) The platelet interior revisited: electron tomography reveals tubular alpha-granule subtypes. [Blood. 116: 1147-56.](#)
  14. Knipe, L. *et al.* (2010) A revised model for the secretion of tPA and cytokines from cultured endothelial cells. [Blood. 116 \(12\): 2183-91.](#)
  15. Kitaya, K. & Yasuo, T. (2010) Aberrant expression of selectin E, CXCL1, and CXCL13 in chronic endometritis. [Mod Pathol. 23 \(8\): 1136-46.](#)
  16. Xiong, G.M. *et al.* (2015) Imparting electroactivity to polycaprolactone fibers with heparin-doped polypyrrole: Modulation of hemocompatibility and inflammatory responses. [Acta Biomater. 23: 240-9.](#)
  17. Liao, Y. *et al.* (2017) Tailoring of TiO<sub>2</sub> films by H<sub>2</sub>SO<sub>4</sub> treatment and UV irradiation to improve anticoagulant ability and endothelial cell compatibility. [Colloids Surf B Biointerfaces. 155: 314-22.](#)
  18. Christersson, C. *et al.* (2013) Evaluation of microparticles in whole blood by multicolour flow cytometry assay. [Scand J Clin Lab Invest. 73\(3\): 229-39.](#)
  19. Tardy-Poncet, B. *et al.* (2021) Functional Flow Cytometric Assay for Reliable and Convenient Heparin-Induced Thrombocytopenia Diagnosis in Daily Practice [Biomedicines. 9 \(4\): 332.](#)
  20. Cipok, M. *et al.* (2019) Pathogenic heparin-induced thrombocytopenia and thrombosis (HIT) antibodies determined by rapid functional flow cytometry. [Eur J Haematol. 103 \(3\): 225-233.](#)
  21. Jiang, T. *et al.* (2019) Hyaluronic Acid Nanoparticle Composite Films Confer Favorable Time-Dependent Biofunctions for Vascular Wound Healing. [ACS Biomater Sci Eng. 5 \(4\): 1833-48.](#)

---

**Storage** This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

---

**Guarantee** 12 months from date of despatch

---

**Acknowledgements** This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than

as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or [outlicensing@thermofisher.com](mailto:outlicensing@thermofisher.com)

---

**Health And Safety Information**      Material Safety Datasheet documentation #10041 available at:  
10041: <https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf>

---

**Regulatory**                      For research purposes only

---

## Related Products

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:Alexa Fluor® 700 \(MCA928A700\)](#)

### Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

**North & South**      Tel: +1 800 265 7376

**America**              Fax: +1 919 878 3751

                            Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

                            Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

                            Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M384815:210513'

**Printed on 21 Mar 2022**

---

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)