

Datasheet: MCA796PB BATCH NUMBER 1806

Description:	MOUSE ANTI HUMAN CD62P:Pacific Blue®
Specificity:	CD62P
Other names:	P-SELECTIN
Format:	Pacific Blue®
Product Type:	Monoclonal Antibody
Clone:	AK-6
Isotype:	lgG1
Quantity:	100 TESTS/1ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .				
		Yes No	Not Determined	Suggested Dilution	
	Flow Cytometry	•		Neat	
	necessarily exclude its	use in such proced nmended that the us	ser titrates the antibody	ig dilutions are given as	
Target Species	Human				
Species Cross	Reacts with: Rhesus M	lonkey			
Reactivity	N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.				
Product Form	Purified IgG conjugate	d to Pacific Blue - lic	uid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)		
	Pacific Blue®	410	455		
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant				

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml
Immunogen	Human platelet membrane glycoproteins.
External Database Links	UniProt: <u>P16109</u> <u>Related reagents</u> Entrez Gene: <u>6403</u> SELP <u>Related reagents</u>
Synonyms	GMRP, GRMP
Specificity	Mouse anti Human CD62P antibody, clone AK-6 recognizes the CD62P, also known as P-selectin, Granule membrane protein 140, GMP140, Leukocyte-endothelial cell adhesion molecule 3 or Platelet activation dependent granule-external membrane protein. CD62P is a 830 amino acid, including a 41 amino acid signal peptide, ~140 kDa single pass type I transmembrane glycoprotein expressed on activated platelets and endothelial cell CD62P plays an important role in adhesive processes between leucocytes and endothelial cells. CD62P is a component of the platelet alpha granule and is rapidly translocated to the plasma membrane upon activation (Stenberg <i>et al.</i> 1985).
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul
References	 Dunlop, L.C. <i>et al.</i> (1992) Characterization of GMP-140 (P-selectin) as a circulating plasma protein. J Exp Med. 175 (4): 1147-50. Skinner, M.P. <i>et al.</i> (1989) Characterization of human platelet GMP-140 as a heparinbinding protein. Biochem Biophys Res Commun. 164 (3): 1373-9. Skinner, M.P. <i>et al.</i> (1991) GMP-140 binding to neutrophils is inhibited by sulfated glycans. J Biol Chem. 266 (9): 5371-4. Sopper, S. <i>et al.</i> (1997) Lymphocyte subsets and expression of differentiation markers in blood and lymphoid organs of rhesus monkeys. Cytometry. 29 (4): 351-62. Bevilacqua, M.P. & Nelson, R.M. (1993) Selectins. J Clin Invest. 91 (2): 379-87. Roos-Engstrand, E. <i>et al.</i> (2005) Increased expression of p38 MAPK in human bronchial epithelium after lipopolysaccharide exposure. Eur Respir J. 25 (5): 797-803. Kornerup, K.N. <i>et al.</i> (2010) Circulating platelet-neutrophil complexes are important for subsequent neutrophil activation and migration. J Appl Physiol. 109: 758-67. Norling, L.V. <i>et al.</i> (2008) Inhibitory control of endothelial galectin-1 on in vitro and in vivo lymphocyte trafficking. FASEB J. 22: 682-90. Dalli, J. <i>et al.</i> (2008) Annexin 1 mediates the rapid anti-inflammatory effects of neutrophil-derived microparticles. Blood. 112 (6): 2512-9.

	 Wassmer, S.C. <i>at al.</i> (2008) Platelet-induced clumping of Plasmodium falciparum- infected erythrocytes from Malawian patients with cerebral malaria-possible modulation in vivo by thrombocytopenia. J Infect Dis. 197: 72-8. Theoret, J.F. <i>et al.</i> (2001) P-selectin antagonism with recombinant p-selectin glycoprotein ligand-1 (rPSGL-Ig) inhibits circulating activated platelet binding to neutrophils induced by damaged arterial surfaces. J Pharmacol Exp Ther. 298: 658-64 Turner, C.P. <i>et al.</i> (2003) The role of P-selectin in the immune destruction of platelets. Br J Haematol. 121: 623-31. van Nispen tot Pannerden, H. <i>et al.</i> (2010) The platelet interior revisited: electron tomography reveals tubular alpha-granule subtypes. Blood. 116: 1147-56. Knipe, L. <i>et al.</i> (2010) A revised model for the secretion of tPA and cytokines from cultured endothelial cells. Blood. 116 (12): 2183-91. Kitaya, K. & Yasuo, T. (2010) Aberrant expression of selectin E, CXCL1, and CXCL13 in chronic endometritis. Mod Pathol. 23 (8): 1136-46. Xiong, G.M. <i>et al.</i> (2015) Imparting electroactivity to polycaprolactone fibers with heparin-doped polypyrrole: Modulation of hemocompatibility and inflammatory responses. Acta Biomater. 23: 240-9. Liao, Y. <i>et al.</i> (2017) Tailoring of TiO₂ films by H₂SO₄ treatment and UV irradiation to improve anticoagulant ability and endothelial cell compatibility. <u>Colloids Surf B Biointerfaces. 155: 314-22.</u> Arhistersson, C. <i>et al.</i> (2021) Functional Flow Cytometric Assay for Reliable and Convenient Heparin-Induced Thrombocytopenia Diagnosis in Daily Practice <u>Biomedicines.</u> 9 (4): 332.
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.
	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use
Guarantee	12 months from date of despatch
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health Ar Informatio		://www.bio-rad-ar	heet documentation #10 htibodies.com/SDS/MCA		e at:
Regulato	r y Form	esearch purpose	s only		
Related	d Products				
Recomn	nended Negative	Controls			
MOUSE Ig	G1 NEGATIVE CON	TROL:Pacific Blue	® (MCA928PB)		
Recomn	nended Useful F	eagents			
	EROBLOCK (BUF07 EROBLOCK (BUF07				
orth & South nerica	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us	Worldwide @bio-rad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M344334:190111'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint