

# Datasheet: MCA81SBY605

| Description:  | MOUSE ANTI HUMAN HLA ABC:StarBright Yellow 605 |
|---------------|--|
| Specificity:  | HLA ABC  |
| Format:       | StarBright Yellow 605                          |
| Product Type: | Monoclonal Antibody                            |
| Clone:        | W6/32  |
| Isotype:      | lgG2a  |
| Quantity:     | 100 TESTS/0.5ml                                |
|               |  |

## **Product Details**

| Applications                | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .  |                   |                             |                    |  |  |  |
|-----------------------------|---|-------------------|-----------------------------|--------------------|--|--|--|
|                             |   | Yes               | lo Not Determined           | Suggested Dilution |  |  |  |
|                             | Flow Cytometry  | -                 |                             | Neat               |  |  |  |
|                             | Where this product has not been tested for use in a particular technique this does not  |                   |                             |                    |  |  |  |
|                             | necessarily exclude its use in such procedures. Suggested working dilutions are given<br>a guide only. It is recommended that the user titrates the product for use in their own<br>system using appropriate negative/positive controls.  |                   |                             |                    |  |  |  |
| Target Species              | Human   |                   |                             |                    |  |  |  |
| Species Cross<br>Reactivity | Reacts with: Macaque, Bovine, Cynomolgus monkey, Baboon, Rhesus Monkey,<br>Chimpanzee, Gorilla, Shrew<br>Does not react with:Goat, Dog, Guinea Pig, Rabbit, Mouse, Chicken, Amphibia<br><b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross<br>reactivity is derived from testing within our laboratories, peer-reviewed publications or<br>personal communications from the originators. Please refer to references indicated for |                   |                             |                    |  |  |  |
|                             | further information.  |                   |                             |                    |  |  |  |
| Product Form                | Purified IgG conjugated to StarBright Yellow 605 - liquid   |                   |                             |                    |  |  |  |
| Max Ex/Em                   | Fluorophore   | Excitation Max    | (nm) Emission Max (nm)      |                    |  |  |  |
|                             | StarBright Yellow 605   | 572               | 606                         |                    |  |  |  |
| Preparation                 | Purified IgG prepared supernatant   | by affinity chron | natography on Protein G fro | om tissue culture  |  |  |  |

| Buffer Solution             | Phosphate buffered saline   |
|-----------------------------|---|
| Preservative<br>Stabilisers | 0.09% Sodium Azide (NaN <sub>3</sub> )<br>1% Bovine Serum Albumin<br>0.1% Pluronic F68<br>0.1% PEG 3350<br>0.05% Tween 20   |
| Immunogen                   | Purified human tonsil lymphocyte membranes.   |
| Fusion Partners             | Spleen cells from immunized BALB/c mice were fused with cells of the mouse NS1/1-Ag4.1 myeloma cell line.   |
| Specificity                 | Mouse anti Human HLA ABC antibody, clone W6/32 recognizes an antigenic determinant shared among products of the HLA A, B and C loci. Clone W6/32 recognizes a conformational epitope, reacting with HLA class I alpha3 and alpha2 domains. The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In humans, this complex is referred to as the human leukocyte antigen (HLA) region. There are 3 major MHC class I proteins encoded by the HLA which are HLA A, HLA B and HLA C. These proteins are found on the surface of almost all nucleated somatic cells.<br>Mouse anti Human HLA ABC antibody, clone W6/32 is routinely tested in flow cytometry on human peripheral blood lymphocytes.  |
| Flow Cytometry              | Use 5ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.   |
| References                  | <ol> <li>Brodsky, F.M. &amp; Parham, P. (1982) Evolution of HLA antigenic determinants: species cross-reactions of monoclonal antibodies. <u>Immunogenetics. 15 (2): 151-66.</u></li> <li>Neefjes, J.J. <i>et al.</i> (1986) A biochemical characterization of feline MHC products: unusually high expression of class II antigens on peripheral blood lymphocytes. <u>Immunogenetics. 23 (5): 341-7.</u></li> <li>Stern, P.L. <i>et al.</i> (1987) Class I-like MHC molecules expressed by baboon placental syncytiotrophoblast. <u>J Immunol. 138 (4): 1088-91.</u></li> <li>Jacobsen, C.N. <i>et al.</i> (1993) Reactivities of 20 anti-human monoclonal antibodies with leucocytes from ten different animal species. <u>Vet Immunol Immunopathol. 39 (4): 461-6.</u></li> <li>Verbeek, M.M. <i>et al.</i> (1995) T lymphocyte adhesion to human brain pericytes is mediated via very late antigen-4/vascular cell adhesion molecule-1 interactions. J <u>Immunol. 154 (11): 5876-84.</u></li> <li>Raftery, M.J. <i>et al.</i> (2002) Hantavirus infection of dendritic cells. <u>J Virol. 76: 10724-33.</u></li> <li>Dressel, R. <i>et al.</i> (2003) Differential effect of acute and permanent heat shock protein 70 overexpression in tumor cells on lysability by cytotoxic T lymphocytes. <u>Cancer Res. 63 (23): 8212-20.</u></li> <li>Ishitani, A. <i>et al.</i> (2003) Protein expression and peptide binding suggest unique and interacting functional roles for HLA-E, F, and G in maternal-placental immune recognition. J Immunol. 171 (3): 1376-84.</li> <li>Giuliani, F. <i>et al.</i> (2003) Vulnerability of human neurons to T cell-mediated cytotoxicity. J</li> </ol> |

### Immunol. 171: 368-79.

10. Smith, A.C. *et al.* (2005) Interaction of the *Salmonella*-containing vacuole with the endocytic recycling system. <u>J Biol Chem. 280: 24634-41.</u>

Zuo, J. *et al.* (2008) The DNase of gammaherpesviruses impairs recognition by virus-specific CD8+ T cells through an additional host shutoff function. <u>J Virol. 82: 2385-93.</u>
 Shi, J. *et al.* (2008) Bortezomib down-regulates the cell-surface expression of HLA

class I and enhances natural killer cell-mediated lysis of myeloma. <u>Blood. 111: 1309-17.</u>

13. Watling, D. *et al.* (2008) Multiple kinases in the interferon-gamma response. <u>Proc Natl</u> <u>Acad Sci U S A. 105: 6051-6.</u>

14. Grotzke, J.E. *et al.* (2009) The *Mycobacterium tuberculosis* phagosome is a HLA-I processing competent organelle. <u>PLoS Pathog. 5: e1000374.</u>

15. Koch, N. *et al.* (2009) IL-10 protects monocytes and macrophages from complementmediated lysis. J Leukoc Biol. 86: 155-66.

16. Spentzou, A. *et al.* (2010) Viral inhibition assay: a CD8 T cell neutralization assay for use in clinical trials of HIV-1 vaccine candidates. J Infect Dis. 201: 720-9.

17. Vitadello, M. *et al.* (2010) Myofiber stress-response in myositis: parallel investigations on patients and experimental animal models of muscle regeneration and systemic inflammation. <u>Arthritis Res Ther. 12: R52.</u>

18. Hinrichs, J. *et al.* (2010) The nature of peptides presented by an HLA class I low expression allele. <u>Haematologica. 95: 1373-80.</u>

19. Fujita, Y. *et al.* (2010) Bone marrow transplantation restores epidermal basement membrane protein expression and rescues epidermolysis bullosa model mice. <u>Proc Natl</u> Acad Sci U S A. 107: 14345-50.

20. Narita, M. *et al.* (2010) WT1 peptide vaccination in combination with imatinib therapy for a patient with CML in the chronic phase. <u>Int J Med Sci. 7: 72-81.</u>

21. Zuo, J. *et al.* (2011) The Epstein-Barr virus-encoded BILF1 protein modulates immune recognition of endogenously processed antigen by targeting major histocompatibility complex class I molecules trafficking on both the exocytic and endocytic pathways. <u>J Virol.</u> 85: 1604-14.

22. Lask, A. *et al.* (2011) TCR-Independent Killing of B Cell Malignancies by Anti-Third-Party CTLs: The Critical Role of MHC-CD8 Engagement. J Immunol. 187: 2006-14.

23. Jones, D.C. *et al.* (2011) HLA Class I Allelic Sequence and Conformation Regulate Leukocyte Ig-Like Receptor Binding. <u>J Immunol. 186: 2990-7.</u>

24. Enose-Akahata, Y. *et al.* (2012) Minocycline modulates antigen-specific CTL activity through inactivation of mononuclear phagocytes in patients with HTLV-I associated neurologic disease. <u>Retrovirology. 9: 16.</u>

25. Badrinath, S. *et al.* (2012) Position 156 influences the peptide repertoire and tapasin dependency of human leukocyte antigen B\*44 allotypes. <u>Haematologica. 97: 98-106.</u>

26. Tannetta, D.S. *et al.* (2013) Characterisation of syncytiotrophoblast vesicles in normal pregnancy and pre-eclampsia: expression of Flt-1 and endoglin. <u>PLoS One. 8 (2): e56754.</u>
 27. Dragovic, R.A. *et al.* (2015) Isolation of syncytiotrophoblast microvesicles and

exosomes and their characterisation by multicolour flow cytometry and fluorescence Nanoparticle Tracking Analysis. <u>Methods. 87: 64-74.</u>

28. Tischer, S. *et al.* (2016) Discovery of immunodominant T-cell epitopes reveals penton protein as a second immunodominant target in human adenovirus infection. <u>J Transl Med.</u> <u>14 (1): 286.</u>

|                   | 29. Praest, P. <i>et al.</i> (2019) A Flow Cytometry-Based Approach to Unravel Viral Interference with the MHC Class I Antigen Processing and Presentation Pathway. |  |  |  |  |
|-------------------|---|--|--|--|--|
|                   | <u>Methods Mol Biol. 1988: 187-98.</u>  |  |  |  |  |
|                   | 30. Juan, C.H. et al. (2020) In Vitro Differentiation of Human Placenta-Derived Multipotent   |  |  |  |  |
|                   | Cells into Schwann-Like Cells. Biomolecules. 10 (12): 1657.   |  |  |  |  |
|                   | 31. Tupova, L. <i>et al.</i> (2020) Interplay of drug transporters P-glycoprotein (MDR1), MRP1,   |  |  |  |  |
|                   | OATP1A2 and OATP1B3 in passage of maraviroc across human placenta. <u>Biomed</u>  |  |  |  |  |
|                   | Pharmacother. 129: 110506.  |  |  |  |  |
|                   | 32. Nguyen, J. et al. (2021) Quantitative contributions of TNF receptor superfamily   |  |  |  |  |
|                   | members to CD8 <sup>+</sup> T-cell responses. <u>Mol Syst Biol. 17 (11): e10560.</u>  |  |  |  |  |
|                   | 33. Xia, P. et al. (2022) NLRP3 inflammasome up-regulates major histocompatibility  |  |  |  |  |
|                   | complex class I expression and promotes inflammatory infiltration in polymyositis. BMC  |  |  |  |  |
|                   | Immunol. 23 (1): 39.  |  |  |  |  |
|                   | 34. Cacciola, R. <i>et al.</i> (2022) Impact of Anti-Endothelial Cell Antibodies (AECAs) in   |  |  |  |  |
|                   | Patients with Polycythemia Vera and Thrombosis <u>Diagnostics</u> . <u>12 (5): 1077.</u>  |  |  |  |  |
|                   | 35. Korbonits, L. <i>et al.</i> (2022) <i>Mycobacterium avium</i> subsp. <i>paratuberculosi</i> s Infected  |  |  |  |  |
|                   | Cows Reveal Divergent Immune Response in Bovine Peripheral Blood Derived  |  |  |  |  |
|                   | Lymphocyte Proteome. <u>Metabolites.12 (10): 924.</u>   |  |  |  |  |
|                   |   |  |  |  |  |
|                   | 36. Lyssy, F. <i>et al.</i> (2023) Platelet-derived factors dysregulate placental sphingosine-  |  |  |  |  |
|                   | 1-phosphate receptor 2 in human trophoblasts. <u>Reprod Biomed Online. 47 (2): 103215.</u>  |  |  |  |  |
|                   | 37. Forstner, D. <i>et al.</i> (2023) CD39 abrogates platelet-derived factors induced IL-1 $\beta$  |  |  |  |  |
|                   | expression in the human placenta. Front Cell Dev Biol. 11: 1183793.   |  |  |  |  |
|                   | 38. Zheng, S. et al. (2022) The SARS-CoV-2 accessory factor ORF7a downregulates   |  |  |  |  |
|                   | MHC class I surface expression. bioRxiv 30 May [Epub ahead of print. Preprint]  |  |  |  |  |
|                   | 39. Fielding, C.A. et al. (2022) SARS-CoV-2 host-shutoff impacts innate NK cell functions,  |  |  |  |  |
|                   | but antibody-dependent NK activity is strongly activated through non-spike antibodies. <u>11:</u>   |  |  |  |  |
|                   | <u>e74489.</u>  |  |  |  |  |
|                   | 40. Santamorena, M.M. et al. (2024) Engineered HCMV-infected APCs enable the  |  |  |  |  |
|                   | identification of new immunodominant HLA-restricted epitopes of anti-HCMV T-cell  |  |  |  |  |
|                   | immunity. <u>HLA. 103 (6): e15541.</u>  |  |  |  |  |
|                   |   |  |  |  |  |
| Storage           | Store at +4°C. DO NOT FREEZE.   |  |  |  |  |
|                   | This product should be stored undiluted.  |  |  |  |  |
| Guarantee         | 12 months from date of despatch   |  |  |  |  |
|                   | ·   |  |  |  |  |
| Acknowledgements  | This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts   |  |  |  |  |
| Health And Safety | Material Safety Datasheet documentation #20471 available at   |  |  |  |  |
| Information       | Material Safety Datasheet documentation #20471 available at:<br>https://www.bio-rad-antibodies.com/SDS/MCA81SBY605  |  |  |  |  |
|                   | 20471   |  |  |  |  |
|                   |   |  |  |  |  |
| Regulatory        | For research purposes only  |  |  |  |  |
|                   |   |  |  |  |  |
|                   |   |  |  |  |  |

## **Related Products**

### **Recommended Useful Reagents**

| North & South | Tel: +1 800 265 7376             | Worldwide | Tel: +44 (0)1865 852 700        | Europe | Tel: +49 (0) 89 8090 95 21           |
|---------------|----------------------------------|-----------|---------------------------------|--------|--------------------------------------|
| America       | Fax: +1 919 878 3751             |           | Fax: +44 (0)1865 852 739        |        | Fax: +49 (0) 89 8090 95 50           |
|               | Email: antibody_sales_us@bio-rac | l.com     | Email: antibody_sales_uk@bio-ra | d.com  | Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M415860:230116'

#### Printed on 02 Jul 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint