# Datasheet: MCA87A647T BATCH NUMBER 1710

Description:	MOUSE ANTI HUMAN CD45:Alexa Fluor® 647		
Specificity:	CD45		
Other names:	LCA		
Format:	ALEXA FLUOR® 647		
Product Type:	Monoclonal Antibody		
Clone:	F10-89-4		
Isotype:	lgG2a		
Quantity:	25 TESTS/0.25ml		

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.			
				Suggested Dilution
	Flow Cytometry	•		Neat
	Where this antibody h	as not been tested fo	or use in a particular tec	chnique this does not
	necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.			
Target Species	Human			
Species Cross	Reacts with: Horse			
Reactivity	<b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.			
Product Form	Purified IgG conjugated to Alexa Fluor® 647 - liquid			
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)	
	Alexa Fluor®647	650	665	
Preparation	Purified IgG prepared supernatant	by affinity chromatog	raphy on Protein A fror	n tissue culture

Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin	
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml	
Immunogen	Human T lymphocytes.	
External Database Links	UniProt: <u>P08575</u> <u>Related reagents</u> Entrez Gene: <u>5788</u> PTPRC <u>Related reagents</u>	
Synonyms	CD45	
RRID	AB_1102053	
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells myeloma cell line.	of the mouse NS-1
Specificity	Mouse anti Human CD45 antibody, clone F10-89-4 recognizes surface antigen, also known as the leucocyte common antigen ( molecule existing in a number of isoforms.	LCA). CD45 is a complex
	Antibodies recognising a common epitope on all of these isoforn those recognising only individual isoforms are termed CD45RA o	
	Mouse anti Human CD45 antibody, clone F10-89-4 reacts with a expressed by all haematopoietic cells, except erythrocytes, havin expression on lymphocytes than on granulocytes.	
	Mouse anti Human CD45 antibody, clone F10-89-4 is routinely te human peripheral blood leucocytes	ested in flow cytometry on
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells or 1	00ul whole blood.
References	<ol> <li>Dalchau, R. <i>et al.</i> (1980) Monoclonal antibody to a human leuglycoprotein probably homologous to the leukocyte-common (L-Communol. 10 (10): 737-44.</li> <li>Quenby, S <i>et al.</i> (1999) Pre-implantation endometrial leukocyte recurrent miscarriage. <u>Human Reprod. 14(9):2386-2391.</u></li> <li>Hauser, P.V. <i>et al.</i> (2010) Stem cells derived from human ammacute kidney injury recovery. <u>Am J Pathol. 177: 2011-21.</u></li> <li>Mallam, E. <i>et al.</i> (2010) Characterization of <i>in vitro</i> expanded</li> </ol>	C) antigen of the rat. <u>Eur J</u> tes in women with niotic fluid contribute to

mesenchymal stem cells from patients with multiple sclerosis. Mult Scler. 16: 909-18.

5. Marrinucci, D. *et al.* (2010) Cytomorphology of circulating colorectal tumor cells:a small case series. J Oncol. 2010: 861341.

6. Kazane, S.A. *et al.* (2012) Site-specific DNA-antibody conjugates for specific and sensitive immuno-PCR. <u>Proc Natl Acad Sci U S A. 109: 3731-6.</u>

7. Paul, G. *et al.* (2012) The adult human brain harbors multipotent perivascular mesenchymal stem cells. <u>PLoS One. 7: e35577.</u>

8. Sadarangani, A. *et al.* (2015) GLI2 inhibition abrogates human leukemia stem cell dormancy. <u>J Transl Med. 13: 98.</u>

9. Gunawardene, P. *et al.* (2015) Association Between Circulating Osteogenic Progenitor Cells and Disability and Frailty in Older Persons: The Nepean Osteoporosis and Frailty Study. J Gerontol A Biol Sci Med Sci. pii: glv190.

10. Gogoi P *et al.* (2016) Development of an Automated and Sensitive Microfluidic Device for Capturing and Characterizing Circulating Tumor Cells (CTCs) from Clinical Blood Samples. <u>PLoS One. 11 (1): e0147400.</u>

11. Spaas, J.H. *et al.* (2013) Culture and characterisation of equine peripheral blood mesenchymal stromal cells. <u>Vet J. 195 (1): 107-13.</u>

 Gomiero, C. *et al.* (2016) Tenogenic induction of equine mesenchymal stem cells by means of growth factors and low-level laser technology. <u>Vet Res Commun. 40 (1): 39-48.</u>
 De Schauwer, C. *et al.* (2012) In search for cross-reactivity to immunophenotype equine mesenchymal stromal cells by multicolor flow cytometry. <u>Cytometry A. 81 (4):</u> <u>312-23.</u>

Bianchessi, M. *et al.* (2016) Effect of Fibroblast Growth Factor 2 on Equine Synovial Fluid Chondroprogenitor Expansion and Chondrogenesis. <u>Stem Cells Int. 2016: 9364974.</u>
 Mohamed Suhaimi, N.A. *et al.* (2015) Non-invasive sensitive detection of KRAS and BRAF mutation in circulating tumor cells of colorectal cancer patients. <u>Mol Oncol. 9 (4):</u> 850-60.

16. Ruiz, C. *et al.* (2015) Limited genomic heterogeneity of circulating melanoma cells in advanced stage patients. <u>Phys Biol. 12 (1): 016008.</u>

17. Branly, T. *et al.* (2017) Characterization and use of Equine Bone Marrow Mesenchymal Stem Cells in Equine Cartilage Engineering. Study of their Hyaline Cartilage Forming Potential when Cultured under Hypoxia within a Biomaterial in the Presence of BMP-2 and TGF-β1. <u>Stem Cell Rev. Jun 09 [Epub ahead of print].</u>

18. GarikipatiV, N.S. *et al.* (2018) Isolation and characterization of mesenchymal stem cells from human fetus heart. <u>PLoS One. 13 (2): e0192244.</u>

19. Shishido, S.N. *et al.* (2019) Circulating tumor cells as a response monitor in stage IV non-small cell lung cancer. <u>J Transl Med. 17 (1): 294.</u>

20. Welter, L. *et al.* (2020) Treatment response and tumor evolution: Lessons from an extended series of multi-analyte liquid biopsies in a metastatic breast cancer patient. <u>Cold</u> <u>Spring Harb Mol Case Stud. Nov 17 [Epub ahead of print].</u>

**Storage** Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light.

	Avoid repeated freezing and thawing as this may denature the product contain a precipitate we recommend microcentrifugation	•
Guarantee	12 months from date of despatch	
Acknowledgements	This product is provided under an intellectual property licence of Corporation. The transfer of this product is contingent on the bip product solely in research, excluding contract research or any and the buyer must not sell or otherwise transfer this product of diagnostic, therapeutic or prophylactic purposes; (b) testing, and services, or information in return for compensation on a per-test or quality assurance or quality control, or (d) resale, whether or research. For information on purchasing a license to this product as described above, contact Life Technologies Corporation, 57 CA 92008 USA or outlicensing@thermofisher.com	uyer using the purchase fee for service research, or its components for (a) nalysis or screening st basis; (c) manufacturing r not resold for use in uct for purposes other than
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA87A647T 10041	
Regulatory	For research purposes only	

### **Related Products**

### **Recommended Negative Controls**

MOUSE IgG2a NEGATIVE CONTROL:Alexa Fluor® 647 (MCA929A647)

#### **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	d.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets M369061:200529'

#### Printed on 17 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint