

Datasheet: MCA87APC BATCH NUMBER INN1702

MOUSE ANTI HUMAN CD45:APC
CD45
LCA
APC
Monoclonal Antibody
F10-89-4
lgG2a

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .				
		Yes No	Not Determined	Suggested Dilution	
	Flow Cytometry			Neat	
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.				
Target Species	Human				
Product Form	Purified IgG conjugated to Allophycocyanin (APC) - lyophilised				
Reconstitution	Reconstitute with 1 ml distilled water				
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)		
	APC	650	661		
Preparation	Purified IgG prepared by affinity chromatography from tissue culture supernatant				
Buffer Solution	Phosphate buffered sali	ne			
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Al 5% Sucrose	lbumin			

Immunogen	Human T lymphocytes.
External Database Links	UniProt: <u>P08575</u> <u>Related reagents</u> Entrez Gene: <u>5788</u> PTPRC <u>Related reagents</u>
Synonyms	CD45
RRID	AB_324884
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS-1 myeloma cell line.
Specificity	Mouse anti Human CD45 antibody, clone F10-89-4 recognizes the human CD45 cell surface antigen, also known as leucocyte common antigen (LCA). CD45 is a complex molecule existing in a number of isoforms.
	Antibodies recognizing a common epitope on all of these isoforms are termed CD45 whilst those recognizing only individual isoforms are termed CD45RA or CD45RO etc.
	Mouse anti Human CD45 antibody, clone F10-89-4 reacts with all forms of CD45 expressed by all haematopoietic cells, except erythrocytes, having a higher level of expression on lymphocytes than on granulocytes.
	Mouse anti Human CD45 antibody, clone F10-89-4 is routinely tested in flow cytometry on human peripheral blood leucocytes.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells or 100ul whole blood
References	 Dalchau, R. <i>et al.</i> (1980) Monoclonal antibody to a human leukocyte-specific membrane glycoprotein probably homologous to the leukocyte-common (L-C) antigen of the rat. <u>Eur J Immunol. 10 (10): 737-44.</u> Quenby, S <i>et al.</i> (1999) Pre-implantation endometrial leukocytes in women with recurrent miscarriage. <u>Human Reprod. 14(9):2386-2391.</u> Hauser, P.V. <i>et al.</i> (2010) Stem cells derived from human amniotic fluid contribute to acute kidney injury recovery. <u>Am J Pathol. 177: 2011-21.</u> Mallam, E. <i>et al.</i> (2010) Characterization of <i>in vitro</i> expanded bone marrow-derived mesenchymal stem cells from patients with multiple sclerosis. <u>Mult Scler. 16: 909-18.</u> Marrinucci, D. <i>et al.</i> (2010) Cytomorphology of circulating colorectal tumor cells:a small case series. <u>J Oncol. 2010: 861341.</u> Kazane, S.A. <i>et al.</i> (2012) Site-specific DNA-antibody conjugates for specific and sensitive immuno-PCR. <u>Proc Natl Acad Sci U S A. 109: 3731-6.</u> Paul, G. <i>et al.</i> (2012) The adult human brain harbors multipotent perivascular mesenchymal stem cells. <u>PLoS One. 7: e35577.</u> Sadarangani, A. <i>et al.</i> (2015) GLI2 inhibition abrogates human leukemia stem cell

dormancy. J Transl Med. 13: 98.

	9. Gunawardene, P. <i>et al.</i> (2015) Association Between Circulating Osteogenic Progenitor Cells and Disability and Frailty in Older Persons: The Nepean Osteoporosis and Frailty
	Study. J Gerontol A Biol Sci Med Sci. pii: glv190.
	10. Gogoi P <i>et al.</i> (2016) Development of an Automated and Sensitive Microfluidic Device
	for Capturing and Characterizing Circulating Tumor Cells (CTCs) from Clinical Blood
	Samples. PLoS One. 11 (1): e0147400.
	11. Spaas, J.H. <i>et al.</i> (2013) Culture and characterisation of equine peripheral blood
	mesenchymal stromal cells. Vet J. 195 (1): 107-13.
	12. Gomiero, C. <i>et al.</i> (2016) Tenogenic induction of equine mesenchymal stem cells by
	means of growth factors and low-level laser technology. <u>Vet Res Commun. 40 (1): 39-48.</u>
	13. De Schauwer, C. <i>et al.</i> (2012) In search for cross-reactivity to immunophenotype
	equine mesenchymal stromal cells by multicolor flow cytometry. Cytometry A. 81 (4):
	<u>312-23.</u> 14. Bianchessi, M. et el. (2016) Effect of Eibroblast Crowth Easter 2 on Equipo Synovial
	14. Bianchessi, M. <i>et al.</i> (2016) Effect of Fibroblast Growth Factor 2 on Equine Synovial
	Fluid Chondroprogenitor Expansion and Chondrogenesis. <u>Stem Cells Int. 2016: 9364974.</u>
	15. Mohamed Suhaimi, N.A. <i>et al.</i> (2015) Non-invasive sensitive detection of KRAS and
	BRAF mutation in circulating tumor cells of colorectal cancer patients. <u>Mol Oncol. 9 (4):</u> 850-60.
	16. Ruiz, C. <i>et al.</i> (2015) Limited genomic heterogeneity of circulating melanoma cells in
	advanced stage patients. Phys Biol. 12 (1): 016008.
	17. Branly, T. <i>et al.</i> (2017) Characterization and use of Equine Bone Marrow Mesenchymal
	Stem Cells in Equine Cartilage Engineering. Study of their Hyaline Cartilage Forming
	Potential when Cultured under Hypoxia within a Biomaterial in the Presence of BMP-2 and
	TGF-β1. <u>Stem Cell Rev. Jun 09 [Epub ahead of print].</u>
	18. GarikipatiV, N.S. <i>et al.</i> (2018) Isolation and characterization of mesenchymal stem
	cells from human fetus heart. PLoS One. 13 (2): e0192244.
	19. Shishido, S.N. <i>et al.</i> (2019) Circulating tumor cells as a response monitor in stage IV
	non-small cell lung cancer. <u>J Transl Med. 17 (1): 294.</u>
	20. Welter, L. <i>et al.</i> (2020) Treatment response and tumor evolution: Lessons from an
	extended series of multi-analyte liquid biopsies in a metastatic breast cancer patient. <u>Cold</u>
	Spring Harb Mol Case Stud. Nov 17 [Epub ahead of print].
Storage	Prior to reconstitution store at +4°C. Following reconstitution store at +4°C.
	DO NOT FREEZE.
	This product should be stored undiluted. This product is photosensitive and should be
	protected from light. Should this product contain a precipitate we recommend
	microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety	Material Safety Datasheet documentation #20487 available at:
Information	https://www.bio-rad-antibodies.com/SDS/MCA87APC
	20487
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG2a NEGATIVE CONTROL:APC (MCA929APC)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rac	d.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M375680:210104'

Printed on 17 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint