

Datasheet: MCA87P647T

Description:	MOUSE ANTI HUMAN CD45:RPE-Alexa Fluor® 647
Specificity:	CD45
Other names:	LCA
Format:	RPE-ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	F10-89-4
lsotype:	lgG2a
Quantity:	25 TESTS

Product Details

RRID	AB_1102057				
Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.				
	recommendations, pr	Yes N			Suggested Dilution
	Flow Cytometry	•		inou	Neat
		has not been tested fo	or use in a particular t	echnique t	his does not necessarily
		ch procedures. Sugge ne user titrates the ant trols.	-	-	
Target Species	Human				
Species Cross Reactivity	Reacts with: Horse N.B. Antibody reactiv	ity and working condit	ions may vary betwe	en species	
Product Form	Purified IgG conjugat	ted to R. Phycoerythrin	n (RPE) - Alexa Fluor	® 647 - lyc	ophilized
Reconstitution	Reconstitute in 0.25 ml disilled water				
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)		
	RPE-Alexa Fluor®647 488nm laser	496	667	_	
	RPE-Alexa Fluor®647 561nm laser	546	667		
Preparation	Purified IgG prepared	d by affinity chromatog	raphy on Protein G fr	om tissue	culture supernatant
Buffer Solution	Phosphate buffered s	saline			
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum				

	5% Sucrose
Immunogen	Human T lymphocytes.
External Database Links	UniProt: <u>P08575</u> <u>Related reagents</u> Entrez Gene: <u>5788</u> PTPRC <u>Related reagents</u>
Synonyms	CD45
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS-1 myeloma cell line.
Specificity	Mouse anti Human CD45 antibody, clone F10-89-4 recognizes the human CD45 cell surface antigen, also known as the leucocyte common antigen (LCA). CD45 is a complex molecule existing in a number of isoforms.
	Antibodies recognising a common epitope on all of these isoforms are termed CD45 whilst those recognising only individual isoforms are termed CD45RA or CD45RO etc.
	Mouse anti Human CD45 antibody, clone F10-89-4 reacts with all forms of CD45 expressed by all haematopoietic cells, except erythrocytes, having a higher level of expression on lymphocytes than on granulocytes.
	Mouse anti Human CD45 antibody, clone F10-89-4 is routinely tested in flow cytometry on human peripheral blood leucocytes
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells or 100ul whole blood
References	 Dalchau, R. <i>et al.</i> (1980) Monoclonal antibody to a human leukocyte-specific membrane glycoprotein probably homologous to the leukocyte-common (L-C) antigen of the rat. <u>Eur J Immunol. 10 (10): 737-44.</u> Quenby, S <i>et al.</i> (1999) Pre-implantation endometrial leukocytes in women with recurrent miscarriage. <u>Human Reprod. 14(9):2386-2391.</u> Hauser, P.V. <i>et al.</i> (2010) Stem cells derived from human amniotic fluid contribute to acute kidney injury recovery. <u>Am J Pathol. 177: 2011-21.</u> Mallam, E. <i>et al.</i> (2010) Characterization of <i>in vitro</i> expanded bone marrow-derived mesenchymal stem cells from patients with multiple sclerosis. <u>Mult Scler. 16: 909-18.</u> Marrinucci, D. <i>et al.</i> (2010) Cytomorphology of circulating colorectal tumor cells:a small case series. <u>J Oncol. 2010: 861341.</u> Kazane, S.A. <i>et al.</i> (2012) Site-specific DNA-antibody conjugates for specific and sensitive immuno-PCR. <u>Proc Natl Acad Sci U S A. 109: 3731-6.</u> Paul, G. <i>et al.</i> (2012) The adult human brain harbors multipotent perivascular mesenchymal stem cells. <u>PLoS One. 7: e35577.</u> Sadarangani, A. <i>et al.</i> (2015) GLI2 inhibition abrogates human leukemia stem cell dormancy. J <u>Transl Med. 13: 98.</u> Gunawardene, P. <i>et al.</i> (2015) Association Between Circulating Osteogenic Progenitor Cells and Disability and Frailty in Older Persons: The Nepean Osteoporosis and Frailty Study. J Gerontol A
	Biol Sci Med Sci. pii: glv190.

	 Gogoi P <i>et al.</i> (2016) Development of an Automated and Sensitive Microfluidic Device for Capturing and Characterizing Circulating Tumor Cells (CTCs) from Clinical Blood Samples. <u>PLoS</u> <u>One. 11 (1): e0147400.</u> Spaas, J.H. <i>et al.</i> (2013) Culture and characterisation of equine peripheral blood mesenchymal
	 11. Spaas, J.H. <i>et al.</i> (2013) Culture and characterisation of equine perpheral blood mesenchymal stromal cells. Vet J. 195 (1): 107-13. 12. Gomiero, C. <i>et al.</i> (2016) Tenogenic induction of equine mesenchymal stem cells by means of growth factors and low-level laser technology. Vet Res Commun. 40 (1): 39-48. 13. De Schauwer, C. <i>et al.</i> (2012) In search for cross-reactivity to immunophenotype equine mesenchymal stromal cells by multicolor flow cytometry. Cytometry A. 81 (4): 312-23. 14. Bianchessi, M. <i>et al.</i> (2016) Effect of Fibroblast Growth Factor 2 on Equine Synovial Fluid Chondroprogenitor Expansion and Chondrogenesis. Stem Cells Int. 2016: 9364974. 15. Mohamed Suhaimi, N.A. <i>et al.</i> (2015) Non-invasive sensitive detection of KRAS and BRAF mutation in circulating tumor cells of colorectal cancer patients. Mol Oncol. 9 (4): 850-60. 16. Ruiz, C. <i>et al.</i> (2017) Limited genomic heterogeneity of circulating melanoma cells in advanced stage patients. Phys Biol. 12 (1): 016008. 17. Branly, T. <i>et al.</i> (2017) Characterization and use of Equine Bone Marrow Mesenchymal Stem Cells in Equine Cartilage Engineering. Study of their Hyaline Cartilage Forming Potential when Cultured under Hypoxia within a Biomaterial in the Presence of BMP-2 and TGF-β1. Stem Cell Rev. Jun 09 [Epub ahead of print]. 18. GarikipatiV, N.S. <i>et al.</i> (2018) Isolation and characterization of mesenchymal stem cells from human fetus heart. PLoS One. 13 (2): e0192244.
Storage	Prior to reconstitution store at +4°C. Following reconstitution store at +4°C.
	DO NOT FREEZE.
	This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Shelf Life	12 months from date of reconstitution.
Acknowledgements	This product is provided under an intellectual property license from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research conducted by the buyer, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com
Health And Safety Information	Material Safety Datasheet documentation #10075 available at: 10075: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10075.pdf</u>
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG2a NEGATIVE CONTROL:RPE-Alexa Fluor® 647 (MCA929P647)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +4
America	Fax: +1 919 878 3751		Fax: +4
	Email: antibody_sales_us@l	pio-rad.com	Email:

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M343330:190110'

Printed on 11 Jan 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint