

Datasheet: MCA883A647

BATCH NUMBER 1806

Description:	MOUSE ANTI HUMAN CD62E/CD62P:Alexa Fluor® 647
Specificity:	CD62E/CD62P
Other names:	E-SELECTIN/P-SELECTIN
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	1.2B6
Isotype:	lgG1
Quantity:	100 TESTS/1ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human		
Species Cross	Reacts with: Pig		
Reactivity	reactivity is derived	tivity and working condition of the string within our lessing within our lessions from the originate	aboratories, peer-revi
Product Form	Purified IgG conjug	gated to Alexa Fluor 647	- liquid
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	Alexa Fluor®647	650	665
Preparation	Purified IgG prepar supernatant	red by affinity chromatog	raphy on Protein A fro

Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin		
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml		
Immunogen	Human E-Selectin (ELAM-1).		
External Database Links	UniProt: P16581 Related reagents P16109 Related reagents Entrez Gene: 6401 SELE Related reagents 6403 SELP Related reagents		
Synonyms	ELAM1, GMRP, GRMP		
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the NS1 mouse myeloma cell line.		
Specificity	Mouse anti Human CD62E/CD62P antibody, clone 1.2B6 recognizes the human CD62E and CD62P cell surface antigens.		
	Although initially thought to recognize only human CD62E, more recent data (<u>Goda et al.</u> 2003) shows that Mouse anti Human CD62E/CD62P antibody, clone 1.2B6 also recognizes human CD62P, binding to a common epitope shared by these members of the selectin family.		
	Clone 1.2B6 reacts with porcine E-selectin (CD62E) but not with porcine P-selectin (Stocker et al. 2000).		
Flow Cytometry	Use 10ul of the suggested working dilution to label 1 x 10^6 cells in 100ul		
References	 Wellicome, S.M. <i>et al.</i> (1990) A monoclonal antibody that detects a novel antigen on endothelial cells that is induced by tumor necrosis factor, IL-1, or lipopolysaccharide. J lmmunol. 144 (7): 2558-65. Thornhill, M.H. & Haskard, D.O. (1990) IL-4 regulates endothelial cell activation by IL-1, tumor necrosis factor, or IFN-gamma. J lmmunol. 145 (3): 865-72. Kyan-Aung, U. <i>et al.</i> (1991) Endothelial leukocyte adhesion molecule-1 and intercellular adhesion molecule-1 mediate the adhesion of eosinophils to endothelial cells <i>in vitro</i> and are expressed by endothelium in allergic cutaneous inflammation <i>in vivo</i>. J lmmunol. 146 (2): 521-8. Keelan, E.T. <i>et al.</i> (1994) Characterization of E-selectin expression in vivo with use of a radiolabeled monoclonal antibody. Am J Physiol. 266 (1 Pt 2): H278-90. 		

- 5. Goda, K. *et al.* (1999) Characterization of an apparently conserved epitope in E- and P-selectin identified by dual-specific monoclonal antibodies. <u>Eur J Immunol. 29 (5):</u> 1551-60.
- 6. Urquhart, P. *et al.* (2007) Carbon monoxide-releasing molecules modulate leukocyte-endothelial interactions under flow. <u>J Pharmacol Exp Ther 321: 656-662.</u>
- 7. Gómez del Moral, M. *et al.* (1999) African swine fever virus infection induces tumor necrosis factor alpha production: implications in pathogenesis. J Virol. 73: 2173-80.
- 8. Vallée, I. *et al.* (2001) African swine fever virus infection of porcine aortic endothelial cells leads to inhibition of inflammatory responses, activation of the thrombotic state, and apoptosis. J Virol. 75: 10372-82.
- 9. Stocker, C.J. *et al.* (2000) TNF-alpha, IL-4, and IFN-gamma regulate differential expression of P- and E-selectin expression by porcine aortic endothelial cells. <u>J Immunol.</u> 164: 3309-15.
- 10. Rathod, K.S. *et al.* (2017) Accelerated resolution of inflammation underlies sex differences in inflammatory responses in humans. <u>J Clin Invest. 127 (1): 169-182.</u>

Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. This product is photosensitive and should be protected from light.

Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use

Guarantee

12 months from date of despatch

Acknowledgements

This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information

Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA883A647 10041

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL: Alexa Fluor® 647 (MCA928A647)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M344319:190111'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint