

Datasheet: MCA88PE

### **BATCH NUMBER 1804**

Description:	MOUSE ANTI HUMAN CD45RA:RPE
Specificity:	CD45RA
Format:	RPE
<b>Product Type:</b>	Monoclonal Antibody
Clone:	F8-11-13
Isotype:	lgG1
Quantity:	100 TESTS

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human					
Species Cross	Reacts with: Rhesu	ıs Monkey				
Reactivity	N.B. Antibody reac	tivity and working condit	ons may vary between species	. Cross		
	•	· ·	aboratories, peer-reviewed pub			
	•	cations from the originato	ors. Please refer to references i	ndicate		
	further information.					
Product Form	Purified IgG conjug	ated to R. Phycoerythrin	(RPE) - lyophilized			
Reconstitution	Reconstitute with 1 ml distilled water.					
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)			
	RPE 488nm laser	496	578			
Preparation	Purified IgG prepared by affinity chromatography on protein G from tissue culture					
	supernatant.					

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin 5% Sucrose
Immunogen	Human T lymphocytes
External Database Links	UniProt: P08575 Related reagents  Entrez Gene: 5788 PTPRC Related reagents
Synonyms	CD45
RRID	AB_321424
Fusion Partners	Spleen cells from immunized BALB/c mouse were fused with cells of the NS-1 mouse myeloma cell line
Specificity	Mouse anti Human CD45RA antibody, clone F8-11-13 recognizes the human CD45RA cell surface antigen.
	CD45 is a complex molecule existing in a number of isoforms. Antibodies recognizing a common epitope on all of these isoforms are termed CD45 whilst those recognizing only individual isoforms are termed CD45RA or CD45RO etc.
	Mouse anti Human CD45RA antibody, clone F8-11-13 reacts with the high molecular weight form of the leucocyte common antigen (LCA) expressed by B lymphocytes and a subset of T lymphocytes.
	Mouse anti Human CD45RA antibody, clone F8-11-13 is routinely tested in flow cytometry on human peripheral blood lymphocytes.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells or 100ul whole blood
References	<ol> <li>Dalchau, R. &amp; Fabre, J.W. (1981) Identification with a monoclonal antibody of a predominantly B lymphocyte-specific determinant of the human leukocyte common antigen. Evidence for structural and possible functional diversity of the human leukocyte common molecule. J Exp Med. 153 (4): 753-65.</li> <li>O'Grady, J.T. et al. (1994) CD40 expression in Hodgkin's disease. Am J Pathol. 144 (1): 21-6.</li> <li>Franitza, S. et al. (2002) TGF-beta1 enhances SDF-1alpha-induced chemotaxis and homing of naive T cells by up-regulating CXCR4 expression and downstream cytoskeletal</li> </ol>
	effector molecules. <u>Eur J Immunol. 32 (1): 193-202.</u> 4. Leigh, J.E. <i>et al.</i> (2006) Characterization of the immune status of CD8+ T cells in oral

lesions of human immunodeficiency virus-infected persons with oropharyngeal Candidiasis. Clin Vaccine Immunol. 13 (6): 678-83.

- 5. Hunt, L. *et al.* (2016) T cell subsets: an immunological biomarker to predict progression to clinical arthritis in ACPA-positive individuals. <u>Ann Rheum Dis. 75 (10): 1884-9.</u>
- 6. Ibana, J.A. *et al.* (2012) The major CD8 T cell effector memory subset in the normal and *Chlamydia trachomatis*-infected human endocervix is low in perforin. <u>BMC Immunol.</u> 13: 66.
- 7. Ponchel, F. *et al.* (2014) An immunological biomarker to predict MTX response in early RA. <u>Ann Rheum Dis. 73 (11): 2047-53.</u>

#### Storage

Prior to reconstitution store at +4°C. Following reconstitution store at +4°C.

DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	6 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA88PE">https://www.bio-rad-antibodies.com/SDS/MCA88PE</a> 20487
Regulatory	For research purposes only

## Related Products

### **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

### **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700

**Europe** Tel: +49 (0) 89 8090 95 21

Email: antibody sales us@bio-rad.com

Fax: +44 (0)1865 852 739
Email: antibody sales uk@bio-rad.com

Email: antibody sales de@bio-rad.com

Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M375689:210104'

# Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint