

Datasheet: MCA88SBUV605

BATCH NUMBER 100006774

Description:	MOUSE ANTI HUMAN CD45RA:StarBright UltraViolet 605
Specificity:	CD45RA
Format:	StarBright UltraViolet 605
Product Type:	Monoclonal Antibody
Clone:	F8-11-13
Isotype:	IgG1
Quantity:	100 TESTS/0.5ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Human		
Reacts with: Rhesus	Monkey	
N.B. Antibody reactive	vity and working conditi	ons may vary between species. 0
reactivity is derived for	rom testing within our la	aboratories, peer-reviewed public
personal communica	tions from the originato	ors. Please refer to references ind
further information.		
Purified IgG conjugat	ted to StarBright UltraV	iolet 605 - liquid
Fluorophore	Excitation Max (nm)	Emission Max (nm)
StarBright UltraViolet 605	340	609
Purified IgG prepared	d by affinity chromotogi	raphy on protein A from tissue cu
	Reacts with: Rhesus N.B. Antibody reactive reactivity is derived for personal communicate further information. Purified IgG conjugate Fluorophore StarBright UltraViolet 605	Reacts with: Rhesus Monkey N.B. Antibody reactivity and working condition reactivity is derived from testing within our lapersonal communications from the originate further information. Purified IgG conjugated to StarBright Ultrav

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20
Immunogen	Human T lymphocytes
External Database Links	UniProt: P08575 Related reagents Entrez Gene: 5788 PTPRC Related reagents
Synonyms	CD45
Fusion Partners	Spleen cells from immunized BALB/c mouse were fused with cells of the NS-1 mouse myeloma cell line
Specificity	Mouse anti Human CD45RA antibody, clone F8-11-13 recognizes the human CD45RA cell surface antigen. CD45 is a complex molecule existing in a number of isoforms. Antibodies recognizing a common epitope on all of these isoforms are termed CD45 whilst those recognizing only individual isoforms are termed CD45RA or CD45RO etc. Mouse anti Human CD45RA antibody, clone F8-11-13 reacts with the high molecular weight form of the leucocyte common antigen (LCA) expressed by B lymphocytes and a subset of T lymphocytes. Mouse anti Human CD45RA antibody, clone F8-11-13 is routinely tested in flow cytometry on human peripheral blood lymphocytes.
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 ⁶ cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
References	 Dalchau, R. & Fabre, J.W. (1981) Identification with a monoclonal antibody of a predominantly B lymphocyte-specific determinant of the human leukocyte common antigen. Evidence for structural and possible functional diversity of the human leukocyte common molecule. <u>J Exp Med. 153 (4): 753-65.</u> O'Grady, J.T. <i>et al.</i> (1994) CD40 expression in Hodgkin's disease. <u>Am J Pathol. 144 (1) 21-6.</u> Franitza, S. <i>et al.</i> (2002) TGF-beta1 enhances SDF-1alpha-induced chemotaxis and homing of naive T cells by up-regulating CXCR4 expression and downstream cytoskeletal

effector molecules. Eur J Immunol. 32 (1): 193-202.

- 4. Leigh, J.E. et al. (2006) Characterization of the immune status of CD8+ T cells in oral lesions of human immunodeficiency virus-infected persons with oropharyngeal Candidiasis. Clin Vaccine Immunol. 13 (6): 678-83.
- 5. Hunt, L. et al. (2016) T cell subsets: an immunological biomarker to predict progression to clinical arthritis in ACPA-positive individuals. Ann Rheum Dis. 75 (10): 1884-9.
- 6. Ibana, J.A. et al. (2012) The major CD8 T cell effector memory subset in the normal and Chlamydia trachomatis-infected human endocervix is low in perforin. BMC Immunol.
- 7. Ponchel, F. et al. (2014) An immunological biomarker to predict MTX response in early RA. Ann Rheum Dis. 73 (11): 2047-53.

Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
Health And Safety Information	Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA88SBUV605 20471
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376 America

Fax: +1 919 878 3751

Worldwide

Email: antibody_sales_us@bio-rad.com

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M403681:220728'

Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint