Datasheet: MCA88SBUV665 BATCH NUMBER 100006116

MOUSE ANTI HUMAN CD45RA:StarBright UltraViolet 665			
CD45RA			
StarBright UltraViolet 665			
Monoclonal Antibody			
F8-11-13			
lgG1			
100 TESTS/0.5ml			

Product Details

Applications	derived from testing w communications from	vithin our laboratories, the originators. Pleas ral protocol recommer	he following application peer-reviewed publica e refer to references in ndations, please visit <u>w</u>	tions or personal ndicated for further		
	iad-antibodies.com/pi	Yes No	Not Determined	Suggested Dilution		
	Flow Cytometry	•		Neat		
	Where this product has not been tested for use in a particular technique this do necessarily exclude its use in such procedures. Suggested working dilutions ar a guide only. It is recommended that the user titrates the product for use in the system using appropriate negative/positive controls.					
Target Species	Human					
Species Cross Reactivity	Reacts with: Rhesus Monkey N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.					
Product Form	Purified IgG conjugated to StarBright UltraViolet 665 - liquid					
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)			
	StarBright UltraViolet 665	340	684			
Preparation	Purified IgG prepared by affinity chromotography on protein A from tissue culture supernatant					

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20
Immunogen	Human T lymphocytes
External Database Links	UniProt: P08575 Related reagents Entrez Gene: 5788 PTPRC Related reagents
Synonyms	CD45
Fusion Partners	Spleen cells from immunized BALB/c mouse were fused with cells of the NS-1 mouse myeloma cell line
Specificity	 Mouse anti Human CD45RA antibody, clone F8-11-13 recognizes the human CD45RA cell surface antigen. CD45 is a complex molecule existing in a number of isoforms. Antibodies recognizing a common epitope on all of these isoforms are termed CD45 whilst those recognizing only individual isoforms are termed CD45RA or CD45RO etc. Mouse anti Human CD45RA antibody, clone F8-11-13 reacts with the high molecular
	weight form of the leucocyte common antigen (LCA) expressed by B lymphocytes and a subset of T lymphocytes.Mouse anti Human CD45RA antibody, clone F8-11-13 is routinely tested in flow cytometry
	on human peripheral blood lymphocytes.
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 ⁶ cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
References	 Dalchau, R. & Fabre, J.W. (1981) Identification with a monoclonal antibody of a predominantly B lymphocyte-specific determinant of the human leukocyte common antigen. Evidence for structural and possible functional diversity of the human leukocyte common molecule. J Exp Med. 153 (4): 753-65. O'Grady, J.T. <i>et al.</i> (1994) CD40 expression in Hodgkin's disease. Am J Pathol. 144 (1): 21-6. Franitza, S. <i>et al.</i> (2002) TGF-beta1 enhances SDF-1alpha-induced chemotaxis and homing of naive T cells by up-regulating CXCR4 expression and downstream cytoskeletal effector molecules. Eur J Immunol. 32 (1): 193-202.

	4. Leigh, J.E. <i>et al.</i> (2006) Characterization of the immune status of CD8+ T cells in oral lesions of human immunodeficiency virus-infected persons with oropharyngeal				
	Candidiasis. <u>Clin Vaccine Immunol. 13 (6): 678-83.</u>				
	5. Hunt, L. et al. (2016) T cell subsets: an immunological biomarker to predict progression				
	to clinical arthritis in ACPA-positive individuals. Ann Rheum Dis. 75 (10): 1884-9.				
	6. Ibana, J.A. <i>et al.</i> (2012) The major CD8 T cell effector memory subset in the normal				
	and <i>Chlamydia trachomatis</i> -infected human endocervix is low in perforin. <u>BMC Immunol.</u>				
	<u>13: 66.</u>				
	7. Ponchel, F. et al. (2014) An immunological biomarker to predict MTX response in early				
	RA. <u>Ann Rheum Dis. 73 (11): 2047-53.</u>				
Storage	Store at +4°C. DO NOT FREEZE.				
	This product should be stored undiluted.				
Guarantee	12 months from date of despatch				
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts				
Health And Safety	Material Safety Datasheet documentation #20471 available at:				
Information	https://www.bio-rad-antibodies.com/SDS/MCA88SBUV665				
	20471				
Regulatory	For research purposes only				

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK	(BUF070A)
HUMAN SEROBLOCK	(BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	d.com	Email: antibody_sales_uk@bio-rac	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M393391:211221'

Printed on 16 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint