

Datasheet: MCA88SBV475

Description:	MOUSE ANTI HUMAN CD45RA:StarBright Violet 475
Specificity:	CD45RA
Format:	StarBright Violet 475
Product Type:	Monoclonal Antibody
Clone:	F8-11-13
Isotype:	lgG1
Quantity:	100 TESTS/0.5ml

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human			
Species Cross Reactivity	reactivity is derived fi	rity and working conditi rom testing within our I	aboratories, peer-r	veen species. Cross reviewed publications or references indicated for
Product Form	further information.  Purified IgG conjugat	ted to StarBright Violet	475 - liquid	
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (ni	m)
	StarBright Violet 475	405	479	
Preparation	Purified IgG prepared supernatant	d by affinity chromatog	raphy on protein A	from tissue culture
Buffer Solution	Phosphate buffered s	saline		

P	re	se	rv	at	İν	е
S	ta	bil	is	er	s	

0.09% Sodium Azide (NaN<sub>3</sub>)1% Bovine Serum Albumin

0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20

# Approx. Protein Concentrations

For information on the concentration of our StarBright Dye conjugated reagents please visit our FAQ page.

#### **Immunogen**

Human T lymphocytes

# External Database Links

#### **UniProt:**

P08575 Related reagents

#### **Entrez Gene:**

5788 PTPRC Related reagents

#### **Synonyms**

**CD45** 

#### **Fusion Partners**

Spleen cells from immunized BALB/c mouse were fused with cells of the NS-1 mouse myeloma cell line

## **Specificity**

**Mouse anti Human CD45RA antibody, clone F8-11-13** recognizes the human CD45RA cell surface antigen.

CD45 is a complex molecule existing in a number of isoforms. Antibodies recognizing a common epitope on all of these isoforms are termed CD45 whilst those recognizing only individual isoforms are termed CD45RA or CD45RO etc.

Mouse anti Human CD45RA antibody, clone F8-11-13 reacts with the high molecular weight form of the leucocyte common antigen (LCA) expressed by B lymphocytes and a subset of T lymphocytes.

Mouse anti Human CD45RA antibody, clone F8-11-13 is routinely tested in flow cytometry on human peripheral blood lymphocytes.

## **Flow Cytometry**

Use 5ul of the suggested working dilution to label  $10^6$  cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.

#### References

- 1. Dalchau, R. & Fabre, J.W. (1981) Identification with a monoclonal antibody of a predominantly B lymphocyte-specific determinant of the human leukocyte common antigen. Evidence for structural and possible functional diversity of the human leukocyte common molecule. <u>J Exp Med. 153 (4): 753-65.</u>
- 2. O'Grady, J.T. et al. (1994) CD40 expression in Hodgkin's disease. Am J Pathol. 144 (1): 21-6.
- 3. Franitza, S. *et al.* (2002) TGF-beta1 enhances SDF-1alpha-induced chemotaxis and homing of naive T cells by up-regulating CXCR4 expression and downstream cytoskeletal

effector molecules. Eur J Immunol. 32 (1): 193-202.

- 4. Leigh, J.E. *et al.* (2006) Characterization of the immune status of CD8+ T cells in oral lesions of human immunodeficiency virus-infected persons with oropharyngeal Candidiasis. <u>Clin Vaccine Immunol. 13 (6): 678-83.</u>
- 5. Hunt, L. *et al.* (2016) T cell subsets: an immunological biomarker to predict progression to clinical arthritis in ACPA-positive individuals. <u>Ann Rheum Dis. 75 (10): 1884-9.</u>
- 6. Ibana, J.A. *et al.* (2012) The major CD8 T cell effector memory subset in the normal and *Chlamydia trachomatis*-infected human endocervix is low in perforin. <u>BMC Immunol.</u> 13: 66.
- 7. Ponchel, F. *et al.* (2014) An immunological biomarker to predict MTX response in early RA. Ann Rheum Dis. 73 (11): 2047-53.

Storage	This product is shipped at ambient temperature.
	Store at +4°C. DO NOT FREEZE.
	This product should be stored undiluted.
Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
Health And Safety	Material Safety Datasheet documentation #20471 available at:
Information	https://www.bio-rad-antibodies.com/SDS/MCA88SBV475
Regulatory	For research purposes only

# Related Products

### **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M441491:250523'

### Printed on 15 Aug 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint