# Datasheet: MCA88SBV515 BATCH NUMBER 100004322

Description:MOUSE ANTI HUMAN CD45RA:StarBright Violet 515Specificity:CD45RAFormat:StarBright Violet 515Product Type:Monoclonal AntibodyClone:F8-11-13Isotype:IgG1Quantity:100 TESTS/0.5ml		
Format:StarBright Violet 515Product Type:Monoclonal AntibodyClone:F8-11-13Isotype:IgG1	Description:	MOUSE ANTI HUMAN CD45RA:StarBright Violet 515
Product Type:Monoclonal AntibodyClone:F8-11-13Isotype:IgG1	Specificity:	CD45RA
Clone: F8-11-13 Isotype: IgG1	Format:	StarBright Violet 515
Isotype: IgG1	Product Type:	Monoclonal Antibody
	Clone:	F8-11-13
Quantity: 100 TESTS/0.5ml	Isotype:	lgG1
	Quantity:	100 TESTS/0.5ml

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .				
	·	Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry	•			Neat
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.				
Target Species	Human				
Species Cross Reactivity	Reacts with: Rhesus Monkey <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.				
Product Form	Purified IgG conjugated to StarBright Violet 515 - liquid				
Max Ex/Em	Fluorophore StarBright Violet 515	Excitation Ma 401	x (nm)	Emission Max (nm) 516	
Preparation	Purified IgG prepared by affinity chromotography on protein A from tissue culture supernatant				
Buffer Solution	Phosphate buffered saline				

Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> ) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350
Immunogen	Human T lymphocytes
External Database Links	UniProt: <u>P08575</u> <u>Related reagents</u>
	Entrez Gene: 5788 PTPRC <u>Related reagents</u>
Synonyms	CD45
Fusion Partners	Spleen cells from immunized BALB/c mouse were fused with cells of the NS-1 mouse myeloma cell line
Specificity	Mouse anti Human CD45RA antibody, clone F8-11-13 recognizes the human CD45RA cell surface antigen.
	CD45 is a complex molecule existing in a number of isoforms. Antibodies recognizing a common epitope on all of these isoforms are termed CD45 whilst those recognizing only individual isoforms are termed CD45RA or CD45RO etc.
	Mouse anti Human CD45RA antibody, clone F8-11-13 reacts with the high molecular weight form of the leucocyte common antigen (LCA) expressed by B lymphocytes and a subset of T lymphocytes.
	Mouse anti Human CD45RA antibody, clone F8-11-13 is routinely tested in flow cytometry on human peripheral blood lymphocytes.
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
References	<ol> <li>Dalchau, R. &amp; Fabre, J.W. (1981) Identification with a monoclonal antibody of a predominantly B lymphocyte-specific determinant of the human leukocyte common antigen. Evidence for structural and possible functional diversity of the human leukocyte common molecule. J Exp Med. 153 (4): 753-65.</li> <li>O'Grady, J.T. <i>et al.</i> (1994) CD40 expression in Hodgkin's disease. Am J Pathol. 144 (1): 21-6.</li> <li>Franitza, S. <i>et al.</i> (2002) TGF-beta1 enhances SDF-1alpha-induced chemotaxis and homing of naive T cells by up-regulating CXCR4 expression and downstream cytoskeletal effector molecules. Eur J Immunol. 32 (1): 193-202.</li> <li>Leigh, J.E. <i>et al.</i> (2006) Characterization of the immune status of CD8+ T cells in oral lesions of human immunodeficiency virus-infected persons with oropharyngeal Candidiasis. Clin Vaccine Immunol. 13 (6): 678-83.</li> </ol>

	<ol> <li>Hunt, L. <i>et al.</i> (2016) T cell subsets: an immunological biomarker to predict progression to clinical arthritis in ACPA-positive individuals. <u>Ann Rheum Dis. 75 (10): 1884-9.</u></li> <li>Ibana, J.A. <i>et al.</i> (2012) The major CD8 T cell effector memory subset in the normal and <i>Chlamydia trachomatis</i>-infected human endocervix is low in perforin. <u>BMC Immunol.</u> 13: 66.</li> <li>Ponchel, F. <i>et al.</i> (2014) An immunological biomarker to predict MTX response in early RA. <u>Ann Rheum Dis. 73 (11): 2047-53.</u></li> </ol>		
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.		
Guarantee	12 months from date of despatch		
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts		
Health And Safety Information	Material Safety Datasheet documentation #20438 available at: https://www.bio-rad-antibodies.com/SDS/MCA88SBV515 20438		
Regulatory	For research purposes only		

## **Related Products**

### **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M373256:200901'

#### Printed on 14 Mar 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint