

Datasheet: MCA905GA

BATCH NUMBER 167017

Description:	MOUSE ANTI SHEEP TNF ALPHA
Specificity:	TNF ALPHA
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	VPM61
Isotype:	lgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			
Immunohistology - Frozen	•			
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting	-			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Sheep		
Species Cross Reactivity	Reacts with: Bovine, Water Buffalo N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.		
Product Form	Purified IgG - liquid		
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant		

Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	
Carrier Free	Yes	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	Recombinant ovine TNF alpha.	
External Database Links	UniProt: P23383 Related reagents	
	Entrez Gene: 443540 TNF Related reagents	
Synonyms	TNFA, TNFSF2	
Specificity	Mouse anti Sheep TNF alpha, clone VPM61 recognizes ovine tumor necrosis factor (TNF) alpha, a 17.5kDa cytokine expressed by many different stimulated cell types including monocytes, macrophages, endothelial cells, fibroblasts and both T and B-lymphocytes.	
	The production of TNF alpha is induced by a variety of factors, dependant upon cell typ and includes bacterial toxins, IL-1, PDGF, IFN beta, NGF, oncostatin M and viral infections. The presence of TNF alpha is responsible for diverse immunomodulatory, anti-tumor and toxic effects and under certain conditions is also capable of self-stimulatiand inhibition.	
References	1. Green, I.R. <i>et al.</i> (1993) Expression and characterization of bioactive recombinant ov TNF-alpha: some species specificity in cytotoxic response to TNF. Cytokine. 5 (3): 213-2. Vilmos, P. <i>et al.</i> (1996) Phylogenetically conserved epitopes of leukocyte antigens. Velammunol Immunopathol. 52 (4): 415-26.	<u>23.</u>
Further Reading	1. Kwong, L.S. <i>et al.</i> (2010) Production and characterization of two monoclonal antibodi to bovine tumour necrosis factor alpha (TNF-alpha) and their cross-reactivity with ovine TNF-alpha. Vet Immunol Immunopathol. 135 (3-4): 320-4. 2. Sow, F.B. <i>et al.</i> (2011) Respiratory syncytial virus is associated with an inflammatory response in lungs and architectural remodeling of lung-draining lymph nodes of newbor lambs. Am J Physiol Lung Cell Mol Physiol. 300 (1): L12-24.	
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C short term use (up to 4 weeks) and store the remaining aliquots at -20°C.	
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in	

frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
Acknowledgements	This reagent was evaluated at the Moredun Research Institute and The Roslin Institute at the University of Edinburgh as part of <i>'The route to identification of immunological correlates of protection in ruminants'</i> Industrial Partnership Award funded by BBSRC (gran numbers BB/I019863/1; BB/I020519/1) with the support of Bio-Rad.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA905GA 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Goat Anti Mouse IgG (STAR76...)

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Goat Anti Mouse IgG (STAR77...) HRP
Rabbit Anti Mouse IgG (STAR9...) FITC

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M381515:210512'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | <u>Legal</u> | <u>Imprint</u>